

RYOBI®

PRODUCT CATALOGUE 2019

VOLUME 1



CONTENTS

PRODUCT CATALOGUE 2019

Volume 1

	HANDYLINE DIY TOOLS	3
	CORDED POWER TOOLS	11
	CORDLESS POWER TOOLS	35
	HEAVY-DUTY - INDUSTRIAL POWER TOOLS	47
	MACHINERY	65
	CLEANING EQUIPMENT	75
	OTHER TOOLS & MEASURING EQUIPMENT	83
	WELDING	93
	GARDENING EQUIPMENT	109
	#RYOBIKNOWS	131
	ABOUT US	133
	STRIKE FORCE	134
	NOTES	136



GUARANTEE
1-YEAR
GUARANTEE

DIY FOR HOME USE

HANDYLINE
POWER
TOOLS

CORDLESS SCREWDRIVER

HSD-360

3.6V CORDLESS SCREWDRIVER NiCAD BATTERY

FEATURES:

- Compact design
- Soft grip handle
- 2-position twist handle
- LED light to illuminate work area
- Charging & battery capacity indicator

MODEL NO.	BATTERY	CHARGE TIME	NO LOAD SPEED	NETT WEIGHT
HSD-360	3.6V, 600mAh	3 - 5hrs	250min ⁻¹	0.3kg



CORDLESS 12V LI-ION DRIVER DRILL

HLD-120

12V CORDLESS DRILL 10MM LI-ION CHARGER + BATTERY

FEATURES:

- 21+1 torque setting with variable speed to suit a variety of work
- Ergonomically designed shell with soft grip for increased comfort
- LED light to illuminate work area
- Keyless chuck for quick and easy changes
- Li-ion battery and belt hook for increased portability and versatility

MODEL NO.	DRILL CHUCK CAPACITY	ROTATION SPEED	DRILLING CAPACITIES	MAX. TORQUE	TORQUE SETTING	BATTERY	CHARGE TIME
HLD-120	10mm	0 - 700 min ⁻¹	Steel: 8mm Wood: 16mm	12Nm	21 + 1	12V Li-ion, 1 300mAh	3 - 5hrs



CORDLESS 18V LI-ION DRIVER DRILL

HLD-180

18V CORDLESS DRILL 10MM LI-ION CHARGER + BATTERY

FEATURES:

- Variable speed with 21+1 torque setting
- Ergonomically designed shell with soft grip for increased comfort
- LED light to illuminate work area and belt hook for increased portability

MODEL NO.	DRILL CHUCK CAPACITY	ROTATION LOAD SPEED	DRILLING CAPACITIES	MAX. TORQUE	TORQUE SETTING	BATTERY	CHARGE TIME
HLD-180	10mm	0 - 550 min ⁻¹	Wood: 22mm Steel: 8mm	20Nm	21 + 1	18V Li-ion, 1 300mAh	3 - 5hrs



IMPACT DRILL

HID-500

500W IMPACT DRILL 10MM KEYLESS CHUCK

FEATURES:

- Keyless chuck for quick and easy bit changes
- Reversing mode to unjam drill bits
- Easy Switch from drilling to impact mode
- Variable speed control for the correct speed for all drilling applications

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLOWS PER MINUTE	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NETT WEIGHT
HID-500	500W	0 – 3 000 min ⁻¹	0 – 48 000 bpm	10mm	Wood: 20mm, Steel: 8mm, Concrete: 10mm	1.5kg



HID-710

710W DRILL IMPACT 13MM KEYED CHUCK

FEATURES:

- Powerful 710 Watt motor for drilling tough masonry
- Reversing mode to unjam drill bits
- Easy switch from drilling to impact mode
- Variable speed control for the correct speed for all drilling applications
- Adjustable auxiliary handle for improved drilling control

MODEL NO.	POWER INPUT	NO LOAD SPEED	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NETT WEIGHT
HID-710	710W	0 – 3 000 min ⁻¹	13mm	Wood: 25mm, Steel: 10mm, Concrete: 13mm	2.14kg



BENCH GRINDER

HBG-150

150W BENCH GRINDER 150MM

FEATURES:

- Opti-view lens provides magnification of the work piece
- Convenient fully adjustable tool rests
- Fully adjustable eye shields and spark deflectors for added safety
- Large, easy access On/Off switch

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	NETT WEIGHT
HBG-150	150W	2 950 min ⁻¹	ø150 x 16 x ø12.7mm	5.5kg



ANGLE GRINDER

HG-650

650W ANGLE GRINDER 115MM

FEATURES:

- Lock-on Switch for easy operation
- 2-Position handle design providing user comfort for left and right handed use
- Spindle lock and lock nut spanner for faster and easier wheel changing



MODEL NUMBER	POWER INPUT	NO LOAD SPEED	GRINDING WHEEL	SPINDLE THREAD	DISC BORE SIZE	NETT WEIGHT
HG-650	650W	11 000 min ⁻¹	115mm	M14 x 2.0	22mm	2kg

BELT SANDER

HBS-720

720W BELT SANDER 76 x 457mm

FEATURES:

- Ergonomic handle for increased comfort and ease of use
- Tracking adjustment for extended belt life
- Quick and easy belt change with the tension release lever
- Lock on button for ease of continuous use



MODEL NUMBER	POWER INPUT	BELT SIZE	DISC SPEED	NETT WEIGHT
HBS-720	720W	76 x 457mm	250min ⁻¹	2.8kg

BELT & DISC SANDER

HBDS-350

BELT & DISC SANDER 350W

FEATURES:

- Belt adjusts for either horizontal or vertical sanding
- Mitre guide and bevel adjustable working table for precise working with wither sanding belt or disc
- Quick action belt tensioning and tracking system
- Robust cast iron construction provides good stability and minimizes vibration



MODEL NUMBER	POWER INPUT	BELT SIZE	DISC SIZE	DISC SPEED	NETT WEIGHT
HBDS-350	350W	100 x 914mm	ø150mm	1 450 min ⁻¹	15.5kg

ORBITAL SANDER

HS-150 150W ORBITAL SANDER

FEATURES:

- Ergonomic handle with soft grip for increased comfort and ease of use
- Quick action paper clamps for fast and easy sanding paper changes
- Lock on button for ease of continuous use
- Dust port for use with dust extraction systems

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	SANDING PAD SIZE	DIAMETER OF ORBIT	NETT WEIGHT
HS-150	150W	11 500 min ⁻¹	90 x 187mm	1.6mm	1.35kg



MULTI-PURPOSE TOOL

HMP-180 180W MULTI-PURPOSE TOOL

FEATURES:

- Ideal for multiple DIY applications such as cutting, scrapping, sanding, and removing grout
- Multi-position blade system for setting blade at ideal angle for the work piece with no risk of slipping
- High frequency oscillation of 22 000min⁻¹ with 3° oscillation angle for quick, smooth precision
- Compact body and ergonomic soft grip for optimal handling and control
- Universal fit system adapts to fit most other brands accessories

MODEL NUMBER	POWER INPUT	NO LOAD OSCILLATING RATE	OSCILLATING ANGLE	NETT WEIGHT
HMP-180	180W	22 000min ⁻¹	3°	1.2kg



HAND PLANER

HP-710 710W PLANER

FEATURES:

- Ergonomic handle with soft grip for increase comfort and ease of use
- Lock on button for ease of continuous use
- Precise and easy planning of depth adjustment
- Guide plate for accurate planning on long and uneven surfaces
- Aluminium front base shoe for precision and light-weight

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	NETT WEIGHT
HP-710	710W	16 500 min ⁻¹	82mm	2mm	2.6kg



JIGSAW

HJ-400 400W JIGSAW

FEATURES:

- Lock on button for ease of continuous use
- Built-in dust blower mechanism clears dust away from cutting line for better visibility
- Angle adjustable base for bevel cutting

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
HJ-400	400W	3 000min ⁻¹	Wood: 55mm Steel: 6mm	1.4kg



CIRCULAR SAW

HCS-1250 1250W CIRCULAR SAW

FEATURES:

- Easy to adjust base for bevel cutting from 0°-45°
- Spindle lock for easy blade changes
- Large front handle for increased comfort and ease of use
- Steel retractable lower guard for added safety
- Slide fence allows for increased accuracy

MODEL NUMBER	POWER INPUT	DIAMETER OF SAW BLADE	NO LOAD SPEED	MAX. SAWING DEPTH	NETT WEIGHT
HCS-1250	1 250W	185mm	5 000min ⁻¹	@ 90° = 65mm @ 45° = 44mm	3.8kg



MITRE SAW

HMS-850 MITRE SAW 210mm

FEATURES:

- Tungsten carbide tipped 24 teeth blade for superior cutting accuracy
- Ergonomic handle with soft grip for added user comfort
- Large and easy access knob for bevel adjustment
- Dust extraction outlet and bag for efficient dust collection

MODEL NO.	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	MAX. CUTTING DEPTH	NETT WEIGHT
HMS-850	850W	5 000 min ⁻¹	ø190 x ø16 x 2.4mm, 24T	0° x 90°: 40 x 105mm 45° x 90°: 20 x 39mm 45° x 45° (right): 20 x 60mm 45° x 45° (left): 20 x 39mm	5.5kg



TABLE SAW

HBT-254L TABLE SAW 254MM

FEATURES:

- Mitre gauge allows precise angle to be cut quickly and easily
- Stands with anti slip rubber feet provides full support and stability
- Powerful 1800 Watt motor with up and down torsion system cuts through the toughest of timber with precision and ease
- Blade bevel 0 - 45° for accurate angle cuts

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITIES	NETT WEIGHT
HBT-254L	1 800W	4 800min ⁻¹	254mm	75mm @ 90° 63mm @ 40°	19.6kg



DRILL PRESS

HBD-250 250W DRILL PRESS

FEATURES:

- Cast iron base for added stability
- Fully adjustable table with angle indicator
- Locking depth stop for accurate blind hole drilling
- 5 spindle speeds to better match speed to application
- 13mm drilling capacity for all large drilling applications

MODEL NUMBER	POWER INPUT	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	HEIGHT	SPEEDS	NETT WEIGHT
HBD-250	250W	1.5 - 13 mm	13mm	580mm	610 - 2560 min ⁻¹	16kg





GUARANTEE
2-YEAR
GUARANTEE

STANDARD DUTY - LIGHT INDUSTRIAL USE

CORDED
POWER
TOOLS

BATTERY CHARGER

BC-800 8AMP ELECTRONIC BATTERY CHARGER

FEATURES:

- Electronic charger protects against polarity inversion, over charging and short-circuits helping to ensure a longer battery life
- Easy to read analogue gauge
- Tough sheet metal housing helps protect electronics and dissipates heat during charging
- Long 1m charging leads and 2m power cord make charging a battery in place much easier
- Large clamps for better connection to the battery poles
- Two charging voltages for 12V and 6V batteries
- Two charging modes – car charge & motorcycle charge

MODEL NUMBER	POWER INPUT	POWER OUTPUT FOR CAR	POWER OUTPUT FOR MOTORCYCLE	NETT WEIGHT
BC-800	84W	12V = 6.5A / 6V = 8A	12V = 1.2A / 6V = 0.85A	2.4kg



BC-1200 12AMP ELECTRONIC BATTERY CHARGER

FEATURES:

- Charging progress can be seen on the ampere gauge
- Designed to charge or keep the charge on service free and lead batteries with gel
- Two charging modes – car charge & motorcycle charge
- Protection against polarity inversion, over charge and short circuit
- Protective insulation
- Tough sheet steel casing
- Charging lead with sturdy pole clamps

MODEL NUMBER	POWER INPUT	POWER OUTPUT	CHARGE LEAD	MAX. CURRENT	DURATIVE CURRENT	NETT WEIGHT
BC-1200	143W	DC 12V / 12 Aeff, 8 Aarith	2m	12A	8A	3.4kg



BISCUIT JOINTER

JM-100K JOINT MAKER

FEATURES:

- Rubberized handle for added comfort and control
- Cutting depth adjusts from 0-18mm to accommodate a variety of biscuits including #0, #10 and #20
- Dust collection bag conveniently collects the sawdust for a cleaner work area
- Fence tilts 0-90° in 1° increments for precision cuts when working with mitred edges
- 11 000min⁻¹ cutting head ensures strong, secure joints are made consistently

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	BLADE BORE DIAMETER	BLADE CUT THICKNESS	MAX. CUTTING DEPTH	MAX. CUTTING HEIGHT	ANGLE	NETT WEIGHT
JM-100K	710W	11 000min ⁻¹	100mm	20 or 22mm	4mm	18mm	25mm	0° - 90°	3kg



DRILL PRESSES

BD-513

DRILL PRESS 13mm 5-SPEED 1/3hp BENCH

FEATURES:

- 5 Spindle speeds for drilling wood, steel, aluminium or plastic
- Easy reach front position lock-off switch
- Locking depth stop for accurate blind hole drilling
- Fully adjustable table with angle indicators
- Easy speed adjustment belt
- Built-in safety switch

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CHUCK CAPACITY	SPINDLE STROKES	COLUMN TO CHUCK	TABLE TO CHUCK	NETT WEIGHT
BD-513	250W	625 – 2 500min ⁻¹	13mm	50mm	105mm	200mm	19kg



BD-16

DRILL PRESS 16mm 16-SPEED 550W BENCH

FEATURES:

- Powerful 550 Watt induction motor with cast iron housing for long-lasting, smooth performance
- 16 Speeds for optimum drilling performance in a variety of materials
- Pivoting motor mount maintains correct belt tension and facilitates speed change
- Adjustable locking depth stop for accurate depth measurement and repetitive drilling
- Built-in light illuminates the work area
- Standard 3-jaw 16mm chuck

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CHUCK CAPACITY	SPINDLE STROKES	COLUMN TO CHUCK	TABLE TO CHUCK	NETT WEIGHT
BD-16	550W	215 – 2 130min ⁻¹	16mm	80mm	170mm	350mm	40kg



BD-516

DRILL PRESS 16mm 5-SPEED 500W BENCH

FEATURES:

- 5 pulley speeds for drilling in to wood or metal
- Adjustable depth stop and laser guide with on/off switch accurately marks drilling point for quick and easy repeat drilling
- Large, heavy-duty feed handles for increased leverage and maximum control
- 1.5 - 16mm adjustable keyed chuck for greater bit capacity
- Rack and pinion table for easy and accurate height adjustment includes with 0-45° (L&R) tilt ability for angled drilling

MODEL NUMBER	POWER INPUT	MAX. DRILLING CAPACITY	SPINDLE TRAVEL	COLUMN DIAMETER	5-SPEED SPINDLE	TABLE SIZE	CHUCK SIZE	NETT WEIGHT
BD-516	500W, S ₂ 30 min	16mm	50mm	50mm	580 - 2650min ⁻¹	185 x 185mm	16mm	21.5kg



DP-16

DRILL PRESS 16mm 16-SPEED 3/4hp PEDESTAL

FEATURES:

- Powerful 550 Watt induction motor with cast iron housing for long-lasting, smooth performance
- 16 Speeds for optimum drilling performance in a variety of materials
- Adjustable locking depth stop for accurate depth measurement and repetitive drilling
- Pivoting motor mount maintains correct belt tension and facilitates speed change
- Built-in light illuminates the work area
- Standard 3-jaw 16mm chuck

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CHUCK CAPACITY	SPINDLE STROKES	COLUMN TO CHUCK	TABLE TO CHUCK	NETT WEIGHT
DP-16	550W	215 – 2 130min ⁻¹	16mm	80mm	170mm	680mm	51.5kg



CUT-OFF SAW

C-3552 2200W CUT-OFF SAW 355MM

FEATURES:

- Powerful 2 300 Watt motor delivers high overload capabilities
- Heavy duty pressed steel base for added strength
- Spark diversion guard for operator safety
- Adjustable guide plate 45° right and left
- Quick lock/release vice clamp for changing work pieces in a short time.

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SIZE	MAX. CUTTING CAPACITY	NETT WEIGHT
C-3552	2 300W	4 300min ⁻¹	ø355 x 25.4	Round pipe @ 45° - 115mm Round pipe @ 90° - 130mm Square @ 45° - 107 x 107mm Square @ 90° - 120 x 120mm Rectangle @ 45° - 75 x 100mm Rectangle @ 90° - 125 x 130mm	17kg



IMPACT DRILLS

PD-550 IMPACT DRILL 13mm 550W VAR / REV

FEATURES:

- Powerful 550 Watt motor with impact function for drilling with ease
- 360° Adjustable auxiliary handle for improved drilling control
- Forward and reverse function
- Variable speed switch for various applications
- Depth stop gauge for precise blind hole drilling

MODEL NUMBER	POWER INPUT	CHUCK CAPACITY	NO LOAD SPEED	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-550	550W	13mm	0 - 3 000min ⁻¹	0 - 48 000bpm	Wood: 25mm, Steel: 13mm, Masonry: 13mm	2.2kg



PD-550K IMPACT DRILL 13mm 550W VAR / REV

FEATURES:

- Powerful 550 Watt motor with impact function for drilling with ease
- 360° Adjustable auxiliary handle for improved drilling control
- Forward and reverse function
- Variable speed switch for various applications
- 87 piece accessories

MODEL NUMBER	POWER INPUT	CHUCK CAPACITY	NO LOAD SPEED	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-550K	550W	13mm	0 - 3 000min ⁻¹	0 - 48 000bpm	Wood: 20mm, Steel: 13mm, Masonry: 13mm	2.2kg



DRILLS: IMPACT DRILLS

PD-650

IMPACT DRILL 13mm 650W VAR / REV

FEATURES:

- Powerful 650 Watt motor with impact function for drilling with ease
- 13mm keyed chuck offers better durability and bit retention (Chuck key included)
- 360° Adjustable auxiliary handle for improved drilling control
- Forward and reverse functions
- Variable speed control for the correct speed selection allows for use in various applications
- Depth stop gauge for precise blind hole drilling

MODEL NUMBER	POWER INPUT	CHUCK CAPACITY	NO LOAD SPEED	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-650	650W	13mm	0 – 3 000min ⁻¹	0 – 48 000bpm	Wood: 25mm, Steel: 13mm, Masonry: 13mm	2.25kg



PD-852VR

IMPACT DRILL 13mm 850W KEYED CHUCK

FEATURES:

- Variable speed control for the correct speed selection
- Reversing mode to unjam drill bits
- Adjustable auxiliary handle for improved drilling control
- Depth stop for precise blind hole drilling
- Durable metal gear housing
- External brush caps for easy carbon brush changes

MODEL NUMBER	POWER INPUT	CHUCK CAPACITY	NO LOAD SPEED	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-852VR	850W	13mm	0 – 28 000min ⁻¹	0 – 27 000bpm	Wood: 25mm, Steel: 13mm, Masonry: 19mm	3.2kg



PD-1053VR

IMPACT DRILL 13mm 1 050W 2-SPEED

FEATURES:

- Powerful 1050 Watt motor for drilling tough masonry
- Reversing mode to unjam drill bits
- Easy switch from drilling to impact mode
- 2-Speed metal gear box for durability
- Variable speed control for the correct speed for all drilling applications
- Adjustable auxiliary handle for improved drilling control

MODEL NUMBER	POWER INPUT	CHUCK CAPACITY	NO LOAD SPEED	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-1053VR	1 050W	13mm	0 – 3 000min ⁻¹	0 – 48 000bpm	Wood: 30mm, Steel: 13mm, Concrete: 16mm	3.1kg



SCREWDRIVER

SC-600 600W SCREWDRIVER TEK SCREWS

FEATURES:

- Ideal for self-drilling / TEKS Screws
- Variable speed 0 - 2 400min⁻¹ for higher torque
- Soft grip handle for comfortable use
- Lock-on button for continuous operation
- Durable aluminium die-cast gear case




MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BIT SHANK	NETT WEIGHT
SC-600	600W	2 400min ⁻¹	hex 6.35mm	2.3kg

ELECTRIC WORK CENTRE

UWC-1601 QUICK MOUNT TOOL SUPPORT



UWC-1602 QUICK MOUNT WORK VICE



EWC-1000 ELECTRIC WOOD WORKING CENTRE

FEATURES:

- Extensions support 405mm work pieces
- Quick-mount tool attachment feature
- 2 Material roller supports with flip stops
- 2 Outlet power centre
- Stable 1 700mm x 635mm stance
- Supports work pieces up to 4.8m in length
- Includes work light with integrated support and large capacity quick-mount vice
- 200mm Wheel for portability

MODEL NUMBER	TABLE SIZE	WORK HEIGHT	NETT WEIGHT
EWC-1000	1 700mm	760mm	30.9kg



ROTARY HAMMERS

ED-500

500W ROTARY HAMMER 1.5 JOULES 20MM

FEATURES:

- 2 operating modes: drilling mode, hammer-drilling mode
- Powerful 500 Watt motor with SDS-plus type shank
- Soft grip auxiliary handle rotates 360°
- Complete in carry case with accessories: 1x 6x150mm drill bit, 1x 8x150mm drill bit, 1x 10x150mm drill bit

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	DRILL BIT SIZE	MAX. IMPACT RATE	NETT WEIGHT
ED-500	500W	0 - 1200 min ⁻¹	Wood: 30mm, Steel: 20mm, Concrete: 20mm	20mm SDS-Plus	5 000bpm	2.3kg



ED-850

ROTARY HAMMER 800W 3.5J SDS-PLUS

FEATURES:

- Powerful 800 Watt motor delivers 3.5J of impact energy and 4400bpm drilling performance
- 360-degree auxiliary handle for improved drilling control
- SDS-plus bit system for easy tool-free bit change and high efficient work
- 3 operation modes: Rotary Hammering, Hammering and Drilling for various work

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	MAX. IMPACT RATE	NETT WEIGHT
ED-850	800W	900min ⁻¹	Wood: 40mm, Steel: 13mm, Concrete: 26mm,	4 400bpm	3.4kg



ED-1050

ROTARY HAMMER 1 050W 4.5J SDS-PLUS

FEATURES:

- Powerful 1050 Watt motor delivers 4.5J of impact energy and 4500bpm drilling performance
- 360-degree adjustable auxiliary handle for improved drilling control
- SDS-plus bit system for easy tool-free bit change and high efficient work
- 3 operation modes: Rotary Hammering, Hammering and Drilling for various work

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	MAX. IMPACT RATE	NETT WEIGHT
ED-1050	1 050W	920min ⁻¹	Wood: 42mm, Steel: 13mm, Concrete: 26mm	4 500bpm	4.6kg



ED-1500

ROTARY HAMMER 1 500W 6.5J SDS-PLUS

FEATURES:

- Powerful SDS drill for drilling, hammer drilling and chiselling in concrete and masonry
- Pneumatic hammer mechanism with high compression piston
- Variable impact and speed control
- SDS-plus bit holder system
- Auxiliary handle rotates 360°, non-stick softgrip handles and vibration dampening
- Includes: Depth stop, 3x Drill Bits, 2x Chisel Bits and Carry Case

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	MAX. IMPACT RATE	NETT WEIGHT
ED-1500	1 500W	0 - 750min ⁻¹	Wood: 40mm, Steel: 13mm, Concrete: 32mm	4 000bpm	8kg



BENCH GRINDERS

BG-120

MULTI PURPOSE 120W BENCH GRINDER, WITH FLEXIBLE SHAFT

FEATURES:

- Powerful 120 Watt motor in compact size
- Includes 2 wheels, fine grit grinding wheel and fiber polishing wheel
- Handy flexible shaft attachment with variable speed control for versatility
- Adjustable eye protection shields and spark deflectors for added safety
- Ideal for deburring, grinding, polishing small parts, etc

MODEL NUMBER	POWER INPUT	HORSE POWER	NO LOAD SPEED	DISC SIZE	WHEEL SIZE
BG-120	120W	1/5hp	0 - 9 900min ⁻¹	ø75 x 20 x ø10mm	10mm



HBG-6E

250W BENCH GRINDER 150MM 1/3HP

FEATURES:

- Ideal for sharpening chisels, drill bits, axes, scissors, knives, lawnmower blades, etc
- Fitted with one fine and one coarse grinding wheel
- Fully adjustable solid tool resets for grinding control

MODEL NUMBER	POWER INPUT	HORSE POWER	NO LOAD SPEED	DISC SIZE	WHEEL SIZE	BORE SIZE	NETT WEIGHT
HBG-6E	250W	1/3hp	2 850min ⁻¹	150mm	20mm	12.7mm	9kg



HBG-620

250W BENCH GRINDER 150MM + LIGHT & WHEEL DRESSER

FEATURES:

- Fitted with one fine and one coarse grinding wheel
- Auto-on light automatically illuminates work area for more accurate grinding and sharpening
- Built-in coolant storage drip tray to cool overheated work-pieces
- Wheel dressing tool cleans metal build-up from wheels to improve grinding performance
- Sparks are deflected away from the operator
- Ideal for sharpening chisels, drill bits, axes, scissors, knives, lawnmower blades, etc
- Opti-view eye shield magnifies the work-piece

MODEL NUMBER	POWER INPUT	HORSE POWER	NO LOAD SPEED	DISC SIZE	WHEEL SIZE	BORE SIZE	NETT WEIGHT
HBG-620	250W	1/3hp	2 850min ⁻¹	150mm	20mm	12.7mm	8.5kg



HBG-825B

375W BENCH GRINDER 200MM H/D + LIGHT

FEATURES:

- Fitted with one fine and one coarse grinding wheel
- Auto-on light automatically illuminates work area for more accurate grinding and sharpening
- Built-in coolant storage drip tray to cool overheated work-pieces
- Wheel dressing tool cleans metal build-up from wheels to improve grinding performance
- Opti-view eye shield magnifies the work-piece
- Sparks are deflected away from the operator
- Ideal for sharpening chisels, drill bits, axes, scissors, knives, lawnmower blades, etc

MODEL NUMBER	POWER INPUT	HORSE POWER	NO LOAD SPEED	DISC SIZE	WHEEL SIZE	BORE SIZE	NETT WEIGHT
HBG-825B	375W	1/2hp	2 850min ⁻¹	200mm	25mm	15.88mm	17kg



ANGLE GRINDERS

G-850

850W ANGLE GRINDER 115MM

FEATURES:

- Powerful 850 Watt motor with high durability
- Adjustable disc guard for easy adjustment and added safety
- Suitable for cutting, grinding, sanding or wire buffing
- Spindle lock for fast and easy disc changing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	BORE SIZE	NETT WEIGHT
G-850	850W	11 000min ⁻¹	115mm	M14 x 2.0	22mm	2.0kg



G-915

900W ANGLE GRINDER 115MM

FEATURES:

- Powerful 900 Watt motor with high durability
- Adjustable disc guard for easy adjustment and added safety
- Suitable for cutting, grinding, sanding or wire buffing
- Spindle lock for fast and easy disc changing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	BORE SIZE	NETT WEIGHT
G-915	900W	11 000min ⁻¹	115mm	M14 x 2.0	22mm	2.0kg



G-2240

2200W ANGLE GRINDER 230MM

FEATURES:

- Powerful 2200W motor
- 180° multi-directional rotating back handle for improved comfort and control
- Spindle lock and lock nut spanner for faster wheel changing
- 3-position auxiliary handle design providing user comfort for left or right handed use
- Full length trigger switch

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	BORE SIZE	NETT WEIGHT
G-2240	2 200W	6 500min ⁻¹	230mm	M14 x 2.0	22.2mm	5.4kg



G-2300

2300W ANGLE GRINDER 230MM

FEATURES:

- Safety lock on the start trigger for added safety to prevent accidental starting
- Supplied with a 3 position auxiliary side handle for added user comfort, safety and control
- Removable carbon brush covers for the easy replacement of carbon brushes
- Adjustable disc guard for easy adjustment and added safety
- Suitable for cutting, grinding, sanding or wire buffing
- 90° Rotating soft grip main handle for added user comfort
- Spindle lock for fast and easy disc changing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	BORE SIZE	NETT WEIGHT
G-2300	2 300W	6 500min ⁻¹	230mm	M14 x 2.0	22mm	5.7kg



G-2500

2500W ANGLE GRINDER 230MM

FEATURES:

- Powerful 2500 Watt motor for efficient heavy duty work
- Robust Design for increased durability
- 3-position rear handle for extra comfort during various applications
- 3 position auxiliary side handle for added user comfort, safety and control
- Suitable for cutting, grinding, sanding or wire buffing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	BORE SIZE	NETT WEIGHT
G-2500	2 500W	6 500min ⁻¹	230mm	M14 x 2.0	22mm	6.1kg



HEAT GUNS

HG-2000K

2000W HEAT GUN WITH 5 PIECE ACCESSORY KIT & CARRY CASE

FEATURES:

- Temperature ranges from a low of 450°C with a 300 litre per minute airflow to a high temperature of 600°C with a 500 litre per minute airflow
- Dual airflow settings
- Ideal for stripping paint, drying paint or varnish, bending plastic pipes, softening adhesives and heat-shrinking plastic film
- Thermal overload protection with two temperature settings for a variety of jobs
- Complete in plastic carry case with 5 accessories

MODEL NUMBER	POWER INPUT	TEMPERATURE SETTING	AIRFLOW ON LOW TEMPERATURE	AIRFLOW ON HIGH TEMPERATURE	NETT WEIGHT
HG-2000K	2 000W	450°C low 600°C high	300L/min	500L/min	0.8kg



HG-2000

2000W HEAT GUN

FEATURES:

- Two temperature settings allows for a variety of jobs
- Thermal overload protection
- Temperature ranges from a low of 450°C with a 300 litre per minute airflow to a high temperature of 600°C with a 500 litre per minute airflow
- Dual airflow settings
- Ideal for stripping paint, drying paint or varnish, bending plastic pipes, softening adhesives and heat-shrinking plastic film

MODEL NUMBER	POWER INPUT	TEMPERATURE SETTING	AIRFLOW ON LOW TEMPERATURE	AIRFLOW ON HIGH TEMPERATURE	NETT WEIGHT
HG-2000	2 000W	450°C low 600°C high	300L/min	500L/min	0.8kg



MHG-2000

2000W MULTI PURPOSE HEAT GUN KIT WITH ACCESSORIES

FEATURES:

- Weed killer, Heat gun and BBQ Lighter in one
- High Power, 2000 Watt motor with temperature control
- Swivel handle and extension handle to transform the tool for different applications
- Convenient, built-in work stand
- Includes 8 accessories

MODEL NUMBER	POWER INPUT	TEMPERATURE SETTING	AIRFLOW ON LOW TEMPERATURE	AIRFLOW ON HIGH TEMPERATURE	NETT WEIGHT
MHG-2000K	2 000W	50°C 400°C 600°C	300L/min	500L/min	0.9kg



HG-2530

2000W INDUSTRIAL HEAT GUN, CERAMIC ELEMENT, 3 HEAT SETTINGS

FEATURES:

- Temperature ranges from a low of 50°C with a 250 litre per minute airflow, or a high temperature of 600°C with a 500 litre per minute airflow
- Ideal for stripping paint, drying paint or varnish, bending plastic pipes, softening adhesives, heat-shrinking plastic film, vinyl & leather repairs, loosening rusty bolts, automobile body repairs, de-soldering and drying out material
- Thermal overload protection
- Ceramic element for longer use
- Accessories included: Concentrator nozzle, Flat nozzle, Glass protection nozzle, Hook Nozzle, Shave hook

MODEL NUMBER	POWER INPUT	TEMPERATURE SETTING	AIRFLOW ON LOW TEMPERATURE	AIRFLOW ON HIGH TEMPERATURE	NETT WEIGHT
HG-2530	2 000W	50°C 450°C 600°C	250L/min	500L/min	0.8kg



GLUE GUN

GG-120

80W GLUE GUN IN CARRY CASE WITH 6 GLUE STICKS

FEATURES:

- Laminated power switch for added safety
- Fast heating
- Includes 6 glue sticks
- Includes metal stand, replacement nozzles and wrench
- Stored in a sturdy carry case

MODEL NUMBER	POWER INPUT	PREHEAT TIME	GUM FLOW	NETT WEIGHT
GG-120	80W	3 – 5mins	9 – 12g	0.27kg



MINI TOOL KITS

CHT-40K

150W MINI TOOL KIT WITH 42 PIECE ACCESSORIES AND FLEXIBLE SHAFT

FEATURES:

- The perfect machine for any hobbyist
- Fitted with a variable speed motor for the correct speed selection depending on the accessory being used
- Ideal for grinding, engraving, polishing, sanding and cutting
- External brush caps for easy, quick changing of carbon brushes
- Complete in carry case with 44 piece accessory kit

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET SIZE	NETT WEIGHT
CHT-40K	150W	10 000 – 36 000min ⁻¹	2.2 & 3.2mm	0.78kg



MULTI-PURPOSE TOOL

MP-300

300W MULTI-PURPOSE TOOL WITH 4 PIECE ACCESSORIES IN CARRY CASE

FEATURES:

- Ideal for multiple applications such as cutting, scraping, sanding, and removing grout
- Variable speed of 15 000 - 22 000 oscillations per minute for optimum control in various jobs
- Multi-positions blade systems for setting blade at ideal angle for the work piece with no risk of slipping
- Power 300 Watt motor with 3° oscillation angle for faster and stable operation
- Quick change accessory system for quick and easy changes without wrenches
- 5 Accessories Included: HCS Plunge cut saw blade (32mm); Rigid scraper blade; sanding base plate; sandpaper (#60, #80)

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	NETT WEIGHT
CHT-40K	300W	15 000 – 22 000min ⁻¹	1.4kg



HAND PLANERS

PL-650

650W PLANER 82MM 2MM DOC 8MM REBATE

FEATURES:

- Aluminium bracket for more durability and precision
- Ergonomic handle design and large lock on button for more user comfort
- Large 8mm rebate capacity
- Guide fence for planing width adjustment according to object size.
- Retracting rear stand for more user safety and less unexpected damage to planing surface
- Planing depth dial for exact operation
- In-built spanner for easy access

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	REBATE DEPTH	NETT WEIGHT
PL-650	650W	17 500min ⁻¹	82mm	2mm	8mm	2.7kg



HP-1050

1050W PLANER 82MM 0-3,5MM DOC 14MM REBATE

FEATURES:

- Powerful 1050 Watt motor provides smooth planing
- 3 Chamfering grooves allow for options for edge chamfering depth
- Aluminum bracket holds motor and cutter block, for durability and precision
- Aluminum front and rear base shoes for precision and light weight
- Left and right deflection ports keep work area clean

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	REBATE DEPTH	NETT WEIGHT
HP-1050	1 050W	15 000min ⁻¹	82mm	0 – 3.5mm	14mm	3.9kg



THICKNESSERS

AP-13

2000W PLANER 318MM 3MM DOC 8000 RPM 8M/MIN

FEATURES:

- Height scale for accurate cutting
- Power feed system (8m/min) and cutting speed ensures a quick and parallel finish
- Can plane hard and soft woods
- Fitted with 2 x HSS planer blades and built in material rollers
- Safety knob built into on/off switch to prevent accidental starting
- Includes extraction shoot attachment for connection to a workshop vacuum

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	PLANING HEIGHT	FEEDING SPEED	NETT WEIGHT
AP-13	2 000W	8 000min ⁻¹	127 – 318mm	0 – 3mm	5 – 153mm	8m/min	30.5kg



JP-254L

1500W JOINTER PLANER 204MM

FEATURES:

- Fast switching between planer and thicknesser in seconds
- Powerful 1500 Watt motor
- Overload Switch
- Circuit Breaker
- Dust extraction port for industrial vacuum
- Can be fitted to a work bench
- Stand with anti slip feet for added stability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING WIDTH	CUTTING RANGE	FEEDING SPEED	JOINTER TABLE	PLANER TABLE
JP-254L	1 500W	9 000min ⁻¹	204mm	5 – 120mm	6m/min	946 x 263mm	270 x 303mm



ROUTERS

RE-1200A 1200W ROUTER

FEATURES:

- 1200 Watt motor for routing and trimming an assortment of soft and hard wood
- Micro-adjust depth control for precise adjustment on intricate routing applications
- Ergonomically designed handles with on/ off switch and electronic speed control built into the handles

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	PLUNGE CAPACITY	NETT WEIGHT
RE-1200A	1 200W	11 500 – 30 000min ⁻¹	8 / 6.35mm	0 - 40mm	3.7kg



RE-1200K 1200W ROUTER IN CARRY CASE WITH ACCESSORIES

FEATURES:

- 1200 Watt motor for routing and trimming the toughest hardwood
- Electronic speed control for the correct speed selection in various materials
- Micro-adjust depth control for precise adjustment on intricate routing applications
- Ergonomically designed handles with on/off switch and electronic speed control built into the handles
- Kit includes: Straight guide, template guide, 6 long life router bits in a sturdy carry case

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	PLUNGE CAPACITY	NETT WEIGHT
RE-1200K	1 200W	10 000 – 28 000min ⁻¹	8 / 6.35mm	0 – 40mm	3.7kg



RE-1600 1600W ROUTER

FEATURES:

- 1600 Watt motor for routing and trimming the toughest hardwood
- Electronic speed control for the correct speed selection in various materials
- Micro-adjust depth control for precise adjustment on intricate routing applications
- Ergonomically designed handles with on/ off switch and electronic speed control built into the handles

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	PLUNGE CAPACITY	NETT WEIGHT
RE-1600	1 600W	10 000 – 30 000min ⁻¹	12.7 / 10 / 6.35mm	0 – 60mm	4.1kg



RT-800 ROUTER TABLE 455x330x25,5MM

FEATURES:

- Cast aluminium table top for greater durability
- Rigid construction for greater accuracy
- Safety switch allows the user to switch the router on and off from the front of the table
- Adjustable in-feed and out-feed fence
- Fully adjustable rear fence
- Built in dust extraction
- Adjustable mitre gauge
- Transparent chip deflector

MODEL NUMBER	WORK AREA TABLE SIZE	TABLE HEIGHT	ADJUSTABLE FENCE	NETT WEIGHT
RT-800	455 x 330 x 25.5mm	311mm	227.5 x 73 mm	5.5kg



BELT & DISC SANDERS

EMBS-200

200W MINI BELT & DISC SANDER

FEATURES:

- Dust extraction to keep work area clean
- Tracking knob to keep belt straight
- Tension release knob for easy belt replacement
- Adjustable work tables for various table angles
- Mitre gauge for set sanding angles

MODEL NUMBER	POWER INPUT	BELT SPEED	BELT SIZE	DISC ROTATION	DISC SIZE	NETT WEIGHT
EMBS-200	200W	970m/min	25 x 762mm	400min ⁻¹	127mm	7.5kg

BDS-460

370W BELT & DISC SANDER 100x914MM 150MM

FEATURES:

- Induction motor for quiet, dependable operation
- Miter gauge included for use on 0 - 45° pivoting table
- Tool-free belt tension release makes changing sanding belts quick and easy
- Large belt tracking knob for easy belt positioning from 0 - 90°
- Cast iron base for additional stability and less vibration
- Integrated dust port for optimal dust collection

MODEL NUMBER	POWER INPUT	BELT SPEED	BELT SIZE	DISC ROTATION	DISC SIZE	NETT WEIGHT
BDS-460	370W	450m/min	100 x 914mm	2 850min ⁻¹	150mm	18.5kg



BELT SANDERS

EBS-810

810W BELT SANDER 76x533MM

FEATURES:

- Ideal for finishing off wood surfaces
- Removes rust and finishes metal surfaces
- Can be used in a fixed inverted position
- Belt centering adjustment to keep belt running straight
- Lock-on button for continuous operation
- Quick and easy belt changes with the tension release lever
- Standard accessories include dust bag and abrasive belt

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BELT SIZE	NETT WEIGHT
EBS-810	810W	250m/min	76 x 533mm	2.7kg

MBS-1200

1200W BELT SANDER 100x610MM

FEATURES:

- Magnesium housing for lighter, stronger and quieter operation
- Powerful 1200 Watt industrial motor
- Swivel ball cord bushing minimises cord tangle
- Lever for quick sanding belt replacement
- Integrated dust extraction system
- External brush caps for easier carbon brush changes
- Front handle allows better control and increased safety

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BELT SIZE	NETT WEIGHT
MBS-1200	1 200W	500min ⁻¹	100 x 610mm	5.96kg



SANDERS: RANDOM / ORBITAL SANDERS

S-180

180W ORBITAL SANDER SHEET SIZE 90MM x 240MM

FEATURES:

- Powerful 180 Watt motor for sanding with ease
- 12 000min⁻¹ sanding performance
- Dust collection bag supplied as an accessory
- Quick action clamps allows for fast paper changes
- On/Off lock for continuous operation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PAPER SIZE	NETT WEIGHT
S-180	180W	12 000min ⁻¹	90mm x 240mm	1.7kg



RS-380

380W RANDOM ORBITAL SANDER 125MM

FEATURES:

- Random orbital action ideal for finishing
- Variable speed control for sanding a wide variety of materials
- Soft grip handle for comfortable use
- Adjustable front handle to assist with guiding machine for more precise sanding
- Dust collection bag keeps work area clean
- Lock-on button for continuous operation
- Standard Accessories: Sand paper #80 and dust bag
- Sand paper is attached with an easy velcro fastener

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PAD SIZE	NETT WEIGHT
RS-380	380W	6 000 – 13 000min ⁻¹	125mm	1.78kg



RMS-231

200W RANDOM MULTIPLE FUNCTION SANDER

FEATURES:

- Interchangeable sanding base system - 1/3 sheet, Delta and Random orbit, for meeting all your sanding needs
- Powerful 200 Watt motor and large orbital sanding circle for smooth finishing
- Ergonomic design handle with rubberized soft grip for increased comfort
- Dust extraction canister for efficient dust removal and improved sanding finish
- Dust sealed push-on/push-off switch for improved dust-proofness

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PAPER SIZE	NETT WEIGHT
RMS-231	200W	10 000min ⁻¹	1/3 sheet sanding pad (187 x 90mm) Delta Sanding Pad (208x110mm)	2kg



MS-130

MOUSE SANDER, 130W WITH 13 PIECE ACCESSORIES

FEATURES:

- 130 Watt orbital mouse sander
- Soft grip handle for more comfort of use
- Triangular shaped pad for optimum sanding of corners
- Dust extraction port for clean workplace
- Soft storage bag with set of accessories for different applications

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PAPER SIZE	NETT WEIGHT
MS-130	130W	12 000min ⁻¹	1/3 sheet sanding pad (187 x 90mm)	0.93kg



ROLLER SANDER

RRS-300

300W ROLLER SANDER WITH 9 PIECE ACCESSORY KIT

FEATURES:

- Powerful 300 Watt motor
- Variable speed control for sanding a wide variety of materials
- Dust extraction hood keeps work area clean
- Quick and easy change of accessories
- Soft grip handle for comfortable use
- Accessories included: Slim polishing wheel, Wide polishing wheel, Sanding wheel, Taper sanding wheel, Slim polishing brusher and Wire brusher all in neat carry case

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	NETT WEIGHT
RRS-300	300W	1 600 – 3 300 min ⁻¹	1.67kg



POWER FILES

PF-125K

POWER FILE 400W 9x457MM

FEATURES:

- Adjustable sanding arm pivots 100 degrees for hard to reach areas
- Narrow belt and exposed front pulley allows filling and sanding in close quarters or on irregular shapes
- Ball and needle bearing construction for smooth operation and long tool life
- Easily adjusted belt tracking with the turn of a knob
- Tool-less belt changing system for user convenience
- Standard accessory: 2 x 9mm sanding belts. Also compatible with a 13mm sanding belt

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	SANDING BELT SIZES	MAXIMUM SANDING DEPTH	NETT WEIGHT
PF-125K	400W	300 – 1 700min ⁻¹	9 x 457mm	85mm	1.5kg



SANDER / POLISHERS

SP-1218

300W SANDER POLISHER 180MM

FEATURES:

- Powerful 1200 Watt motor for tough jobs
- Variable speed control between 800 and 3200 min⁻¹
- Spindle lock for quick accessory changes
- Accessories Included: sanding pad, wool polishing bonnet and carbon brushes
- Sturdy D-shaped auxiliary handle for control and comfort

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	WHEEL SIZE	NETT WEIGHT
SP-1218	1 200W	800 – 3 200min ⁻¹	180mm	2.55kg



BAND & BENCH SAWS

BS-230 350W BANDSAW 230MM

FEATURES:

- Tilting table between 0 - 45 deg. allows for straight cross cutting, ripping mitre & bevel cutting
- Electromagnetic switch prevents accidental starts for added safety
- Quick lock system allows for blade tension adjustments in a short amount of time
- Mitre gauge allows precise angles to be cut quick and easily
- Newly designed blade guard system for precision cutting
- Maximum cutting width is 230mm and maximum cutting depth is 80mm

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	TABLE SIZE	NETT WEIGHT
BS-230	350W	11.6 m/sec	1 511mm x 6.35mm x 0.3mm	300mm x 300mm	18kg

HBT-255L 1500W TABLE SAW 254MM 16MM BORE WITH LEGS

FEATURES:

- Electronic brake
- Full length fast locking side fence
- Adjustment control for blade angle and height
- Thermal overload switch protects against gear and motor damage
- Transparent guard for operator safety
- Legs included

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	TABLE SIZE	NETT WEIGHT
HBT-255L	1 500W	4 500min ⁻¹	254mm	700 x 465mm	27kg



FLIP-OVER TABLE SAW

TMS-250 FLIP-OVER TABLE SAW 250MM

FEATURES:

- Dual action cutting mitre saw and table saw in one design
- Quick transformation from mitre saw to table saw in seconds
- Machined aluminium large working table provides larger cutting capacities with precision
- Foldable legs with wheels for easier transportation and storage
- Easy accessible emergency stop button for extra safety

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
TMS-250	1 800W	4 200min ⁻¹	255mm x 25.4mm x 3mm	42kg



CIRCULAR SAWS

CS-1400

1400W CIRCULAR SAW 185MM

FEATURES:

- Ergonomically designed front and rear handle for maximum comfort and control
- Bevel cuts from 0° - 45° for accurate angle cuts
- Spindle lock for quick blade changes
- 24 - Tooth carbide tipped saw blade

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	BORE DIAMETER	NETT WEIGHT
CS-1400	1 400W	5 500min ⁻¹	185mm	16mm	3.6kg

RCS-1500

1500W CIRCULAR SAW 185MM

FEATURES:

- Ergonomically designed front and rear handle for maximum comfort and control and chip ejection port
- Bevel cuts from 0° - 45°
- Spindle lock for quick blade changes
- 24 - Tooth carbide tipped saw blade
- Depth adjustment

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	BORE DIAMETER	NETT WEIGHT
RCS-1500	1 500W	5 500min ⁻¹	185mm	16mm	3.85kg



JIGSAWS

J-650V

650W JIGSAW VARIABLE / PENDULUM 65MM

FEATURES:

- Powerful 650 Watt motor
- Compact and light weight design with soft grip handle
- Pendulum action with variable speed for cutting a wide variety of materials
- Angle adjustable base for bevel cutting
- Built-in dust blower mechanism clears dust away from cutting line to maintain visibility
- Dust extraction port for connecting vacuum cleaner
- Standard accessories include jigsaw blade, wrench and dust nozzle

MODEL NUMBER	POWER INPUT	STROKE SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
J-650V	650W	800 - 3 000min ⁻¹	Wood: 65mm, Steel: 6mm	1.8kg

JS-80

800W JIGSAW VARIABLE SPEED WITH LASER

FEATURES:

- Powerful 800 Watt motor with variable speed control for cutting a wide variety of shapes and materials with ease
- Toolless blade clamp for easier and quicker blade changes
- Built-in laser and dust blower mechanism for a more visible cutting line and cleaner work area
- "Power on" indicator for safer and easier use with trigger on-lock for continuous use
- Supplied with 2 blades (Wood and Metal) and a parallel guide for rip and cross cuts
- Soft grip handle for more comfort of use
- 3 orbital actions for more comfort of use
- Complete with dust extraction port
- Adjustable base for 0° to 45° bevel cutting
- Safety guard over the blade for added safety
- Uses T-shank blades only

MODEL NUMBER	POWER INPUT	STROKE SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
JS-80	800W	0 - 3 000min ⁻¹	Wood: 100mm, Steel: 10mm	2.6kg



MULTI-FUNCTION SAW

DCS-125

900W DUAL CUT SAW 125MM BLADE

FEATURES:

- Two blades simultaneously rotate in opposite directions for a more powerful cutting edge with less kick back, friction, sparks and vibration
- Can cut hard and soft metals, hard wood, PVC and plastic
- Lubrication sticks included for smooth cutting of soft metals, copper, aluminium, brass, etc
- High powered 900 Watt motor for powerful and high-speed cutting operation
- Aluminium upper and lower blade guard

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
DCS-125	900W	4 300min ⁻¹	125mm	3.2kg



MITRE SAWS

CMS-210A

1200W MITRE SAW 210MM

FEATURES:

- Ergonomic Dual function auxiliary handle (Handle and material support)
- Retractable lower guard for added user safety
- 1200 Watt, 5000 min⁻¹ motor delivers extended power and durability
- Bevel cuts to a max. 45° with Aluminium base and easy to read bevel scale indicator with 2 positive stops provides repeatable accuracy and durability
- Saw head locking pin for easier safer transportation
- Included: 24T tungsten tipped blade for superior cutting and dust bag

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
CMS-210A	1 200W	5 000min ⁻¹	16x2.8mm	7.4kg



CMS-1825L

1800W COMPOUND WITH LASER LIGHT MITRE SAW 254MM

FEATURES:

- Unique laser light ensures accurate cutting
- Ideal for all cutting jobs around the home and for light craft-work, such as the construction of toys and furniture
- Takes a TCT blade

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
CMS-1825L	1 800W	4 500min ⁻¹	254mm	17kg



CSS-210

1800W SLIDING COMPOUND MITRE SAW 210MM

FEATURES:

- High power 1800 Watt motor cuts hardwood with ease
- Laser alignment for accurate cutting every time
- Work light for increased visibility of the cutting line
- Tungsten carbide tipped saw blade for superior cutting
- Strong extension support blocs for long work pieces

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
CSS-210	1 800W	4 600min ⁻¹	210mm	14.5kg



MITRE SAWS

CSS-1800

1800W SLIDING COMPOUND MITRE SAW 255MM

FEATURES:

- High power 1 800 Watt motor cuts hardwood with ease
- Laser alignment for accurate cutting every time
- Work light for increased visibility of the cutting line
- Tungsten carbide tipped saw blade for superior cutting
- Strong extension support blocs for long work pieces

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
CSS-1800	1 800W	4 800min ⁻¹	255mm	15.5kg



MS-305SCL

2000W SLIDING COMPOUND LASER LIGHT DUAL RAIL MITRE SAW 305MM

FEATURES:

- Easy to read scale on mitre table, mitre fence and bevel
- Dual slide rail system for high accuracy
- Powerful 2 000 Watt motor
- Ergonomic handle with soft grip for added user comfort
- Laser beam guide for precise cutting
- 60-tooth carbide-tipped saw blade for superior cutting
- Belt driven design increases vertical cutting capacity and decreases noise and vibration
- Standard accessories: TCT saw blade, vice clamp and ext wing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
MS-305SCL	2 000W	4 500min ⁻¹	305mm	23kg



RECIPROCATING SAWS

RMS-350

350W MULTI PURPOSE RECIPROCATING SAW

FEATURES:

- Compact and versatile for all cutting needs - it's a panel saw, it's a jig saw, it's a metal cutting saw, it's a pruning saw all in one
- Includes: Wood blade, metal blade and pruner blade

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING CAPACITY	STROKE LENGTH	NETT WEIGHT
RMS-350	350W	2 350min ⁻¹	Wood: 60mm, Metal: 6mm	18mm	1.5kg



RS-850

850W RECIPROCATING SAW

FEATURES:

- Powerful 850 Watt motor
- Tool-free blade clamp for quick and easy blade changes
- Adjustable grip for cutting in different directions
- Soft grip rubber front and rear handle, for safe and comfortable use
- Lock-on switch for continuous cutting operation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING CAPACITY	STROKE LENGTH	NETT WEIGHT
RS-850	850W	2 800min ⁻¹	Wood: 180mm, Metal: 10mm	28mm	2.6kg



SCROLL SAW

SC-1600VL

120W SCROLL SAW 405MM VARIABLE SPEED WITH LIGHT

FEATURES:

- Variable speed for greater control and ease of use when cutting intricate patterns
- Unique built-in light to illuminate work area
- Built-in dust clearing blower and collection port
- Table tilts 0°-45° for perfect angle cutting
- Takes both plain and pin type blades

MODEL NUMBER	POWER INPUT	STROKE SPEED	BLADE LENGTH	DIMENSIONS	NETT WEIGHT
SC-1600VL	120W	550 – 1 700min ⁻¹	127mm	415 x 255mm	12kg



SPRAY GUN

RES-140

80W SPRAY GUN 140 BAR

FEATURES:

- Airless paint sprayer with powerful 80 Watt motor
- Flexible extension nozzle design allows for use at various angles
- Ergonomic handle with over-mould improves user comfort and grip
- Ideal for applying paints, varnishes containing solvents, acrylic enamel paints, polishes, wood preservatives, etc
- Standard accessories are the flexible extension nozzle, viscosity cup and cleaning pin for nozzle

MODEL NUMBER	POWER INPUT	MAX. DELIVERY RATE	CONTAINER CAPACITY	MAX. PRESSURE	ROUND SPRAY NOZZLE	NETT WEIGHT
RES-140	80W	250ml/min	700ml	140 bar	22mm	1.7kg



PS-700

500W SPRAY GUN HVLP 700ML CAPACITY

FEATURES:

- Powerful 500 Watt motor supplies constant flow of paint. 2.5mm diameter nozzle
- High Velocity Low Pressure spraying technology gives a fast, professional finish with no brush marks
- Variable paint flow control and 3 spray patterns - Horizontal, vertical or round to cope with a variety of surfaces
- Removable front end for easy cleaning and maintenance
- Suitable for interior and exterior use, applying water and oil based paints, lacquers, primers, stains and wood preservative etc.

MODEL NUMBER	SPRAY PRESSURE	AIR VOLUME	AIR HOSE LENGTH	CONTAINER CAPACITY
PS-700	0.1 – 0.2 bar	1 000lpm	1.8m	700ml



PS-900

ELECTRIC SPRAY GUN

FEATURES:

- Powerful 500 Watt motor supplies constant flow of paint. 2 / 2.5 / 3mm diameter nozzles
- High Velocity Low Pressure spraying technology gives a fast, professional finish with no brush marks
- Variable paint flow control and 3 spray patterns - Horizontal, vertical or round with adjustable width to cope with a variety of surfaces
- Removable front end for easy cleaning and maintenance
- Suitable for interior and exterior use, applying water and oil based paints, lacquers, primers, stains and wood preservative etc.

MODEL NUMBER	POWER INPUT	WATER FLOW RATE	MAX VISCOSITY	NOZZLE	PAINT CUP VOLUME	NETT WEIGHT
PS-900	500W	900ml/min	100DIN-s	2mm/ 2.5mm/3mm	900ml	1.5kg



STAPLE GUN

ES-200

600W ELECTRIC STAPLE/NAIL GUN

FEATURES:

- Ergonomic design with soft grip
- Impact regulator for nailing or stapling on an assortment of materials
- Safety catch and On / Off mains switch prevents accidental firing
- Easy to load magazine holds up to 100 staples or nails
- Includes 100 x 150mm nails and 400 x 14mm staples

MODEL NUMBER	MAX. FIRING SPEED	NAIL SIZE	STAPLE SIZE
ES-200	20 shots/min	2mm wide x 15 – 16mm long x 1.25mm thick	13.3mm wide x 8 – 16mm long x 0.75mm thick



TILE CUTTERS

ETC-450

450W TILE CUTTER 180MM

FEATURES:

- 180mm Cutting blade fitted to a sturdy full metal table
- Specially designed table collects water from wet tile cutting and allows for efficient drainage
- The ideal machine for cross, bevel mitre and compound mitre cutting
- The 45° gauge allows for mitre and compound mitre cutting
- Adjustable side fence allows for precise repetitive cutting
- The table tilts from 0°- 45° for bevel cutting
- Only 11kg in weight, thus easy to transport

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	TABLE SIZE	NETT WEIGHT
ETC-450	450W	2 800min ⁻¹	180mm	395 x 385mm	11kg



TC-200

800W TILE CUTTER 200MM

FEATURES:

- Blade tilts from 0°- 45° for bevel cutting
- Mitre gauge for accurate mitre and compound cutting
- Complete with continuous rimmed diamond blade
- Specially designed water pump keeps tile cut cool
- Adjustable cutting length stops for precise and repetitive cuts
- Perfect for cross, mitre, bevel and compound cuts

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	TABLE SIZE	NETT WEIGHT
TC-200	800W	2 950min ⁻¹	200mm	785 x 395mm	28.5kg



WOOD LATHES

WL-140 400W WOOD LATHE 1000MM

FEATURES:

- Four speed manual adjustment pulley
- 1m Distance between centres for large work pieces
- Swing over the bed is 350mm
- With spindle lock on tool rest and tail stock
- Complete with 142mm face plate


MODEL NUMBER	POWER INPUT	ROTATION FREQUENCY	CENTRE HEIGHT	NETT WEIGHT
WL-140	400W	810 / 1 180 / 1 700 / 2 480min ⁻¹	175mm	28.3kg

WL-2000 550W WOOD LATHE 1000MM

FEATURES:

- Powerful 550 Watt induction motor for smooth lathing
- Four Spindle speeds for various woodturning operations
- Copy device for accurately duplicating a profile
- Stand with wheels for easy transport
- Large capacity 1m between centres and 350mm swing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CENTRE HEIGHT	NETT WEIGHT
WL-2000	550W	810 / 1 180 / 1 700 / 2 480min ⁻¹	175mm	63kg



WORK BENCH

RWB-100 WORK BENCH WITH CLAMPS

FEATURES:

- Folding support braces fold down for easy storage
- Dual clamping by means of two turn screws with locking action
- Can clamp irregular shapes using the blocks supplied
- Made from heavy duty box section steel
- Measuring scale and protractor are marked on the surface for guidance

MODEL NUMBER	OPEN DIMENSIONS	SQUARE TUBE DIMENSIONS	LOAD CAPACITY	NETT WEIGHT
RWB-100	605 x 625 x 760mm	25 x 25 x 0.7mm	100kg	5.6kg



RWB-1200 WORK BENCH WITH SHELF L1200 x W600 x H900MM

FEATURES:

- Feet are pre-drilled to bolt the bench in place or to fit castors
- Easy to assemble with bolts and nuts supplied
- 1.6mm Powder coated steel frame
- Can take up to 600kg weight
- 18mm thick wood work top
- Shelf for storage
- Made in South Africa

MODEL NUMBER	ASSEMBLED SIZE	LOAD CAPACITY	NETT WEIGHT
RWB-1200	900 x 600 x 1 200mm	600kg	28kg





RYOBI

CORDLESS CIRCULAR SAW
XCS-165

GUARANTEE
2-YEAR
GUARANTEE

STANDARD DUTY - LIGHT INDUSTRIAL USE

CORDLESS POWER TOOLS

SCREWDRIVERS / SCREWDRIVER KITS

CS-1480

4,8V SCREWDRIVER + 6 PIECE ACCESSORIES IN BLISTER PACK

FEATURES:

- Soft grip handle for user comfort
- 6 piece accessory kit
- Automatic spindle lock
- Charging and battery capacity LED indicator
- Forward and reverse for effective screw fastening / loosening
- Magnetic bit holder
- LED light for working in dark places

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BATTERY TYPE	CHARGE TIME	NETT WEIGHT
CS-1480	4.8V	180min ⁻¹	4.8V NICAD	3 – 5hrs	0.4kg



CLS-360U

3,6V LI-ION SCREWDRIVER WITH USB

FEATURES:

- 3.6V Li-ion technology provides lighter weight with more power
- 2 position twist handle, converts pistol grip to straight grip to fit any job
- Convenient LED torch is built into the grip
- Built-in overload protection and automatic spindle lock mechanism for greater control when manually screw driving
- Handy LED light to illuminate the work area when working in dark places
- Magnetic hexagonal collet allows quick bit change
- 55pc accessories included: 12x Phillips driver bits, 15x Slotted driver bits, 8x Pozi driver bits, 7x Torx driver bits, 12x Hex driver bits and 1x magnetic bit holder

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BATTERY TYPE	CHARGE TIME	NETT WEIGHT
CLS-360U	3.6V	180min ⁻¹	3.6v Li-ion, 1 300mAh	3 – 5hrs	0.34kg



LITHIUM-ION CORDLESS DRILL DRIVER KITS

CLD-1880K

18V LI-ION CORDLESS DRIVER DRILL KIT

FEATURES:

- Li-ion technology provides lighter weight and more power
- Heavy duty motor and gear box for longer tool life
- 21 + 1 clutch setting with variable speed, for various jobs
- Ergonomically designed shell with soft grip for increased comfort
- Convenient Storage case with accessories: 70 piece drill & driver bits

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	NO LOAD SPEED	CHARGE TIME	NETT WEIGHT
CLD-1880K	18V, 1 300mAh Li-ion x 2pcs	10mm	0 – 400 / 0 – 1 500min ⁻¹	3 – 5hrs	1.2kg



CLD-1860K

18V LI-ION DRIVER DRILL KIT

FEATURES:

- Li-ion technology provides lighter weight and more power
- Heavy duty motor and gear box for longer tool life
- 16 clutch setting + drill + impact with variable speed, for various jobs
- Ergonomically designed shell with soft grip for increased comfort
- Includes 2 x Batteries; 158 piece accessories in an aluminium case

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	NO LOAD SPEED	CHARGE TIME	NETT WEIGHT
CLD-1860K	18V, 1 500mAh Li-ion	13mm	0 – 400 / 0 – 1 200min ⁻¹	3 – 5hrs	1.75kg



LITHIUM-ION CORDLESS DRILLS

CLD-120

12V LI-ION CORDLESS DRIVER DRILL

FEATURES:

- Li-ion technology provides lighter weight and more power
- Convenient LED work light
- 21 clutch setting + drill with a variable speed for various jobs
- Ergonomically designed shell with soft grip for increased comfort

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	NO LOAD SPEED	CHARGE TIME	NETT WEIGHT
CLD-120	12V Li-ion, 1 300mAh	10mm	0 - 700min ⁻¹	3 - 5hrs	1kg

CLD-180

18V LI-ION CORDLESS DRIVER DRILL

FEATURES:

- Li-ion technology provides lighter weight and more power
- Convenient LED work light
- 21 clutch setting + drill with a variable speed for various jobs
- Ergonomically designed shell with soft grip for increased comfort

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	NO LOAD SPEED	CHARGE TIME	NETT WEIGHT
CLD-180	18V Li-ion, 1 300mAh	10mm	0 - 400 / 0-1 500min ⁻¹	3 - 5hrs	1.2kg

CLD-1820

18V LI-ION CORDLESS DRIVER DRILL WITH IMPACT FUNCTION

FEATURES:

- Li-ion technology provides lighter weight and more power
- Heavy duty motor and gear box for longer tool life
- 16 clutch setting + drill + impact with variable speed, for various jobs
- Ergonomically designed shell with soft grip for increased comfort
- Accessories include 6 x driver bit, 6x drill bit and magnetic bit holder

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	NO LOAD SPEED	CHARGE TIME	NETT WEIGHT
CLD-1820	18V, 1 300mAh Li-ion	13mm	0 - 400 / 0-1 200min ⁻¹	1hr	1.9kg



ONE + 18V LITHIUM-ION

• ONE LI-ION BATTERY FITS ALL. •

XPP-2700



XB-1500



XB-3000



XNS-1800



XLWL-1800



XJ-50



XRS-18



XCS-140



XID-150



XCS-165



XG-115



XIW-3100



XBD-1850



XD-18



XAI-8800



XD-180



XHD-1820



XMS-2400



XRH-2020

ONE + 18V LITHIUM-ION

XD-180

18V LI-ION DRIVER DRILL KIT 10MM (INCL. BATTERY+CHARGER)

FEATURES:

- Ergonomical compact design
- Heavy duty motor and gear box
- Includes: charging connector and battery pack
- 21 + 1 torque setting with variable speed
- LED work light

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NO LOAD SPEED	NETT WEIGHT
XD-180	18V Li-ion, 1 500mAh 18V Li-ion, 3 000mAh	10mm	Wood: 19mm, Steel: 8mm	0 – 400 / 0–1 500min ⁻¹	1.3kg



XD-18

18V LI-ION DRIVER DRILL 22Nm 10MM

FEATURES:

- Ergonomical compact designed shell with soft grip for increased comfort
- Heavy duty motor and gear box for longer tool life
- 16 + 1 torque setting with variable speed for various jobs
- LED light to illuminate work area
- Excludes battery and charger

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NO LOAD SPEED	NETT WEIGHT
XD-18	18V Li-ion, 1 500mAh 18V Li-ion, 3 000mAh	10mm	Wood: 19mm, Steel: 8mm	0 – 400 / 0–1 200min ⁻¹	1kg



XHD-1820

18V LI-ION IMPACT DRILL 40Nm 13MM

FEATURES:

- Built-in high efficiency impact mechanism
- Heavy duty motor and gear box
- 21+1 torque setting with variable speed
- LED work light
- Excludes battery and charger

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NO LOAD SPEED	NETT WEIGHT
XHD-1820	18V Li-ion, 1 500mAh 18V Li-ion, 3 000mAh	13mm keyless	Wood: 19mm Steel: 8mm	0 – 400 / 0–1 500min ⁻¹	1.2kg



XID-150

18V LI-ION IMPACT DRIVER 150Nm

FEATURES:

- Durable high performance motor
- Maximum torque: 150Nm
- LED work light
- Excludes battery and charger

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NO LOAD SPEED	NETT WEIGHT
XID-150	18V Li-ion, 1 500mAh 18V Li-ion, 3 000mAh	Hex 6.35mm	Screw - 6.35mm Bolt - 6.35mm	0–2 200min ⁻¹	1.1kg



ONE + 18V LITHIUM-ION

XBD-1850

18V LI-ION BRUSHLESS DRIVER DRILL

FEATURES:

- All metal ratcheting keyless chuck
- LED work light
- Durable high performance motor with brushless technology provides a longer life, more power and more run-time
- Excludes battery and charger

MODEL NUMBER	CHUCK CAPACITY	NO LOAD SPEED	MAX TORQUE	DRILLING CAPACITIES	NETT WEIGHT
XBD-1850	13mm	0 - 1 500min ⁻¹	45Nm	Wood: 25mm Steel: 8mm	1.1kg



XIW-3100

18V LI-ION IMPACT WRENCH

FEATURES:

- Durable high performance motor
- Maximum torque: 310Nm
- LED work light
- High efficiency - up to 3000 impacts per minute
- 1/2" square drive with hog ring socket detention
- Excludes battery and charger

MODEL NUMBER	BIT SHANK SIZE	FASTENING CAPACITY	FASTENING TORQUE	NO LOAD SPEED	IMPACT RATE	NETT WEIGHT
XIW-3100	1/2" Sq	BOLT M14 - M32 BOLT	310 Nm	0-2 200min ⁻¹	0 - 3 000min ⁻¹	1.7kg



XRH-2020

18V LI-ION ROTARY HAMMER

FEATURES:

- SDS-plus bit system
- Powerful and efficient pneumatic hammering mechanism
- Compact and well-balanced design
- Excludes Battery and Charger

MODEL NUMBER	CHUCK TYPE	NO LOAD SPEED	NO LOAD IMPACT RATE	IMPACT ENERGY	CAPACITIES	FUNCTION	NETT WEIGHT
XRH-2020	SDS-plus	0 - 1 100min ⁻¹	0-5 200min ⁻¹	2J	Wood: 30mm Steel: 13mm Concrete: 20mm	2-mode	2.1kg



XNS-1800

18V LI-ION NAILER STAPLER

FEATURES:

- No compressors, hoses or gas cartridges required
- Nail jammed or empty indicator
- Nailing depth adjustment dial
- Excludes battery and charger

MODEL NUMBER	NAIL SPEED	MAGAZINE CAPACITY	MAX LENGTH	NETT WEIGHT
XNS-1800	30 shots / min	100 pcs	50mm, 18GA brad nail 40mm, 18GA light duty staple	2.7kg



ONE + 18V LITHIUM-ION

XCS-140

18V LI-ION CIRCULAR SAW 140MM

FEATURES:

- 45-degree bevel cut
- Heavy duty motor
- Large front handle
- Excludes battery and charger

MODEL NUMBER	BATTERY	NO LOAD SPEED	MAX. CUTTING CAPACITY	BLADE DIAMETER	NETT WEIGHT
XCS-140	18V Li-ion, 1 500mAh 18V Li-ion, 3 000mAh	4 000min ⁻¹	40mm @ 90° 26mm @ 45°	140mm	2.1kg



XCS-165

18V LI-ION CIRCULAR SAW 165MM

FEATURES:

- High performance, heavy duty motor
- Single beam laser guide
- 45-degree bevel cut
- Large front handle
- Excludes battery and charger

MODEL NUMBER	BATTERY	NO LOAD SPEED	MAX. CUTTING CAPACITY	BLADE DIAMETER	NETT WEIGHT
XCS-165	18V Li-ion, 1 500mAh 18V Li-ion, 3 000mAh	4 000min ⁻¹	52mm @ 90° 36mm @ 45°	155mm	2.4kg



XG-115

18V LI-ION ANGLE GRINDER 115MM

FEATURES:

- Quick adjust wheel guard
- Heavy duty motor
- Safety slide switch
- Spindle lock for faster disc changing
- Adjustable disc guard for easy adjustment and added safety
- Excludes battery and charger

MODEL NUMBER	BATTERY	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
XG-115	18V Li-ion, 1 500mAh 18V Li-ion, 3 000mAh	7 000 min ⁻¹	115mm	1.6kg



XRS-18

18V LI-ION RECIPROCATING SAW

FEATURES:

- Heavy duty motor
- Tool-free blade clamp for quick and easy blade changes
- Soft grip rubber front and rear handle, for safe and comfortable use
- Lock-on switch for continuous cutting operation
- Excludes battery and charger

MODEL NUMBER	BATTERY	NO LOAD SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
XRS-18	18V Li-ion, 1 500mAh 18V Li-ion, 3 000mAh	2 700 min ⁻¹	Wood: 50mm Metal: 6mm Aluminium: 10mm	1.5kg



ONE + 18V LITHIUM-ION

XJ-50

18V LI-ION JIG SAW 19MM STROKE LENGTH

FEATURES:

- Dust extraction port for connecting vacuum cleaner
- Variable speed for various cutting operations
- Built-in dust blower mechanism clears dust away from cutting line to maintain visibility
- Standard accessories include jigsaw blade, wrench and dust nozzle
- Compact and light weight design with soft grip handle
- Excludes battery and charger

MODEL NUMBER	BATTERY	STROKE SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
XJ-50	18V Li-ion, 1 500mAh 18V Li-ion, 3 000mAh	0 - 2 400min ⁻¹	Wood: 56mm Metal: 6mm	1.5kg



XWL-1800

18V LED WORK LIGHT

FEATURES:

- Ideal for work sites, camping grounds, disaster areas, power outages and more
- High brightness, 1800 lumens max
- 2 level, adjustable brightness
- 360° rotating base with pivoting head
- Excludes battery and charger

MODEL NUMBER	POWER OUTPUT	BRIGHTNESS	COLOUR TEMP	LED TYPE	NETT WEIGHT
XWL-1800	20W	900 / 1 800lm	6500 K	SMD	1.5kg



XAI-8800

18V LI-ION AIR INFLATOR

FEATURES:

- Ideal for inflating car, motorcycle, bicycle tyres and balls
- Easy view pressure gauge
- Includes extension tube and 3 nozzle adaptors
- Excludes battery and charger

MODEL NUMBER	MAX AIR PRESSURE	MAX AIR FLOW	WORKING TIME	NETT WEIGHT
XAI-8800	8 bar (116 psi)	8L/min	30 min (XB-3000)	0.8kg



XMS-2400

18V LI-ION MOUSE SANDER

FEATURES:

- Easily fits in tight spaces
- Orbital action
- Velcro base pad
- 6 Sanding pads included
- Excludes battery and charger

MODEL NUMBER	PAD SIZE	NO LOAD ORBIT	NETT WEIGHT
XMS-2400	140 X 140 X 80mm	12 000min ⁻¹	0.9kg



ONE + 18V LITHIUM-ION

XB-1500

18V LI-ION 1500mAh BATTERY PACK

FEATURES:

- Fits all RYOBI Universal Power Platform range of tools:
- Quick charging
- Deep discharge protection

MODEL NUMBER	CELL TYPE	CAPACITY	CHARGE TIME	NETT WEIGHT
XB-1500	Li-ion	1 500mAh	45min	0.36kg



XB-3000

18V LI-ION 3000mAh BATTERY PACK

FEATURES:

- Fits all RYOBI Universal Power Platform range of tools:
- High capacity
- Deep discharge protection

MODEL NUMBER	CELL TYPE	CAPACITY	CHARGE TIME	NETT WEIGHT
XB-3000	Li-ion	3 000mAh	90min	0.66kg



XPP-2700

18V LI-ION CHARGER PACK

FEATURES:

- Quick charge
- LED indicator displays charging status
- Fits RYOBI XB-3000 3000mAh Li-ion battery pack and XB-1500 1500mAh Li-ion battery pack

MODEL NUMBER	BATTERY	CHARGE TIME	NETT WEIGHT
XPP-2700	18V Li-ion	1 500mAh battery pack in 45min 3 000mAh battery pack in 90min	0.35kg



BATTERIES & CHARGERS

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
63120030	BATTERY 12V, NiCD HCD12 1100mAh	1
63180040	BATTERY 12V, LITHIUM-ION CLD1216,CLD1217T (1300mAh)	1
CLD14/01B	BATTERY 14,4V, LITHIUM-ION CLD14,CLD1420 (1300mAh)	1
63180030	BATTERY 18V, LITHIUM-ION CLD18,CLD1820, CLD1860K (1300mAh)	1
62120030	CHARGER, 12V NiCD & STAND HCD12	1
62180050	CHARGER 12V, LITHIUM-ION CLD1216,CLD1217T	1
CLD14/01C	CHARGER 14,4V, LITHIUM-ION CLD14,CLD1420	1
62180040	CHARGER 18V, LITHIUM-ION CLD18,CLD1820,CLD1860K	1
CLD120/01C	BATTERY 12V, LITHIUM-ION, CLD120	1
CLD144/01B	BATTERY 14,4V, LITHIUM-ION, CLD144	1
CLD180/01B	BATTERY 18V, LITHIUM-ION, CLD180	1
CLD120/01C	CHARGER 12V, LITHIUM-ION, CLD120	1
CLD144/01C	CHARGER 14,4V, LITHIUM-ION, CLD144	1
CLD180/01C	CHARGER 18V, LITHIUM-ION, CLD180	1



GUARANTEE
2-YEAR
GUARANTEE

5 YEAR
Guarantee
JAPANESE TECHNOLOGY

HEAVY DUTY - PROFESSIONAL USE

INDUSTRIAL POWER

TOOLS

INDUSTRIAL MACHINES

BL-3500

630W BLOWER DUST/EXT 5 YEAR GUARANTEE

FEATURES:

- Rapid switching from vacuum to blower
- Long, small-diameter nozzle to reach awkward places
- Sufficient air pressure and volume for a wide variety of applications
- Standard accessories: dust bag
- Excellent for blowing dust out of computers and other appliances or machines

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	AIR OUTPUT	NETT WEIGHT
BL-3500	630W	16 000min ⁻¹	3.50 m ³ /min	1.7kg



5 YEAR
Guarantee

JAPANESE TECHNOLOGY

C-126C

1400W CONCRETE CUTTER 5 YEAR GUARANTEE

FEATURES:

- Powerful 1 400 Watt motor for quick cutting
- Compact and light weight (2.9kg)
- Safe, ergonomic design for optimum handling
- Excludes blade

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	BORE DIAMETER	CUTTING CAPACITY	NETT WEIGHT
C-126C	1 400W	12 000min ⁻¹	110mm	20mm	34mm	2.9kg



5 YEAR
Guarantee

JAPANESE TECHNOLOGY

C-126WDK

WATERING DEVICE KIT FOR C-126C 5 YEAR GUARANTEE

FEATURES:

- Designed to extend the Diamond Blade's life on the C-126C Concrete Cutter
- Creates a comfortable working environment by eliminating dust
- Provides clear visibility for precise cutting

MODEL NUMBER	WATER ADAPTER	HYDRANT ADAPTER	SCREW	HOSE
C-126WDK	1	1	1	5m



G-600C

500W DIE GRINDER 5 YEAR GUARANTEE

FEATURES:

- Ideal for grinding, deburring or polishing of dies, moulds and various tools
- Easy operation by slide switch with while toggle switch is convenient for continuous operation
- Balanced armature reduces vibration and bearing wear with automatic cut-off carbon brush for longer life

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CHUCK CAPACITY	NETT WEIGHT
G-600C	500W	3 000min ⁻¹	6.35mm	1.6kg



5 YEAR
Guarantee

JAPANESE TECHNOLOGY

INDUSTRIAL MACHINES

TR-50A

500W LAMINATE TRIMMER 5 YEAR GUARANTEE

FEATURES:

- Powerful 500 Watt motor
- Rigid body for fine cutting
- Compact and Light weight

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	NETT WEIGHT
TR-50A	500W	33 000min ⁻¹	6mm or 1/4"	1.3kg



5 YEAR
Guarantee

JAPANESE TECHNOLOGY

L-83

550W HAND PLANER 82MM 5 YEAR GUARANTEE

FEATURES:

- Powerful 550 Watt motor
- Aluminum base for fine planing
- Long-life V-belt
- Excellent rabbeting (11.5mm)

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	NETT WEIGHT
L-83	550W	18 000min ⁻¹	82mm	1mm	2.6kg



5 YEAR
Guarantee

JAPANESE TECHNOLOGY

IW-2000

IMPACT WRENCH 200NM 5 YEAR GUARANTEE

FEATURES:

- Forward / reverse action
- Equipped with LED light for ease of work in dark areas
- Speed / torque selector can be set on high for efficient work on large bolts and low for precision work on small bolts
- Electronic trigger switch for accurate speed control
- Electronic cut-out at maximum torque to protect tool
- Includes a 19mm and a 22mm extra long socket

MODEL NUMBER	POWER INPUT	2-SPEED / TORQUE	DRIVE SHANK	DRIVING CAPACITY	NETT WEIGHT
IW-2000	320W	High: 3 100min ⁻¹ 200Nm Low : 2 600min ⁻¹ 100Nm	½" square	Bolt M10 - M16	1.5kg



5 YEAR
Guarantee

JAPANESE TECHNOLOGY

JS-600C

600W JIGSAW 5 YEAR GUARANTEE

FEATURES:

- Powerful 600 Watt motor for professional use
- 4-orbital setting for versatile cutting
- Tilts 45 degrees left and right for various cutting requirements
- Comes with parallel guide for parallel cutting

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING CAPACITY	NETT WEIGHT
JS-600C	600W	500 -3 000min ⁻¹	Wood: 120mm; Aluminum: 20mm; Steel: 10mm	2.5kg



5 YEAR
Guarantee

JAPANESE TECHNOLOGY

INDUSTRIAL MACHINES

RJK-110

220W RECIPROCATING SAW 5 YEAR GUARANTEE

FEATURES:

- Ultra slim grip for use in hard to reach spaces with one-hand
- Optimal weight balance creates less fatigue with RYOBI's unique design
- Compact body enables superior manoeuvrability
- Various applications by using different changeable blades
- Ultra light weight (1.4kg)

MODEL NUMBER	STROKE LENGTH	MAX. CUTTING CAPACITY	NETT WEIGHT
RJK-110	10mm	120mm (Plastic Pipe) 55mm (Wood) 3.5mm (Soft Steel)	1.4kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

RE-601

ROUTER 2050W 1/2" INDUSTRIAL 5 YEAR GUARANTEE

FEATURES:

- Powerful 2 050 Watt motor
- Electronic for constant speed
- Soft-start for safe operation
- Variable speed for various materials

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	NETT WEIGHT
RE-601	2 050W	10 000 - 23 000min ⁻¹	12mm	6.2kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

INDUSTRIAL DRILLS

PD-220VR

800W IMPACT DRILL 5 YEAR GUARANTEE

FEATURES:

- Powerful 800 Watt motor
- Convenient storage case
- Durable aluminium die-casting gear case
- 2 speed gear transmission with 2 mode variable speed control
- Adjustable auxiliary handle for improved drilling control
- Depth stop for precise blind hole drilling
- Soft grip handle for fatigue free operation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLOW CAPACITY	DRILLING CAPACITY	NETT WEIGHT
PD-220VR	800W	0 - 1 250 min ⁻¹ low, 0 - 2 700 min ⁻¹ high	21 600 bpm low, 43 200 bpm high	Wood: 40mm, Steel: 13mm, Concrete: 22mm	2.7 kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

INDUSTRIAL GRINDERS

G-1160X

ANGLE GRINDER 770W, 115MM DISC, 5 YEAR GUARANTEE

FEATURES:

- Powerful 770 Watt motor
- Ergonomic super slim housing
- Mesh filter design to prevent dust intake

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE NUT	NETT WEIGHT
G-1160X	700W	13 000min ⁻¹	115mm	M14	1.7kg



5 YEAR Guarantee
JAPANESE TECHNOLOGY

G-1158

1010W ANGLE GRINDER 115MM 5 YEAR GUARANTEE

FEATURES:

- Light weight powerful 1,010W motor
- Dust proof construction with easy carbon brush replacement by external brush cap
- Disc lock and wheel spanner for faster wheel changing
- 2-Position handle design providing user comfort for left and right hand use
- Central lock-on switch for left or right hand operation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE NUT	NETT WEIGHT
G-1158	1 010W	11 000min ⁻¹	115mm	M14	1.7kg



5 YEAR Guarantee
JAPANESE TECHNOLOGY

G-237

2200W ANGLE GRINDER 230MM 5 YEAR GUARANTEE

FEATURES:

- Safety lock on the start trigger for added safety to prevent accidental starting
- Supplied with a 3 position auxiliary side handle for added safety and control
- Spindle lock for faster disc changing
- Adjustable disc guard for easy adjustment and added safety
- Start trigger lock for continuous use
- Cut-off brushes prevents damage to the motor and prevents the armature from burning out

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE NUT	NETT WEIGHT
G-237	2 200W	6 600min ⁻¹	230mm	M14	4.6kg



5 YEAR Guarantee
JAPANESE TECHNOLOGY

G-239

2500W ANGLE GRINDER 230MM 5 YEAR GUARANTEE

FEATURES:

- Safety lock on the start trigger for added safety to prevent accidental starting
- Supplied with a 3 position auxiliary side handle for added safety and control
- Spindle lock for faster disc changing
- Adjustable disc guard for easy adjustment and added safety
- Dust protection on rotor by motor colligation wire
- Cut-off brushes indicates when brush change is needed

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE NUT	NETT WEIGHT
G-239	2 500W	6 600min ⁻¹	230mm	M14	4.9kg



5 YEAR Guarantee
JAPANESE TECHNOLOGY

INDUSTRIAL SANDERS AND POLISHERS

S-550

170W PALM ORBITAL SANDER 5 YEAR GUARANTEE

FEATURES:

- High speed operation for a fast smooth finish
- Compact and lightweight with one hand switch control
- Dust proof ball bearings for superior durability
- Quick action sanding paper clamps
- Standard accessories: sanding paper
- All ball bearing construction

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	SANDING PAD / DISC SIZE	NETT WEIGHT
S-550	170W	12 000min ⁻¹	70 x 104mm	0.9kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

S-1200E

200W ORBITAL SANDER ELECTRONIC TORQUE CONTROL 5 YEAR GUARANTEE

FEATURES:

- With ball bearing construction for the toughest sanding job
- Slide switch for ease of operation
- Dustless operation for a cleaner work environment
- Oscillating base plate mounted on silent rubber blocks
- Vacuum adaptor / dust extraction
- Comfortable rubber grip on handle
- Electronic torque control
- Punching plate included

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	SANDING PAD / DISC SIZE	NETT WEIGHT
S-1200E	200W	5 500min ⁻¹	93 x 228mm	2.7kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

SU-6300A

270W ORBITAL SANDER 5 YEAR GUARANTEE

FEATURES:

- Powerful 270 Watt motor
- Optimum weight for superior sanding performance
- Durable for professional usage
- Suitable for wood and steel finishing
- Wet sanding also possible

MODEL NUMBER	POWER INPUT	PAPER SIZE	SANDING PAD / DISC SIZE	NETT WEIGHT
SU-6300A	270W	115 x 280mm	112 X 226mm	3.8kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

RSE-1250

300W DOUBLE ACTION SANDER POLISHER 125MM 5 YEAR GUARANTEE

FEATURES:

- Ideal for car polishing as well as wood sanding
- Random orbit function prevents scratching
- 6 speed control

MODEL NUMBER	POWER INPUT	PAD SIZE	ROTATION SPEED	NETT WEIGHT
RSE-1250	300W	125mm	6000 - 12 000min ⁻¹	1.5kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

INDUSTRIAL POLISHERS

PE-2200

910W SANDER POLISHER 180MM 5 YEAR GUARANTEE

FEATURES:

- Powerful 910 Watt motor for heavy duty sanding and polishing applications
- Electronic constant speed control for consistent performance
- Compact and light weight for comfortable handling
- Aluminum die-casting protectors for long term durability

MODEL NUMBER	POWER INPUT	ROTATION SPEED	SANDING PAD SIZE	NETT WEIGHT
PE-2200	910W	600 – 2 000min ⁻¹	180mm	1.8kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

PEG-130

910W POLISHER 125MM 5 YEAR GUARANTEE

FEATURES:

- Extremely fine finish by RYOBI's unique geared orbital action
- Variable speed function allows work on most speciality applications
- Electronic constant speed control for consistent performance
- Ergonomic handles for comfortable handling

MODEL NUMBER	POWER INPUT	ROTATION SPEED	SANDING PAD SIZE	NETT WEIGHT
PEG-130	910W	200 - 600min ⁻¹	125mm	2.7kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

INDUSTRIAL ROTARY HAMMERS

ED-2620VR

830W ROTARY HAMMER 26MM (2-MODE) 5 YEAR GUARANTEE

FEATURES:

- Drills faster with a powerful 830 Watt motor
- SDS-plus bit system for easy tool-free bit change and high efficient work
- 26mm Drilling capacity
- 2 operation modes: Hammer Drill and Drill for various work

MODEL NUMBER	POWER INPUT	ROTATION SPEED	IMPACT RATE	MAX. DRILLING CAPACITY	NETT WEIGHT
ED-2620VR	830W	1 100min ⁻¹	4 600bpm	Concrete: 26mm	2.7kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

ED-2630VR

830W ROTARY HAMMER 26MM (4-MODE) 5 YEAR GUARANTEE

FEATURES:

- Drills faster with a powerful 830 Watt motor
- SDS-plus bit system for easy tool-free bit change and high efficient work
- 26mm Drilling capacity
- 4 operation modes: Hammer Drill, Drill, Hammer with Rotation Free and Stop for various work

MODEL NUMBER	POWER INPUT	ROTATION SPEED	IMPACT RATE	MAX. DRILLING CAPACITY	NETT WEIGHT
ED-2630VR	830W	1 100min ⁻¹	4 600bpm	Concrete: 26mm	2.7kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

INDUSTRIAL ROTARY HAMMERS

RH-1432

1400W ROTARY HAMMER 32MM 3-MODE S 6 JOULES

FEATURES:

- Powerful 1400 Watt motor delivers 6J of impact energy and 4500bpm drilling performance
- 360-degree adjustable auxiliary handle for improved drilling control
- SDS-plus bit system for easy tool-free bit change and high efficient work
- 3 operation modes: Rotary Hammering, Hammering and Drilling for various work
- Suitable for prolonged professional usage

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	IMPACT RATE	MAX. DRILLING CAPACITY	NETT WEIGHT
RH-1432	1 400W	850min ⁻¹	4 150bpm	Wood: 42mm, Steel: 13mm, Concrete: 32mm	5.4kg



RH-1440

1400W ROTARY HAMMER 40MM 3-MODE MAX 9 JOULES

FEATURES:

- Powerful 1400W motor delivers 9.0J of impact energy and 3,700bpm drilling performance
- 360-degree adjustable auxiliary handle for improved drilling control
- SDS-plus bit system for easy tool-free bit change and high efficient work
- 3 operation modes: Rotary Hammering, Hammering and Drilling for various work
- Unique rotation system locks the flat chisel in 12 positions

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	IMPACT RATE	NETT WEIGHT
RH-1440	1400W	580min ⁻¹	3 700bpm	7.3kg



INDUSTRIAL BREAKERS / DEMOLITION HAMMERS

RH-500

1700W ROTARY HAMMER + BREAKER 50MM MAX 27 JOULES

FEATURES:

- 3 adjustable operating modes: Chiselling, Rotary hammer drilling and hammering mode
- Anti-vibration system and soft grip handle for optimal comfort
- SDS-max bit system for easy tool-free bit changes and efficient impact energy transfer
- D-shaped 360 degree adjustable auxiliary handle and a 3 position straight auxiliary handle for improved control
- Supplied with 3x320mm drill bits (16, 18, 22mm), 25x350mm flat chisel, 25x350mm bull point, dust protection cap, grease and carbon brushes
- Complete with handy storage/carry case
- "Power on" indicator for added safety
- Service reminder light for longer tool life
- Lock-on button for continuous operation

MODEL NUMBER	POWER INPUT	IMPACT RATE	IMPACT FORCE	MAX. DRILLING CAPACITY	NETT WEIGHT
RH-500	1 700W	950 - 1 900bpm	27J	Wood: 80mm, Concrete: 50mm	12kg



INDUSTRIAL BREAKERS / DEMOLITION HAMMERS

DH-45K

1700W CONCRETE BREAKER HAMMER 45 JOULES 30MM ROUND HEX

FEATURES:

- Tool free accessory changing allows less down time
- Rubber dust cover prevents debris and dust from entering the gearbox, prolonging tool life
- D-type side handle with soft grip rotates at 360°, ideal for right and left handed operation
- External brush caps for easy maintenance
- Grease packed lubrication for extended tool life
- In plastic carry case for easy transportation

MODEL NUMBER	POWER INPUT	IMPACT RATE	IMPACT FORCE	SHANK TYPE	NETT WEIGHT
DH-45K	1 700W	1 300bpm	45J	30mm round hex	17kg



DH-50K

2050W CONCRETE BREAKER HAMMER 50 JOULES 28MM HEX

FEATURES:

- Tool free accessory changing allows less down time
- Rubber dust cover prevents debris and dust from entering the gearbox, prolonging tool life
- Two D-type side handle with soft grip, user friendly, vibration isolation system to prevent user fatigue
- External brush caps for easy maintenance and grease packed lubrication for extended tool life
- Standard accessories: 1 x pointed chisel (400 x 28mm); 1 x flat chisel (400 x 80mm) with plastic carry case for easy transportation

MODEL NUMBER	POWER INPUT	IMPACT RATE	IMPACT FORCE	SHANK TYPE	NETT WEIGHT
DH-50K	2 050W	1 030bpm	50J	28mm Hex	31kg



INDUSTRIAL SAWS

W-2400

2400W CIRCULAR SAW 5 YEAR GUARANTEE

FEATURES:

- Powerful 2400 Watt motor
- Rigid and Lightest base for fine cutting
- Cut-off carbon brush

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETERS	NETT WEIGHT
W-2400	2 400W	5 000min ⁻¹	230 - 240mm	6.6kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

C-3561

2300W CUT-OFF SAW 355MM 5 YEAR GUARANTEE

FEATURES:

- Powerful 2300 Watt motor
- Accurate cutting by robust body
- Lock-off switch for user safety
- Max cutting capacities:
75 x 211mm Rectangle Pipe
130 x 130mm Angle Steel
120mm Round Pipe
- Quick release vice to release material once cut

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC DIAMETER	NETT WEIGHT
C-3561	2 300W	3 600min ⁻¹	355mm	17.2kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

INDUSTRIAL SAWS

BT-256

1500W TABLE SAW 254MM

FEATURES:

- Powerful 1 500 Watt motor cuts through the toughest of timber with ease
- 3 extension tables provide a large working area of 977mm x 943mm
- Mitre Gauge allows precise angle to be cut quickly and easily
- Up and down torsion system for precise cutting
- Stand with anti-slip rubber feet provides full support and stability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SPECIFICATIONS	NETT WEIGHT
BT-256	1 500W	4 500min ⁻¹	254mm	33.2kg



TMS-305

1800W TABLE AND MITRE SAW COMBINATION

FEATURES:

- Powerful 1 800 Watt motor
- Easily cuts through hardwood
- Laser light for accurate alignment and cutting
- Convertible between a mitre saw and table saw
- Aluminium milled table gives added precision
- Dust extraction port for industrial vacuum

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TABLE SIZE	BLADE DIAMETER	MITRE SAW CAPACITY	NETT WEIGHT
TMS-305	1 800W	3 600min ⁻¹	335 x 470 mm	305MM	95 x 151mm 60 x 151mm 95 x 90mm	23kg



BSI-356

WOOD CUTTING BANDSAW

FEATURES:

- Easy adjustable locking system for setting blade
- Storage slot for angle guide
- Ideal for re-sawing, ripping cutting curves, cross cutting, cutting circles or even intricate scroll patterns
- Micro safety switches on upper and lower doors
- Tracking adjustment knob to keep blade running in centre of wheels
- Table lock allows the table to be tilted and tightened from 0° - 45°
- Tilt scale shows degree table is tilted

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE LENGTH	BLADE WIDTH	MAX. CUTTING DEPTH	NETT WEIGHT
BSI-356	1 100W	1 400min ⁻¹	2 490mm	6 - 15mm	200mm	101kg



TCS-1065

1800W CONTRACTORS SAW 254MM

FEATURES:

- Powerful 1 800 W motor for speeds up to 3 450min⁻¹
- Heavy-duty, cast iron main table with right and left extensions provide a flat and level surface
- Double clamping aluminium rip fence for precise cutting
- Maximum cut depth of 57mm at 45° and 80mm at 90° for a variety of useful cuts
- Heavy-duty dual castor system can be easily set with the front and rear pedals

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SIZE	TABLE SIZE	NETT WEIGHT
TCS-1065	1 800W	3 450min ⁻¹	254 x 1.6mm	700 x 1000 x 950mm	150kg



BRUSHES

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
ALL BRUSHES	ALL MACHINE CARBON BRUSH SETS ARE AVAILABLE - PLEASE ENQUIRE FOR WHICH MACHINE YOU REQUIRE BRUSHES	N/A

DRILL BITS

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
DBS-19K	DRILL BIT SET 19PIECE 1-10mm HOLLOW GROUND HSS	20
DBS-25K	DRILL BIT SET 25PIECE 1-13mm HOLLOW GROUND HSS	12

SDS DRILL BITS

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
44015008	DRILL BIT 8 x 150mm SDS-PLUS	1
44015010	DRILL BIT 10 x 150mm SDS-PLUS	1
44015012	DRILL BIT 12 x 150mm SDS-PLUS	1
DSDS-4K	DRILL BIT SET 4PIECE SDS-PLUS	75

ROTARY HAMMERS : CHISEL + POINTS

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
45125014	CHISEL, BULL POINT 14 x 250mm	1
45025020	CHISEL, FLAT 20 x 250mm SDS-PLUS	1
45325040	CHISEL, SCALING 40 x 250mm SDS-PLUS	1

ANGLE GINDERS: BLADES

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
DB-230	DIAMOND BLADE, SEGMENTED, 230mm	1
521152200	DIAMOND BLADE 115 x 22mm CONTINUOUS	1

BREAKERS / DEMOLITION HAMMERS : CHISEL + POINTS

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
45041030	CHISEL, FLAT 35 x 410mm HEX SHANK, DH45K	1
45041040	CHISEL, FLAT 40 x 410mm HEX SHANK, DH45K	1
45142030	CHISEL, POINTED 420 x 30mm, DH45K	1
45241030	CHISEL, GOUGE 30 x 410mm HEX SHANK, DH45K	1
45250030	CHISEL, FLAT 40 x 500mm HEX SHANK, DH45K	1
45141030	CHISEL, BULL POINT 30 x 410mm HEX SHANK, DH45K	1
45140028	CHISEL, BULL POINT 400 x 28mm HEX SHANK, DH50K	1
45040080	CHISEL, SCALING 80 x 400mm HEX SHANK, DH50K	1

DUAL-CUT SAW

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
DCS-125/WAX	WAX STICKS	1

MULTI-PURPOSE TOOL ACCESSORIES

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
502001040	SANDING PAPER 40g	1
502001060	SANDING PAPER 60g	1
502001080	SANDING PAPER 80g	1
502001100	SANDING PAPER 100g	1
502001120	SANDING PAPER 120g	1
MP300/59	SCRAPPER, MP300	1
MP300/60	SAW BLADE (WOOD), MP300	1
MP300-61	TRIGGER SANDING PAD, MP300	1

ROUTERS BIT SETS

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
RYOBI/06A	ROUTER BIT SET 6 PIECE IN WOODEN BOX	25
ALL BITS	OVER 80 SPECIFIC ROUTER BITS AVAILABLE - PLEASE ENQUIRE	N/A

ELECTRIC STAPLER NAILS & STAPLES

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
ES200/STAPLES	STAPLES, ES200 1000PCS x 14mm	1
ES200/NAILS	NAILS, ES200 1000PCS x 15mm	1

PLANER BLADES

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
573180000	BLADE, 318mm AP13	1
580820000	BLADE, HAND PLANER TCT 82mm (P2)	1
572610000	BLADE, JP254L 261mm	1

SANDING BELTS

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
50025040	SANDING BELT, 25 x 762mm 40g WOOD	1
50025060	SANDING BELT, 25 x 762mm 60g WOOD	1
50025080	SANDING BELT, 25 x 762mm 80g WOOD	1
50025100	SANDING BELT, 25 x 762mm 100g WOOD	1
50533040	SANDING BELT, 76 x 533mm 40g WOOD (2-Pack)	1
50533060	SANDING BELT, 76 x 533mm 60g WOOD (2-Pack)	1
50533080	SANDING BELT, 76 x 533mm 80g WOOD (2-Pack)	1
50533100	SANDING BELT, 76 x 533mm 100g WOOD (2-Pack)	1
50533120	SANDING BELT, 76 x 533mm 120g WOOD (2-Pack)	1
50610040	SANDING BELT, 100 x 610mm 40g WOOD (2-Pack)	1
50610060	SANDING BELT, 100 x 610mm 60g WOOD (2-Pack)	1
50610080	SANDING BELT, 100 x 610mm 80g WOOD (2-Pack)	1
50610100	SANDING BELT, 100 x 610mm 100g WOOD (2-Pack)	1
50610120	SANDING BELT, 100 x 610mm 120g WOOD (2-Pack)	1
50914040	SANDING BELT, 100 x 914mm 40g WOOD (2-Pack)	1
50914060	SANDING BELT, 100 x 914mm 60g WOOD (2-Pack)	1
50914080	SANDING BELT, 100 x 914mm 80g WOOD (2-Pack)	1
50914100	SANDING BELT, 100 x 914mm 100g WOOD (2-Pack)	1
50914120	SANDING BELT, 100 x 914mm 120g WOOD (2-Pack)	1
51914180	SANDING BELT, 100 x 914mm 180g WOOD (2-Pack)	1
51914240	SANDING BELT, 100 x 914mm 240g WOOD (2-Pack)	1

SANDING DISCS

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
50125040	SANDING DISC, 125mm 40g WOOD (5-Pack)	1
50125060	SANDING DISC, 125mm 60g WOOD (5-Pack)	1
50125080	SANDING DISC, 125mm 80g WOOD (5-Pack)	1
50125120	SANDING DISC, 125mm 120g WOOD (5-Pack)	1
50125220	SANDING DISC, 125mm 220g WOOD (5-Pack)	1
50127040	SANDING DISC, 127mm 40g WOOD (5-Pack)	1
50127060	SANDING DISC, 127mm 60g WOOD (5-Pack)	1
50127080	SANDING DISC, 127mm 80g WOOD (5-Pack)	1
50127100	SANDING DISC, 127mm 100g WOOD (5-Pack)	1
50150040	SANDING DISC, 150mm 40g WOOD (5-Pack)	1
50150060	SANDING DISC, 150mm 60g WOOD (5-Pack)	1
50150080	SANDING DISC, 150mm 80g WOOD (5-Pack)	1

SANDING PAPER

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
5014080040	SANDING PAPER 140 x 80mm 40g (5-Pack)	1
5014080060	SANDING PAPER 140 x 80mm 60g (5-Pack)	1
5014080080	SANDING PAPER 140 x 80mm 80g (5-Pack)	1
5014080100	SANDING PAPER 140 x 80mm 100g (5-Pack)	1
5014080120	SANDING PAPER 140 x 80mm 120g (5-Pack)	1
6370724	SPONGE PAD FLEX FIRM, 150mm	1

TILE CUTTER BLADES

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
521802200	DIAMOND BLADE 180 x 22.2mm CONTINUOUS ETC450/TC180	1
521102200	DIAMOND BLADE 110 x 22.23mm CONTINUOUS TC110	1
522002500	DIAMOND BLADE 200 x 25.4mm CONTINUOUS TC200	1

BANDSAW BLADES

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
515110306	BLADE, BANDSAW 1 511 x 3mm 6TPI	1
515110310	BLADE, BANDSAW 1 511 x 3mm 10TPI	1
515110314	BLADE, BANDSAW 1 511 x 3mm 14TPI	1
515110324	BLADE, BANDSAW 1 511 x 3mm 24TPI	1
515110606	BLADE, BANDSAW 1 511 x 6mm 6TPI	1
515110610	BLADE, BANDSAW 1 511 x 6mm 10TPI	1
515110614	BLADE, BANDSAW 1 511 x 6mm 14TPI	1
515110624	BLADE, BANDSAW 1 511 x 6mm 24TPI	1
515111006	BLADE, BANDSAW 1 511 x 10mm 6TPI	1
515111010	BLADE, BANDSAW 1 511 x 10mm 10TPI	1
515111014	BLADE, BANDSAW 1 511 x 10mm 14TPI	1
515111024	BLADE, BANDSAW 1 511 x 10mm 24TPI	1
515754504	BLADE, BANDSAW 1 575 x 4.5mm 4TPI	1
515754506	BLADE, BANDSAW 1 575 x 4.5mm 6TPI	1
515754510	BLADE, BANDSAW 1 575 x 4.5mm 10TPI	1
515754515	BLADE, BANDSAW 1 575 x 4.5mm 15TPI	1
515756304	BLADE, BANDSAW 1 575 x 6.3mm 4TPI	1
515756306	BLADE, BANDSAW 1 575 x 6.3mm 6TPI	1
515756310	BLADE, BANDSAW 1 575 x 6.3mm 10TPI	1
515756315	BLADE, BANDSAW 1 575 x 6.3mm 15TPI	1
515750804	BLADE, BANDSAW 1 575 x 8mm 4TPI	1
515750806	BLADE, BANDSAW 1 575 x 8mm 6TPI	1
515750810	BLADE, BANDSAW 1 575 x 8mm 10TPI	1
515750815	BLADE, BANDSAW 1 575 x 8mm 15TPI	1
515759704	BLADE, BANDSAW 1 575 x 9.7mm 4TPI	1
515759706	BLADE, BANDSAW 1 575 x 9.7mm 6TPI	1
515759710	BLADE, BANDSAW 1 575 x 9.7mm 10TPI	1
515759715	BLADE, BANDSAW 1 575 x 9.7mm 15TPI	1
524901014	BLADE, BANDSAW 2 490 x 10mm 14TPI WOOD	1
524901016	BLADE, BANDSAW 2 490 x 10mm 16TPI WOOD	1
524901324	BLADE, BANDSAW 2 490 x 13mm 24TPI STEEL	1
524901332	BLADE, BANDSAW 2 490 x 13mm 32TPI STEEL	1
524901606	BLADE, BANDSAW 2 490 x 16mm 6TPI WOOD	1

ROLLER SANDER ACCESSORIES

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
RRS300/01S	SANDING PAPER, RRS300	1
RRS300/02S	SANDING PAPER WHEEL	1
RRS300/03S	SANDING WHEEL HUB	1
RRS300/04S	WIRE BRUSH WHEEL	1

FILE: POWER SANDING BELT

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
5045508040	SANDING BELT, 8 x 455mm 40g PF125K (2-Pack)	1
5045508060	SANDING BELT, 8 x 455mm 60g PF125K (2-Pack)	1
5045508080	SANDING BELT, 8 x 455mm 80g PF125K (2-Pack)	1
5045508100	SANDING BELT, 8 x 455mm 100g PF125K (2-Pack)	1
5045508120	SANDING BELT, 8 x 455mm 120g PF125K (2-Pack)	1
5045513040	SANDING BELT, 13 x 455mm 40g PF125K (2-Pack)	1
5045513060	SANDING BELT, 13 x 455mm 60g PF125K (2-Pack)	1
5045513080	SANDING BELT, 13 x 455mm 80g PF125K (2-Pack)	1
5045513100	SANDING BELT, 13 x 455mm 100g PF125K (2-Pack)	1
5045513120	SANDING BELT, 13 x 455mm 120g PF125K (2-Pack)	1

SCROWL SAW BLADES

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
560020015	BLADE, SCROLLSAW NON PIN 15TPI (3-Pack)	1
560020020	BLADE, SCROLLSAW NON PIN 20TPI (3-Pack)	1
560010015	BLADE, SCROLLSAW PIN TYPE 15TPI (3-Pack)	1
560010020	BLADE, SCROLLSAW PIN TYPE 20TPI (3-Pack)	1

WOODWORKING AND ALUMINIUM BLADES

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
531851624	BLADE 185 x 16mm 24T WOOD	1
531851640	BLADE 185 x 16mm 40T WOOD	1
531851660	BLADE 185 x 16mm 60T WOOD	1
532101624	BLADE 210 x 16mm 24T WOOD	1
532101648	BLADE 210 x 16mm 48T WOOD	1
542101610	BLADE 210 x 16mm 60T ALUMINIUM	1
532541648	BLADE 254 x 16mm 48T WOOD	1
532541680	BLADE 254 x 16mm 80T WOOD	1
532541610	BLADE 254 x 16mm 100T WOOD	1
542541610	BLADE 254 x 16mm 100T ALUMINIUM	1
532501636	BLADE 250 x 16mm 36T WOOD	1
532501648	BLADE 250 x 16mm 48T WOOD	1
532501680	BLADE 250 x 16mm 80T WOOD	1
532501610	BLADE 250 x 16mm 100T WOOD	1
542501610	BLADE 250 x 16mm 100T ALUMINIUM	1
533051648	BLADE 305 x 16mm 48T WOOD	1
533051680	BLADE 305 x 16mm 80T WOOD	1
543051610	BLADE 305 x 16mm 100T ALUMINIUM	1

EXTENSION CORDS FOR POWER TOOLS

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
832201610	POWER TOOL EXTENSION CORD 10M 220V 16AMP / 1 x 1VP (1,5 x 3)	10
832201620	POWER TOOL EXTENSION CORD 20M 220V 16AMP / 1 x 1VP (1,5 x 3)	10



GUARANTEE
2-YEAR
GUARANTEE

RYOBI

RYOBI

2HP

50L

DIRECT DRIVE COMPRESSOR RC-3300K

MACHINERY

AIR COMPRESSORS

RC-1500

AIR COMPRESSOR 1.5HP COMPACT NO TANK

FEATURES:

- Compact, low maintenance, oil-free compressor
- Designed with a powerful 1.1kW motor
- Maximum working pressure 8 Bar (116 PSI)
- Perfect for all blowing and inflation operations
- Lightweight, portable and easy to store
- Complete with inflating gun

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-1500	1 100W (1.5hp)	3 400min ⁻¹	116psi	180L/min	5kg



RC-1506N

AIR COMPRESSOR 6L 1.5HP PORTABLE OIL-LESS

FEATURES:

- Compact, low maintenance, oil-free compressor
- Designed with a powerful 1.1kW motor
- Maximum working pressure 8 Bar (116 PSI)
- Integrated control panel with easy to read gauge
- Perfect for DIY as well as commercial applications, including spray painting, inflating tyres, staple / nail guns and other air tools
- Lightweight and easy to carry thanks to the convenient handle
- Rear storage hooks for neat cable storage
- Suction cup feet ensure excellent stability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-1506N	1 100W (1.5hp)	3 400min ⁻¹	6L	116psi	196L/min	9.8kg



RC-1524D

AIR COMPRESSOR 24L 1.5HP DIRECT DRIVE

FEATURES:

- Powerful direct drive air compressor
- Oil lubricated for longer life
- Maximum working pressure 8 Bar (116 PSI)
- Pump head directly coupled to heavy duty induction motor for reliable and quiet operation
- Maximum free air delivery: 150L/min
- Fitted with fully automatic pressure cut-out switch and twin gauges displaying tank and working pressures

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-1524D	1 100W (1.5hp)	2 850min ⁻¹	24L	116psi	150L/min	22kg



RC-2050NV

AIR COMPRESSOR 50L 2HP OIL-LESS VERTICAL MOUNT

FEATURES:

- Oil-free motor for easy maintenance and long-life
- Powered by a 2HP motor with a 50 litre tank capacity
- Designed for small workshops and restricted spaces with integrated handle for portability and rubber feet for added stability during use
- Produces 10 Bar of pressure, ideal for running a variety of workshop air tools
- Pressure gauge and quick release coupling for regulated working pressure

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-2050NV	1 500W (2hp)	3 400min ⁻¹	50L	145psi	222L/min	22.2kg



AIR COMPRESSORS

RC-2055DK

AIR COMPRESSOR 50L 2HP DIRECT DRIVE WITH 5 PIECE KIT

FEATURES:

- Powerful direct drive air compressor
- Oil lubricated for longer life
- Maximum working pressure 8 Bar (116 PSI)
- Pump head directly coupled to heavy duty induction motor for reliable and quiet operation
- Fitted with fully automatic pressure cut-out switch and twin gauges displaying tank and working pressures
- Includes a 5 piece accessory kit: Air tyre inflator, Air blow gun, Gravity fed paint spray gun, Air wash gun, 5m recoil hose

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-2055DK	1 500W (2hp)	2 850min ⁻¹	50L	116psi	196L/min	30kg



RC-3050T

AIR COMPRESSOR 50L 3HP TWIN HEAD

FEATURES:

- Powerful V-Twin cylinder air compressor
- Oil lubricated for longer life
- Pump head directly coupled to heavy-duty induction motor for reliable and quiet operation
- Fitted with thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge
- Wheels and transport handle for improved portability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-3050T	2 200W (3hp)	2 850min ⁻¹	50L	131psi	356L/min	36.6kg



RC-3100B

AIR COMPRESSOR 100L 3HP BELT DRIVE

FEATURES:

- High performance belt driven compressor ideal for powering commonly used air tools and spray equipment
- Oil lubricated for longer life
- Pump head directly coupled to heavy-duty induction motor for reliable and quiet operation
- Fitted with overload motor protection with manual reset, on/off pressure switch, pressure regulator and pressure gauge
- Wheels and transport handle for improved portability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-3100B	2 200W (3hp)	1 375min ⁻¹	100L	145psi	356L/min	59.2kg



RC-3150B

AIR COMPRESSOR 150L 3HP BELT DRIVE

FEATURES:

- High performance belt driven compressor ideal for powering commonly used air tools and spray equipment
- Oil lubricated for longer life
- Wheels and transport handle for improved portability
- Pump head directly coupled to heavy-duty induction motor for reliable and quiet operation
- Fitted with overload motor protection with manual reset, on/off pressure switch, pressure regulator and pressure gauge

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-3150B	2 200W (3hp)	1 375min ⁻¹	150L	145psi	356L/min	67.7kg



AIR COMPRESSORS KITS

RSG-3001

3 PIECE KIT - HOSE; AIR GUN AND SPRAY GUN

FEATURES:

- Kit consists of an Air duster gun; 4 metre recoil air hose with couplings and a suction powered paint spray gun
- The adjustable suction powered paint spray gun is suitable for most painting applications
- The air gun is suitable for cleaning and drying applications

PAINT SPRAY GUN	NOZZLE	AIR PRESSURE	AIR CONSUMPTION	CUP CAPACITY
	1.5mm	45 – 55psi	5 CFM @ 40psi	750cc

AIR DUST GUN	AIR PRESSURE	AIR CONSUMPTION
	45 – 75psi	5 CFM @ 40psi

AIR RECOIL HOSE	LENGTH	CAPACITY
	4m	170psi



RSG-5000

5 PIECE KIT

HIGH PRESSURE GRAVITY FEED SPRAY GUN; AIR GUN; PARAFIN GUN; TYRE INFLATOR; AND HOSE

FEATURES:

- Kit consists of an Air dusting gun; 4 metre recoil air hose with couplings; gravity powered paint spray gun; engine cleaning gun; and a tyre inflator
- The adjustable gravity powered paint spray gun is suitable for most painting applications
- The air gun is suitable for cleaning and drying applications
- The heavy duty tyre inflator is equipped with a dual scale gauge with rubber protector, deflation button and a strong tyre chuck
- The general purpose engine cleaning gun with a steel pot is suitable for cleaning and degreasing applications

PAINT SPRAY GUN	NOZZLE	AIR PRESSURE	AIR CONSUMPTION	CUP CAPACITY
	1.5mm	45 – 55psi	5 CFM @ 40psi	750cc

AIR DUST GUN	AIR PRESSURE	AIR CONSUMPTION
	45 – 75psi	5 CFM @ 40psi

ENGINE CLEANING GUN	AIR PRESSURE	AIR CONSUMPTION
	30 – 55psi	3.5 CFM @ 30psi

AIR TYRE INFLATOR	CAPACITY
	0 – 150psi

AIR RECOIL HOSE	LENGTH	CAPACITY
	4m	170psi



AIR COMPRESSORS KITS

RSG-5001

5 PIECE KIT

SPRAY GUN SUCTION TYPE; AIR GUN; PARAFIN GUN; TYRE INFLATOR AND HOSE

FEATURES:

- Kit consists of an Air dusting gun, 4 metre recoil air hose with couplings, suction powered paint spray gun, engine cleaning gun, and a tyre inflator
- The adjustable suction powered paint spray gun is suitable for most painting applications
- The air gun is suitable for cleaning and drying applications
- The heavy duty tyre inflator is equipped with a dual scale gauge with rubber protector, deflation button and a strong tyre chuck
- The general purpose engine cleaning gun with a steel pot is suitable for cleaning and degreasing applications

PAINT SPRAY GUN	NOZZLE	AIR PRESSURE	AIR CONSUMPTION	CUP CAPACITY
	1.5mm	45 – 55psi	5 CFM @ 40psi	750cc
AIR DUST GUN	AIR PRESSURE	AIR CONSUMPTION		
	45 – 75psi	5 CFM @ 40psi		
ENGINE CLEANING GUN	AIR PRESSURE	AIR CONSUMPTION		
	30 – 55psi	3.5 CFM @ 30psi		
AIR TYRE INFLATOR	CAPACITY			
	0 – 150psi			
AIR RECOIL HOSE	LENGTH	CAPACITY		
	4m	170psi		



RSG-3025

25 PIECE KIT:

SUCTION TYPE SPRAY GUN; INFLATING GUN; 5M HOSE; AIR GUN; 2 BALL INFLATING NEEDLES; RUBBER NOZZLE; TAPERED NOZZLE; BLOW GUN ADAPTOR; 2 PIECE FEMALE QUICK COUPLER; 2 PIECE MALE QUICK NIPPLES; 2 FEMALE QUICK NIPPLES; 2 QUARTER INCH NAIL THREAD CONNECTORS; 1 QUARTER INCH FEMALE CONNECTOR; BRUSH; 6 MASKS

FEATURES:

- Kit consists of a Mini blow gun; 4 metre recoil air hose with couplings; suction powered paint spray gun; tyre inflator; 6 masks; cleaning brush; 2 inflating needles; 2 nozzles and 10 assorted couplers
- The air gun is suitable for cleaning and drying applications
- The adjustable suction powered paint spray gun is suitable for most painting applications
- The general purpose engine cleaning gun with a steel pot is suitable for cleaning and degreasing applications
- The heavy duty tyre inflator is equipped with a dual scale gauge with rubber protector, deflation button and a strong tyre chuck.

PAINT SPRAY GUN	NOZZLE	AIR PRESSURE	AIR CONSUMPTION	CUP CAPACITY
	1.5mm	45 – 55psi	5 CFM @ 40psi	750cc
AIR DUST GUN	AIR PRESSURE	AIR CONSUMPTION		
	45 – 75psi	5 CFM @ 40psi		
AIR TYRE INFLATOR	CAPACITY			
	0 – 150psi			
AIR RECOIL HOSE	LENGTH	CAPACITY		
	4m	170psi		



PETROL GENERATORS

RG-950

950W 2-STROKE GENERATOR PULL-START

FEATURES:

- 2-Stroke air-cooled engine
- Fitted with overload protection switch
- Fuel and oil mixture of 50:1 (unleaded petrol: 2-stroke lubrication)

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN-TIME	TANK SIZE	NETT WEIGHT
RG-950	2-stroke air-cooled	Rated: 650W Max: 950W	Recoil pull start	6 hours	4L	20.5kg



RG-1200

1200W 4-STROKE GENERATOR PULL-START

FEATURES:

- Built-in see through fuel gauge
- Built-in overload current protection for efficient power delivery
- Powerful 100cc 4-stroke petrol engine delivers 1.2kW of power
- 7.5 litre fuel tank delivers over 7 hours of continuous run time
- Manual start for ease of operation

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN-TIME	TANK SIZE	AVR	NETT WEIGHT
RG-1200	Vertical OHV, forced air-cooled, single cylinder	Rated: 1 000W Max: 1 200W	Recoil pull start	7 hours	7.5L	YES	25kg



RG-2700

2500W 4-STROKE GENERATOR PULL-START

FEATURES:

- Powerful 2500 Watt air-cooled, 4-stroke engine
- Fitted with overload protection switch
- Size of generator = total the wattage of the maximum number of items to be run simultaneously. Never exceed maximum run rating
- Manual start

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN-TIME	TANK SIZE	NETT WEIGHT
RG-2700	4-stroke air-cooled	Rated: 2 000W Max: 2 500W	Recoil pull start	10 hours	12L	41.5kg



RG-3500

3500W 4-STROKE GENERATOR KEY-START

FEATURES:

- Powerful 3000 Watt air-cooled, 4-stroke engine with key start and manual start
- Maintenance free battery included
- Reliable AVR System with heavy duty "roll-cage" for rough handling conditions

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN-TIME	TANK SIZE	AVR	NETT WEIGHT
RG-3500	4-stroke air-cooled	Rated: 2 500W Max: 3 000W	Key start or pull start	7 hours	15L	YES	44kg



PETROL GENERATORS

RG-6900K 5500W 4-STROKE GENERATOR

FEATURES:

- Powerful 5 500 Watt, air cooled, 4 stroke engine
- Sturdy roll cage, hand rails and strong wheels for easy transportation
- Fitted with automated voltage regulator to protect appliances from voltage fluctuations
- Fitted with overload protection switch

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN TIME	TANK SIZE	AVR	NETT WEIGHT
RG-6900K	4-stroke, air cooled	Rated: 5 000W Max: 5 500W	Push button or pull start	8 hours	25L	YES	86kg



RG-7000K 6500W 4-STROKE GENERATOR

FEATURES:

- Powerful 6 500 Watt air-cooled, 4-stroke engine (unleaded petrol), with manual or push button start option
- Fitted with overload protection switch
- Fitted with automated voltage regulator to protect appliances from voltage fluctuations
- Sturdy roll cage, hand rails and strong wheels for easy transportation

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	FUEL	TANK SIZE	AVR	NETT WEIGHT
RG-7000K	4-stroke, air cooled	6 000W	Key start	Unleaded	25L	YES	87kg



RG-7900K 7500W 4-STROKE GENERATOR

FEATURES:

- Powerful 7 500 Watt air-cooled, 4-stroke engine (unleaded petrol), with manual or push button start option
- 12V Battery for push button start included
- Two SA Sockets fitted with overload protection switch
- Fitted with automated voltage regulator to protect appliances from voltage fluctuations

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN TIME	TANK SIZE	AVR	NETT WEIGHT
RG-7900K	4-stroke, air cooled	Rated: 6 800W Max: 7 500W	Push button or pull start	7 hours	25L	YES	88kg



To determine the size generator, total the wattage of the maximum number of items to be run simultaneously. Never exceed maximum run rating

INVERTER GENERATORS

RG-1250I

1200W INVERTER GENERATOR OPEN FRAME

FEATURES:

- Powerful, easy to use, quieter than a normal generator and overload protection protects the generator and your digital equipment
- 3.5L fuel tank capacity for 4.5hrs of operation
- Robust and portable, weighing in at 12.8kg
- 5V USB socket for charging MP3 players, phones & more



MODEL NUMBER	ENGINE TYPE	POWER	DISPLACEMENT	START SYSTEM	RUN-TIME	TANK SIZE	AVR	NETT WEIGHT
RG-1250I	4-stroke, air-cooled, SOHC	Rated: 1 000W Max: 1 200W	53.5cc	Recoil pull start	4.5 hours	3.5L	Yes	12.8kg

RG-2250I

2200W INVERTER GENERATOR OPEN FRAME

FEATURES:

- Powerful, easy to use and safe for digital equipment
- 7L fuel tank capacity for 4.5hrs of operation
- Smooth running unit fitted with anti-vibration engine mounts
- Fitted with two 250V 16A sockets and 5V USB socket
- Low oil warning light, overload protection and smart throttle



MODEL NUMBER	ENGINE TYPE	POWER	DISPLACEMENT	START SYSTEM	RUN-TIME	TANK SIZE	AVR	NETT WEIGHT
RG-2250I	4-stroke, air-cooled, SOHC	Rated: 2 000W Max: 2 200W	135cc	Recoil pull start	4.5 hours	7L	Yes	19kg

PETROL WATER PUMPS

RWP-50

50MM PETROL WATER PUMP

FEATURES:

- Compact structure, sturdy frame and light weight makes it easy to store/manoeuvre and transport
- Convenient drainage plug to drain excess water for storage/transport
- 50mm diameter suction and discharge ports
- Maximum output of 370L/min
- Maximum head height of 26m
- Self-priming pump type



MODEL NUMBER	ENGINE TYPE	START SYSTEM	MAX. POWER	INLET AND OUTLET	MAX. OUTPUT	FUEL TANK CAPACITY	NETT WEIGHT
RWP-50	4-stroke, forced air-cooled, single cylinder, petrol	Recoil pull start	6.5hp @ 3600min ⁻¹	50mm	370L/min	3.6L	27.5kg

PETROL WATER PUMPS

RWP-80

80MM PETROL WATER PUMP

FEATURES:

- Compact structure, sturdy frame and light weight makes it easy to store/manoeuvre and transport
- Convenient drainage plug to drain excess water for storage/transport
- 80mm diameter suction and discharge ports
- Maximum output of 600L/min
- Maximum head height of 30m
- Self-priming pump type

MODEL NUMBER	ENGINE TYPE	START SYSTEM	MAX. POWER	INLET AND OUTLET	MAX. OUTPUT	FUEL TANK CAPACITY	NETT WEIGHT
RWP-80	4-stroke, forced air-cooled, single cylinder, petrol	Recoil pull start	6.5hp @ 3600 min ⁻¹	80mm	600L/min	3.6L	29.5kg





GUARANTEE
2-YEAR
GUARANTEE

CLEANING

EQUIPMENT

VACUUM CLEANERS

VC-20

1250W WET AND DRY VACUUM CLEANER 18L

FEATURES:

- Ideal for vacuuming carpets and smooth surfaces
- Includes blower function
- Includes: 3 piece wand, crevice tool, 1.8m hose, Floor tool, Cartridge filter, foam filter, dust bag

MODEL NUMBER	POWER INPUT	TANK CAPACITY	SUCTION	CORD LENGTH	NETT WEIGHT
VC-20	1 250W	18L	15kpa/ 2.17 PSI	2.5m	4.5kg



VC-25HD

1250W WET & DRY VACUUM CLEANER 20L

FEATURES:

- Powerful 1250 Watt motor for higher suction and longer life
- Wet and dry for all spills around the home, in the garage or in your workshop
- Robust, non-rusting 20L stainless steel canister and durable anti-crush hose
- Includes: Dust bag, cartridge filter and foam filter
- Convenient and neat on-board accessory storage

MODEL NUMBER	POWER INPUT	TANK CAPACITY	MAX. VACUUM	MAX. AIR FLOW	NETT WEIGHT
VC-25HD	1 250W	20L	150 mBar	1.8m³/ min	5.45kg



VC-35A

1400W WET & DRY VACUUM CLEANER 30L

FEATURES:

- Powerful 1 400 Watt motor for higher suction and longer life
- Wet and dry for all spills around the home, in the garage or in your workshop
- Large capacity 30L canister and durable anti-crush hose
- On-board 2 280 Watt power outlet allows synchronized usage of power tools with auto on/off
- Includes: Dust bag, cartridge filter, foam filter and convenient on-board accessory storage

MODEL NUMBER	POWER INPUT	POWER OUTLET	TANK CAPACITY	MAX. VACUUM	MAX. AIR FLOW	NETT WEIGHT
VC-35A	1 400W	2 080W	30L	160 mBar	3.6m³/ min	8kg



INDUSTRIAL

VACUUM CLEANERS

VC-30HDA

1600W WET & DRY VACUUM CLEANER 30L

FEATURES:

- Powerful 1600 Watt double stage fan motor for higher suction, lower noise and longer life
- Wet and dry for all spills around the home, in the garage or in your workshop, also includes a blower-sweeper function
- Robust, non-rusting 30L stainless steel canister and durable anti-crush hose
- On-board 2080W power outlet allows synchronized usage of power tools with auto on/off
- Includes: Dust bag, cartridge filter and foam filter and convenient on-board accessory storage

MODEL NUMBER	POWER INPUT	POWER OUTLET	TANK CAPACITY	MAX. VACUUM	MAX. AIR FLOW	NETT WEIGHT
VC-30HDA	1 600W	2 080W	30L	220 mBar	2.7m³/min	14.5kg



VC-50HD

1500W WET & DRY VACUUM CLEANER 50L

FEATURES:

- Wet and dry vacuum cleaner with built-in drain plug, ideal for vacuuming carpets and smooth surfaces
- Includes blower function
- 2180 Watt power outlet synchronized with auto on/off usage of power tools
- Standard accessories include: floor tool, crevice tool, power tool adapter, cartridge filter, foam filter, dust bag, 2.5m hose set and 3 extension tubes

MODEL NUMBER	POWER INPUT	POWER OUTLET	TANK CAPACITY	SUCTION	CORD LENGTH	DRY VACUUM	WET VACUUM	NETT WEIGHT
VC-50HD	1 500W	2 180W	50L	20kpa / 2.9 PSI	4m	Cartridge Filter	Foam Filter	12kg



VC-60HDA

1600W WET & DRY VACUUM CLEANER 60L

FEATURES:

- Powerful 1600 Watt double stage fan motor for higher suction, lower noise and longer life
- Wet and dry for all spills around the home, in the garage or in your workshop, also includes a blower-sweeper function
- Robust, non-rusting 60L stainless steel canister and durable anti-crush hose
- On-board 2080 Watt power outlet allows synchronized usage of power tools with auto on/off
- Includes: Dust bag, cartridge filter, foam filter and convenient on-board accessory storage

MODEL NUMBER	POWER INPUT	POWER OUTLET	TANK CAPACITY	MAX. VACUUM	MAX. AIR FLOW	NETT WEIGHT
VC-60HDA	1 600W	2 080W	60L	220 mBar	2.7m³/min	18.5kg



HIGH PRESSURE WASHERS

AJP-1100

1400W HIGH PRESSURE WASHER 100 BAR

FEATURES:

- Versatile application for most cleaning jobs
- Unique attractive modern compact design
- Includes: Spray handle, variable nozzle lance, foam nozzle, spray handle hose, water connector (with filter), hose joint and nozzle cleaner pin
- Convenient built-in storage for gun, hose and power cord
- Automatic stop/start trigger function

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-1100	1 400W	100 bar	5.5L/min	0 – 40°C	4.5kg



AJP-1280

1400W HIGH PRESSURE WASHER 105 BAR

FEATURES:

- Powerful 1400W motor
- Auto stop function for prolonged motor life
- 3m high pressure hose
- Rated flow 5L/min
- 5m mains cable
- Includes: spray gun, lance with adjustable fan nozzle and trigger lock

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	HOSE LENGTH	WATER TEMPERATURE	NETT WEIGHT
AJP-1280	1 400W	105 bar	5.0L/min	3m	0 – 40°C	5.5kg



AJP-1480

1600W HIGH PRESSURE WASHER 115 BAR

FEATURES:

- Powerful 1600W motor
- 5m high pressure hose
- Rated flow 5L/min
- Auto stop function for prolonged motor life
- 5m mains cable
- Includes: spray gun, lance with adjustable fan nozzle, trigger lock and detergent bottle

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	HOSE LENGTH	WATER TEMPERATURE	NETT WEIGHT
AJP-1480	1 600W	115 bar	5.0L/min	5m	0 – 40°C	6.2kg



AJP-1600

1700W HIGH PRESSURE WASHER 120 BAR

FEATURES:

- Designed to clean vehicles, machines, buildings, facades, etc. in the private sector
- The spray handle features a locking device. When the lock is activated, the spray handle cannot be operated
- Pump encased in shock absorbing housing
- Uses up to 80% less water than a garden hose to clean fast and efficiently
- Operating temperature varies from 0° - 60 °C
- Detergent bottle and turbo nozzle included

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-1600	1 700W	120 bar	6.67L/min	0 – 60°C	8kg



HIGH PRESSURE CLEANERS

AJP-1610

1800W HIGH PRESSURE WASHER 120 BAR

FEATURES:

- Designed to clean vehicles, machines, buildings, paving, facades etc in the private sector
- Nonslip spray handle with safety locking device
- Wheels for easy manoeuvrability
- Includes: detergent bottle, variable nozzle and turbo nozzle lances, 8m high pressure hose, 3m supply hose, coupler, connector and nozzle cleaning pin
- High power 120 bar pressure cleans fast and efficiently with up to 80% less water than a garden hose
- Automatic stop/start feature to stop the motor when the trigger is released
- Equipped with a motor circuit breaker switch to prevent overheating

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-1610	1 800W	120 bar	6.67L/min	0 – 50°C	7kg



AJP-1623

1900W HIGH PRESSURE WASHER 120 BAR

FEATURES:

- Nonslip spray handle with safety locking device
- Foldable handle for convenient storage and wheels for easy manoeuvrability
- Includes: detergent bottle, variable nozzle and turbo nozzle lances, high pressure hose, supply hose, coupler, connector and nozzle cleaning pin
- High power 120 bar pressure cleans fast and efficiently
- Eco Mode saves 30% water and energy (Delicate Wash)

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-1623	1 900W	120 bar	6L/min	0 – 50°C	7.9kg



AJP-1700VGQ

1700W HIGH PRESSURE WASHER 120 BAR WITH ADJUSTABLE PRESSURE & WATER VOLUME SELF WATER SUCTION

FEATURES:

- Designed to clean vehicles, machines, buildings, paving, facades and especially useful for cleaning delicate materials due to the adjustable water pressure and volume control
- Nonslip spray handle with safety locking device
- Includes: detergent nozzle bottle, variable nozzle and turbo nozzle lances, 10m high pressure hose, 3m supply hose, suction kit, coupler, connector, cleaning pin, folding handle and storage for accessories and hose
- Cleans fast and efficiently with up to 80% less water than a garden hose
- Built-in self-suction pump kit allows suction from a bucket / tank
- Equipped with a motor circuit breaker switch to prevent overheating
- Unique air bleeding valve allows quick spray start

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-1700VGQ	1 700W	120 bar	3.5 – 6L/min	0 – 40°C	8.4kg



HIGH PRESSURE WASHERS

AJP-2200GQ

1400W HIGH PRESSURE WASHER 120 BAR WITH SILENT WATER COOLED INDUCTION MOTOR AND SELF PRIMING WATER SUCTION

FEATURES:

- Water-cooled induction motor which decreases motor noise by 50% with increased durability and up to 120 Bar pressure for industrial use
- Nonslip spray handle with safety locking device
- Includes: variable nozzle and turbo nozzle lances, 15m high pressure hose on built-in hose reel, 3m supply hose, suction kit, coupler, connector, extendable handle and storage for accessories and hoses
- Built-in self-suction pump kit with self-priming water suction function, allows suction from a bucket / tank
- 15m flexible high pressure hose with protective rubber sleeve enables wider cleaning jobs without moving the unit



MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-2200GQ	1 400W	120 bar	5.0L @	0 – 40°C	17.8kg

HIGH PRESSURE WASHER - PETROL

AJP-2900

94CC (2.9HP) PETROL HIGH PRESSURE WASHER 112 BAR

FEATURES:

- Powerful 94cc 4-stroke, air cooled engine
- Ideal for cleaning patio's, driveways, vehicles and machinery quickly and effortlessly
- Four spray nozzles included for flexibility, enabling you to quickly and easily switch between settings for a variety of different tasks
- Includes spray gun, lance, 8m high pressure hose, detergent hose, water supply hose and water filter



MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-2900	2.9HP	112 bar	6L	5 – 40°C	18.0kg



VACUUMS ACCESSORIES

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
3370130	20L, 30L FOAM FILTER	1
VC60HDA/40A	60L FOAM FILTER	1
3370131	20L, 30L CARTRIDGE FILTER,	1
VC30HDA/37	20L, 30L WASHABLE CARTRIDGE FILTER	1
VC60HDA/40	60L WASHABLE CARTRIDGE FILTER	1
VC25HD/09-07	20L DUST BAG NORMAL	1
VC30HDA/36	30L DUST BAG NORMAL	1
VC60HDA/39	60L DUST BAG NORMAL	1
VC-CPF01	CLOTH PRE-FILTER	1
VC-DB20	DUST BAG 20L	1
VC-DB60	DUST BAG 60L	1
VC-FF01	FOAM FILTER HEAVY DUTY	1
VC-CFW01	WASHABLE CARTRIDGE FILTER	1



HIGH PRESSURE CLEANER ACCESSORIES

MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
6710117	FLEXIBLE EXTENSION HOSE 8M, HPW ACCESSORIES	1
3710157	VARIABLE UNDERBODY SPRAY HAND, HPW ACCESSORIES	1
6710077	FLOOR CLEANER, HPW ACCESSORIES	1
6710027	EXTENSION PIPE 1,65M, AJP1610	1
6710037	FIXED BRUSH, AJP1610	1
6710017	FIXED BRUSH - STRAIGHT, HPW ACCESSORIES	1
6710047	ROTATION BRUSH, AJP1610	1
6710067	ROTARY CLEANER, HPW ACCESSORIES	1
6710107	TURBO GUARD, HPW ACCESSORIES	1
3710217	UNDERBODY SPRAY HAND, AJP1610	1
6710127	FOAM NOZZLE, HPW ACCESSORIES	1



OTHER TOOLS AND MEASURING EQUIPMENT

DIGITAL MEASURING EQUIPMENT

TP-1100

COMPACT TRIPOD STAND FOR LL-650, LDM-500, DLL-250

FEATURES:

- Extends to 500mm and collapsible to 240mm
- Fluid 3-way panning head with 1/4" standard tripod mount
- Built-in bubble level for precise adjustment
- Quick release mount for easy transition to hand-held operation
- Quick snap release leg locks for fast and sure operation

MODEL NUMBER	MAX. HEIGHT	FOLD LENGTH	HEAD TYPE	LEG SECTION	NETT WEIGHT
TP-1100	500mm	240mm	3-way panning head	3	0.38kg



MM-360

MOISTURE METER

FEATURES:

- Detects water content in wood, plaster, brick and other building materials
- Easy-to-read LCD with 3-colour backlight
- Wide moisture content range of 8 to 60% in wood and 0.3 to 2% in plaster, brick, and other building materials
- Ideal for use in woodworking, brick-working, building construction, agriculture industries, etc
- Auto power-off conserves battery energy

MODEL NUMBER	POWER SUPPLY	DISPLAY	OPTIMUM OPERATING TEMPERATURE	MEASURING RANGE	TEMPERATURE	NETT WEIGHT
MM-360	9V battery (not incl.)	LCD (3-colour backlight)	0 - 40°C	Wood = 8 - 60% Building Material = 0.3 - 2%	0 - 50°C	0.14kg



VT-400

VOLTAGE TESTER 400V

FEATURES:

- For the testing of domestic wiring, automotive circuitry, electronic equipment, control panel trouble shooting, etc.
- Measure AC current between 12 - 400V and DC current between 12 - 500V
- LED voltage level indicator with polarity detection
- Two handed operation for low impedance testing
- Conforms to IEC/EN 61243-3 for safety

MODEL NUMBER	AC FREQUENCY RANGE	MAX. MEASURING CURRENT	OPTIMUM WORKING TEMPERATURE	OPERATING HUMIDITY	PROTECTION TYPE	NETT WEIGHT
VT-400	0 - 100Hz	30mA	-10 to 50°C	< 85%	1P4X	0.13kg



VT-600

VOLTAGE TESTER AC NON-CONTACT

FEATURES:

- Locates breaks along live, insulated wires and power cords
- Non-contact voltage test from 12V to 600V AC
- Visible and audible indication of test result
- Compact size with pocket clip for convenience
- Adjustable sensitivity that tests under various working conditions

MODEL NUMBER	POWER SUPPLY	VOLTAGE SENSITIVITY	OPTIMUM WORKING TEMPERATURE	OPERATING HUMIDITY	STORAGE TEMPERATURE	NETT WEIGHT
VT-600	2 x AAA batteries (not incl.)	12V - 600V	-10 to 50°C	< 80%	-20 to 60°C	0.12kg



LASER MEASURING EQUIPMENT RANGE

LSL-100

LASER LINER SPIRIT LEVEL AND POINTER

FEATURES:

- Projects exact horizontal, vertical or diagonal laser lines, as well as point laser
- Rotatable base for mounting on wall or tripod
- Practical use as a laser leveller or as a normal spirit level
- Working range up to 3m laser line and 20m laser point

MODEL NUMBER	POWER	LASER WAVE LENGTH	ACCURACY	OPTIMUM WORKING TEMPERATURE	WORKING RANGE
LSL-100	2-AAA Battery (not incl.)	630-650Nm Class II	Line: 1mm/m, Point: 0.5mm/m	0 - 40°C	Line: 3m, Point: 20m



TLL-90

90-DEGREE TILE LASER LEVEL

FEATURES:

- Projects exact 90° angle laser lines on the floor or wall - ideal for a variety of uses, including flooring, tile layout, paneling, wallpapering, stenciling, wain-scoting, finish carpentry, outlet and switch layout, wall stud layout, partition installation and more
- Wall mounting plate and double bubble vial helps vertical or horizontal alignment on the wall - easy and quick alignment of pictures, shelves, etc
- Functional base plate with contact edge and scale
- 7m working range

MODEL NUMBER	POWER	LASER WAVE LENGTH	ACCURACY	OPTIMUM WORKING TEMPERATURE	WORKING RANGE
TLL-90	2-AAA Battery (not incl.)	635Nm Class II	± 0.5mm/m	0 - 40°C	7m



CLL-100

CROSS LASER LINER

FEATURES:

- Projects exact cross, laser lines
- Automatic self-leveling
- High-visibility and precise laser lines
- 10m working range
- Precise laser cross line serves as a reference point on the wall
- Automatic self-levelling in a few seconds guarantees quick and error-free alignment

MODEL NUMBER	POWER	LASER WAVE LENGTH	ACCURACY	OPTIMUM WORKING TEMPERATURE	WORKING RANGE
CLL-100	2-AAA Battery (not incl.)	635Nm Class II	± 0.5mm/m	0 - 40°C	10m



CLL-360

360-DEGREE ROTARY LASER LEVEL

FEATURES:

- Perfectly levelled horizontal 360° line - accurate and error-free alignment of objects in the entire room
- Automatic self-leveling
- 10m diameter working range
- Projects laser lines in 4 modes: cross, vertical, horizontal and diagonal lines

MODEL NUMBER	POWER	LASER WAVE LENGTH	ACCURACY	OPTIMUM WORKING TEMPERATURE	WORKING RANGE	LASER LINE WIDTH
CLL-360	4-AA Battery (not incl.)	635Nm Class II	± 0.5mm/m	0 - 40°C	10m	100lux, 3mm/5m



LASER MEASURING EQUIPMENT RANGE

LDM-20

LASER DISTANCE MEASURE 20M

FEATURES:

- Continuous measuring of a distance up to 20m with hold function to save the last measured value
- Small, compact, handy and simple operation
- Precision laser measuring technology allows you to easily determine measurements for paint, wallpaper, flooring, trim, window treatments, carpentry, plumbing, HVAC, appraisals and more
- Single distance measurement accurate to $\pm 3.0\text{mm}$ at 20m

MODEL NUMBER	POWER	LASER WAVE LENGTH	MEASURING ACCURACY	OPTIMUM OPERATING TEMPERATURE	MEASURING RANGE	SMALLEST UNIT DISPLAYED
LDM-20	2 x 1.5LR03 (AAA)	650Nm Class II	$\pm 2\text{mm}$ at 20m	0 - 40°C	0.2 - 20m	1mm



LDM-60

LASER DISTANCE MEASURE 60M

FEATURES:

- Quick, easy and accurate point-to-point measuring up to 60m
- Precision laser measuring technology allow you to easily determine measurements for paint, wallpaper, flooring, trim, window treatments, carpentry, plumbing, HVAC, appraisals and more
- Accurate to $\pm 2.0\text{mm}$ at 60m
- Length, area, volume, pythagorean and continuous mode measuring
- 3 measuring reference points

MODEL NUMBER	POWER	LASER WAVE LENGTH	MEASURING ACCURACY	OPTIMUM OPERATING TEMPERATURE	MEASURING RANGE	SMALLEST UNIT DISPLAYED
LDM-60	3V, 2-AAA Battery (not incl.)	635Nm	$\pm 2\text{mm}$	0 - 40°C	0.05 - 60m	1mm



LDM-500

LASER DISTANCE MEASURE 50M

FEATURES:

- Quick, easy and accurate point-to-point measuring up to 50m
- Length, area, volume, Pythagorean and continuous mode measuring
- Accurate to $\pm 1.5\text{mm}$ at 50m
- 4 Measuring reference points
- Backlit LCD screen for high-visibility with easy-to-read numerals

MODEL NUMBER	BATTERY	LASER	MAX. LASER OUTPUT	MEASURING ACCURACY	OPTIMUM OPERATING TEMPERATURE	MEASURING RANGE	SMALLEST UNIT DISPLAYED
LDM-500	4 x AAA 1.5V batteries	635nm, Class 2 laser	< 1mW	$\pm 1.5\text{mm}$	0 - 40°C	0.1 - 50m	1mm



LL-650T

LASER LINER

FEATURES:

- Estimated battery life of 40 hours continuous use with alkaline batteries
- Accuracy $\pm 1/2"$ at 30°
- Vertical and horizontal laser lines
- Built-in spirit levels for user accuracy
- Wall mounting base included
- Can be fitted onto a tripod

MODEL NUMBER	LASER DIODE	POWER SUPPLY	NETT WEIGHT
LL-650T	650Nm	2 x AA 1.5V batteries	1.1kg



TAPE MEASURES

Provides accurate measurements with the easy-to-read markings. Durable plastic casing with rubberised covering. Convenient sliding thumb lock-on button ensures measuring blade is fixed at desired measurement.

TPR-3

TAPE MEASURE 3MX16MM BLADE

MODEL NUMBER	LENGTH
TPR-3	3m x 16mm

TPS-5

TAPE MEASURE 5MX19MM BLADE RUBBER CASING

MODEL NUMBER	LENGTH	CASE
TPS-5	5m x 19mm	Rubber case

TPS-5

TAPE MEASURE 5MX25MM BLADE STEEL CASING + PENCIL SHARPNER

MODEL NUMBER	LENGTH	CASE	ACCESSORIES
TPS-5	5m x 25mm	Steel case	Sharpener



TOOLS

RSA-112

SMOKE ALARM 85DB 9V BATTERY

FEATURES:

- Battery operated so installation is easy without wiring
- Low battery indicator light alerts user to replace battery
- Fitted with a test button to check the alarm works properly
- Clearly audible 85db alarm
- Discreet design

MODEL NUMBER	POWER SOURCE	SENSOR TYPE	ALARM DECIBEL	WORKING TEMPERATURE	DIMENSIONS	NETT WEIGHT
RSA-112	9V battery (not incl.)	Photoelectric	85 db / 3m	-10 to 40°C	100 x 34mm (incl. bracket)	0.13kg



RCB-600

TOOL BAG



EXTENSION CORDS (POWER TOOLS)

832201610

POWER TOOL EXTENSION CORD 10M 220V 16AMP / 1x1VP (1,5x3)

832201620

POWER TOOL EXTENSION CORD 20M 220V 16AMP / 1x1VP (1,5x3)

BUILDING LINE

RBL-085

RYOBI BUILDING LINE 0.85MM

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
RBL-085	RYOBI BUILDING LINE 0.85mm	1

RBL-090

RYOBI BUILDING LINE 0.90MM

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
RBL-090	RYOBI BUILDING LINE 0.90mm	1

RBL-070

RYOBI BUILDING LINE 0.70MM

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
RBL-070	RYOBI BUILDING LINE 0.70mm	1

RBL-100

RYOBI BUILDING LINE 1.00MM

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
RBL-100	RYOBI BUILDING LINE 1.00mm	1

DOOR CLOSERS HEAVY DUTY

Ryobi's surface-mounted door closers are easy to install and provide for the controlled closing of doors. The range caters for doors from 35kg – 80kg in weight, for hollow-core, solid wood, glass, aluminium, extra-large or pivot doors. The speed at which the door closer closes the door can be adjusted, controlling the sweep speed (all models) and the latch speed (models 8803 and D-2550) of the door.

8803-SIL

HEAVY DUTY DOOR CLOSER 65KG SILVER

MODEL NUMBER	LOAD WEIGHT	NETT WEIGHT
8803-SIL	65kg	1.6kg

8803-BRZ

HEAVY DUTY DOOR CLOSER 65KG BRONZE

MODEL NUMBER	LOAD WEIGHT	NETT WEIGHT
8803-BRZ	65kg	1.6kg

D-2550-SIL

HEAVY DUTY DOOR CLOSER 80KG SILVER

MODEL NUMBER	LOAD WEIGHT	NETT WEIGHT
D-2550-SIL	80kg	2kg



Ryobi's surface-mounted door closers are easy to install and provide for the controlled closing of doors. The range caters for doors from 35kg - 80kg in weight, for hollow-core, solid wood, glass, aluminium, extra-large or pivot doors. The speed at which the door closer closes the door can be adjusted, controlling the sweep speed (all models) and the latch speed (models 8803 and D-2550) of the door.

DOOR CLOSERS INTERIOR

HDC11P-IVR

INTERIOR DOOR CLOSER 35KG IVORY

MODEL NUMBER	LOAD WEIGHT	NETT WEIGHT
HDC11P-IVR	35kg	1.4kg

HDC11P-BRN

INTERIOR DOOR CLOSER 35KG BROWN

MODEL NUMBER	LOAD WEIGHT	NETT WEIGHT
HDC11P-BRN	35kg	1.4kg



DOOR CLOSERS EXTERIOR

HDC12SA-IVR

EXTERIOR DOOR CLOSER 45KG IVORY

MODEL NUMBER	LOAD WEIGHT	NETT WEIGHT
HDC12SA-IVR	45kg	1.5kg

HDC12SA-BRN

EXTERIOR DOOR CLOSER 45KG BROWN

MODEL NUMBER	LOAD WEIGHT	NETT WEIGHT
HDC12SA-BRN	45kg	1.5kg



DOOR CLOSERS EXTERIOR/INTERIOR

D-1200BC

OVERHEAD DOOR CLOSURE

FEATURES:

- Back check functions
- 2 speed control valves

MODEL NUMBER	LOAD WEIGHT
D-1200 BC	40kg

D-1200BCT

OVERHEAD DOOR CLOSURE

FEATURES:

- Back check functions
- 2 speed control valves

MODEL NUMBER	LOAD WEIGHT
D-1200 BCT	-



JERRY CANS

JC-32469

PRO-QUIP JERRY CAN,

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
JC-32469	PRO-QUIP JERRY CAN, 20L PETROL (GREEN)	4

JC-84877

PRO-QUIP JERRY CAN

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
JC-84877	PRO-QUIP JERRY CAN, 20L WATER (BLUE)	4

JC-94876

PRO-QUIP JERRY CAN

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
JC-94876	PRO-QUIP JERRY CAN, 20L DIESEL (YELLOW)	4

JC-74875

PRO-QUIP JERRY CAN, SPOUT

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
JC-74875	PRO-QUIP JERRY CAN, SPOUT	25

JC-20LG

JERRY CAN

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
JC-20LG	PETROL WITH SAFETY PIN (GREEN)	4

JC-20LY

JERRY CAN

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
JC-20LY	20L DIESEL WITH SAFETY PIN (YELLOW)	4

JC-20LS

JERRY CAN, SPOUT

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
JC-20LS	SPROUT	20



[illegible]



GUARANTEE
2-YEAR
GUARANTEE

WELDING

EQUIPMENT

WELDING MACHINES

MMA-140

METAL ARC INVERTER WELDER 140AMP

FEATURES:

- Powerful, lightweight and easy to use MMA inverter welder with variable Amperage of 20-140A and regulated DC power output
- 80% duty cycle with thermal overload protection and anti-stick protection
- Set includes 1.5m electrode holder, 1.5m earth clamp, welding mask, chipping hammer and wire brush

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MMA-140	5.3kVA	20 - 140A	80%	1.6 - 3.2mm	3.8kg



MMA-160

METAL ARC INVERTER WELDER 160AMP

FEATURES:

- Powerful, lightweight and easy to use MMA inverter welder with variable Amperage of 20-160A, with regulated DC power output
- 80% duty cycle with thermal overload protection, anti-stick protection
- Set includes 1.5m electrode holder, 1.5m earth clamp, welding mask, chipping hammer and wire brush

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MMA-160	7.6kVA	20 - 160A	80%	1.6 - 4mm	4.3kg



MMA-200

METAL ARC INVERTER WELDER 200AMP

FEATURES:

- Powerful, lightweight and easy to use MMA inverter welder with variable Amperage of 20-200A, with regulated DC power output
- 80% duty cycle with thermal overload protection, anti-stick protection
- Set includes 1.5m electrode holder, 1.5m earth clamp, welding mask, chipping hammer and wire brush

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MMA-200	8.7kVA	20 - 200A	80%	1.6 - 5mm	5.8kg



MIG-180

METAL INERT GAS WELDER 180AMP

FEATURES:

- Powerful yet flexible gas/gasless MIG welder with burnback control
- IGBT multi process inverter technology provides stable arc and reliable performance
- Suitable for general site use, automotive repairs and more accurate fabrication
- Can also function as an MMA arc welder
- 60% duty cycle with thermal overload protection
- Set includes 3m MIG torch, 2.5m earth clamp and 3m gas hose

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MIG-180	6.9kVA	30 - 180A (MIG), 10 - 160A (MMA)	60%	0.6 - 1mm MIG, 1.6 - 4mm MMA	12.8kg



WELDING MACHINES & PLASMA CUTTER

TIG-180

TUNGSTEN INERT GAS WELDER 180AMP

FEATURES:

- Powerful, versatile inverter welder with digital LED display
- Can also function as an MMA arc welder
- 80% duty cycle with thermal overload protection
- Easy to use with precise control, suitable for detailed fabrications
- Superior TIG welding performance using the latest high grade IGBT technology
- Set includes 4m TIG torch, 2.5m earth clamp and accessories

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
TIG-180	6.7kVA	10 - 180A (TIG), 10 - 160A (MMA)	80%	1 - 2.4mm (TIG) 1.6 - 4mm (MMA)	7.2kg



PLASMA-40

PLASMA CUTTER 40AMP

FEATURES:

- Powerful and compact plasma cutting machine with 8mm mild steel cutting capacity
- Ideal for cutting steel, stainless, galvanized steel, aluminium, copper and brass
- IGBT inverter soft-switch technology with digital LED display
- HF arc Ignition mode for easy start, with post-flow function
- 80% duty cycle with thermal overload protection
- Set includes 5m cutting torch, 3m earth clamp and 3m gas hose

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	CUTTING CAPACITY	GAS PRESSURE	ACCESSORIES	NETT WEIGHT
PLASMA-40	6.4kVA	20 - 40A	80%	Clean Cut 8mm Sever 12mm	0.35 - 0.55Mpa	5m Cutting Torch, 3m Earth Lead	7.8kg



WELDING HELMETS

RWH-200A

WELDING HELMET 90X34MM SHADE DIN3-11

FEATURES:

- Powered by solar cells and lithium battery for fast switching and low-amp sensitivity (Batteries included)
- Conforms with standards CE, EN379 and EN175
- 90 x 34mm viewing area for greater visibility
- Fully automatic light (DIN3) to dark (DIN11) in 5/10 000 second
- Lightweight & comfortable with a weight of 350g

MODEL NUMBER	VIEWING AREA	LIGHT SHADE	DARK SHADE	SWITCHING TIME	OPERATING TEMP	ARC SENSOR	NETT WEIGHT
RWH-200A	90 x 34mm	DIN 3	DIN 11	5/10 000sec	-5 to 55°C	2	350g



RWH-500F

WELDING HELMET 92.5X42.5MM VARIABLE SHADE CONTROL

FEATURES:

- Powered by solar cells and lithium battery for fast switching and low-amp sensitivity (Batteries included)
- No need to raise & lower helmet during usage
- Conforms with standards CE, EN379 and EN175
- 92.5 x 42.5mm viewing area for greater visibility
- Fully automatic light (DIN4) to dark (DIN9-13) in 3/10 000 second
- Lightweight & comfortable with a weight of 450g
- Has a grinding mode setting

MODEL NUMBER	VIEWING AREA	LIGHT SHADE	DARK SHADE	SWITCHING TIME	OPERATING TEMP	ARC SENSOR	NETT WEIGHT
RWH-500F	92.5 x 42.5mm	DIN 4	DIN 9 - 13	3/10 000sec	-20 to 65°C	2	450g



RWH-800A

WELDING HELMET 100X59.5MM VARIABLE SHADE CONTROL

FEATURES:

- Adjustable weld/cut/grind mode settings
- 9 - 13 shade for ARC/MIG/TIG welding, 5 - 9 shade for plasma cutting, 4 shade for grinding
- No need to raise or lower helmet during usage
- Lightweight and comfortable with a weight of 500g
- 1/10 000 second light to dark response time
- 4x light sensors provide more accurate shading
- Powered by solar and 2x 3V Li-batteries with low power warning light (Batteries included)

MODEL NUMBER	VIEWING AREA	LIGHT SHADE	DARK SHADE	SWITCHING TIME	OPERATING TEMP	ARC SENSOR	NETT WEIGHT
RWH-800A	100 x 59.5mm	DIN 4	DIN 5-9/ - 13	1/10 000sec	-20 to 65°C	4	500g



RWH-800AX1

WELDING HELMET 100X59.5MM WITH GRAPHIC

FEATURES:

- Adjustable weld/cut/grind mode settings
- 9 - 13 shade for ARC/MIG/TIG welding, 5 - 9 shade for plasma cutting, 4 shade for grinding
- No need to raise and lower helmet during usage
- Lightweight and comfortable with a weight of 500g
- 1/10 000 second light to dark response time
- 4x light sensors provide more accurate shading
- Powered by solar and 2x 3V Li-batteries with low power warning light (Batteries included)

MODEL NUMBER	VIEWING AREA	LIGHT SHADE	DARK SHADE	SWITCHING TIME	OPERATING TEMP	ARC SENSOR	NETT WEIGHT
RWH-800AX1	100 x 59.5mm	DIN 4	DIN 5-9/ - 13	1/10 000sec	-20 to 65°C	4	500g



WELDING ACCESSORIES

FLUX

RW-ABF

ALUMINIUM BRAZING FLUX 50G

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-ABF	Aluminum Brazing Flux 50g	1	Gas/Brazing

RW-BBF

BRONZE BRAZING FLUX 50G

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-BBF	Bronze Brazing Flux 50g	1	Gas/Brazing

RW-SSF

SILVER SOLDER FLUX 50G

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SSF	Silver Solder Flux 50g	1	Brazing

MIG WIRE

RW-AW08

WIRE, AWS E71T-GS Ø 0.8MM 0.8KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-AW08	AWS Wire E71T-Gs 0.8mm, 0.8kg	1	MIG-180

RW-AW09

WIRE, AWS E71T-GS Ø 0.9MM 0.8KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-AW09	AWS Wire E71T-Gs 0.8mm, 0.8kg	1	MIG-180

RW-MW08

MIG WIRE 0.8MM D100 1KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-MW08	MIG Wire 0.8mm D100, 1kg	1	MIG-180

RW-MW10

MIG WIRE 1.0MM D100 1KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-MW10	MIG Wire 1.0mm D100, 1kg	1	MIG-180

RW-WW08


ALUMINIUM WELDING WIRE 0.8MM 0.5KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WW08	Aluminum Welding Wire 0.8mm, 0.8kg	1	MIG-180

RW-WW09

ALUMINIUM WELDING WIRE 0.9MM 0.5KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WW09	AWS Wire E71T-Gs 0.9mm, 0.8kg	1	MIG-180



WELDING ACCESSORIES

MIG WIRE

RWE-PSMER701508

ER 70 S - 6 MIG WIRE 0.8MM, 15KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWE-PS MER701508	ER 70 S - 6 MIG WIRE 0.8MM 15kg	1	MIG-180

RWE-PSMER701509

ER 70 S - 6 MIG WIRE 0.9MM, 15KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWE-PS MER701509	ER 70 S - 6 MIG WIRE 0.9MM 15kg	1	MIG-180

RWE-PSMER70151

ER 70 S - 6 MIG WIRE 1MM, 15KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWE-PS MER70151	ER 70 S - 6 MIG WIRE 1MM 15kg	1	MIG-180

RWE-PSMER701512

ER 70 S - 6 MIG WIRE 1.2MM, 15KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWE-PS MER701512	ER 70 S - 6 MIG WIRE 1.2MM 15kg	1	MIG-180



MIG STARTER KITS

RW-MS15

MIG STARTER KIT MB 15

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-MS15	MIG Starter Kit MB15	2	Binzel Torch

RW-MS25

MIG STARTER KIT MB 25

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-MS25	MIG Starter Kit MB25	2	Binzel Torch

RW-MS36

MIG STARTER KIT MB 36

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-MS36	MIG Starter Kit MB36	2	Binzel Torch



WELDING ACCESSORIES

CONTACT TIPS

RW-CT606

CONTACT TIP, M6 X 0.6MM (5-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CT606	Contact Tip, M6 x 0.6MM	5	MIG-180

RW-CT606Z

CONTACT TIP, M6 X 0.6MM ZR (5-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CT606Z	Contact Tip, M6 x 0.6MM	5	MIG-180

RW-CT608

CONTACT TIP, M6 X 0.8MM (5-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CT608	Contact Tip, M6 x 0.8MM	5	MIG-180

RW-CT608Z

CONTACT TIP, M6 X 0.8MM ZR (5-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CT608Z	Contact Tip, M6 x 0.8MM ZR	5	MIG-180

RW-CT609

CONTACT TIP, M6 X 0.9MM (5-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CT609	Contact Tip, M6 x 0.9MM	5	MIG-180

RW-CT609Z

CONTACT TIP, M6 X 0.9MM ZR (5-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CT609Z	Contact Tip, M6 x 0.9MM ZR	5	MIG-180

RW-CT610

CONTACT TIP, M6 X 1.0MM (5-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CT610	Contact Tip, M6 x 1.0MM	5	MIG-180

RW-CT610Z

CONTACT TIP, M6 X 1.0MM ZR (5-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CT610Z	Contact Tip, M6 x 1.0MM ZR	5	MIG-180



WELDING ACCESSORIES

CUTTING NOZZLES

RW-CNA08

CUTTING NOZZLE ANM 0.8MM (2-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CNA08	Cutting Nozzle ANM 0.8mm	2	Gas Cutting

RW-CNA12

CUTTING NOZZLE ANM 1.2MM (2-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CNA12	Cutting Nozzle ANM 1.2mm	2	Gas Cutting

RW-CNA16

CUTTING NOZZLE ANM 1.6MM (2-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CNA16	Cutting Nozzle ANM 1.6mm	2	Gas Cutting

RW-CNP12

CUTTING NOZZLE PNM 1.2MM (2-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CNP12	Cutting Nozzle PNM 1.2mm	2	Gas Cutting

RW-CNP16

CUTTING NOZZLE PNM 1.6MM (2-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CNP16	Cutting Nozzle PNM 1.6mm	2	Gas Cutting

RW-CNP20

CUTTING NOZZLE PNM 2.0MM (2-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CNP20	Cutting Nozzle PNM 2.0mm	2	Gas Cutting



EARTH CLAMPS

RW-EC200

EARTH CLAMP 200A

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-EC200	Earth Clamp 200A	1	MMA-140 / 160 / 200 / PLASMA-40 / TIG-180



RW-EC400

EARTH CLAMP 400A

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-EC400	Earth Clamp 400A	1	MMA-140 / 160 / 200 / PLASMA-40 / TIG-180



RW-EC600

EARTH CLAMP 600A

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-PP3550	Earth Clamp 600A	1	MMA-140 / 160 / 200 / PLASMA-40 / TIG-180



WELDING ACCESSORIES

DINSE PLUGS & PANEL PLUGS

RW-DP1025

DINSE PLUG 10 - 25MM (2-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-DP1025	Dinse Plug 10 - 25mm	2	All Welding Machines

RW-DP3550

DINSE PLUG 35.50MM (2-PACK)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-DP3550	Dinse Plug 35-50mm	2	All Welding Machines

RW-PP1025

PANEL PLUG 10-25MM FEMALE

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-PP1025	Panel Plug 10 - 25mm Female	2	All Welding Machines

RW-PP3550

PANEL PLUG 35-50MM FEMALE

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-PP3550	Panel Plug 35 - 50mm Female	2	All Welding Machines



ELECTRODES & OTHER WELDING RODS

RW-ER1625

ELECTRODE ROD 1.6X300MM (E6013) P/25

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-ER1625	Electrode Rod 1.6 x 300mm (E6013)	25	MMA-140 / MMA-160 / MMA-200

RW-ER1650

ELECTRODE ROD 1.6X300MM (E6013) P/50

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-ER1650	Electrode Rod 1.6 x 300mm (E6013)	50	MMA-140 / MMA-160 / MMA-200

RW-ER2025

ELECTRODE ROD 2.0X300MM (E6013)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-ER2025	Electrode Rod 2.0 x 300mm (E6013)	25	MMA-140 / MMA-160 / MMA-200

RW-ER2050

ELECTRODE ROD 2.0X300MM (E6013) P/50

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-ER2050	Electrode Rod 2.0 x 300mm (E6013)	50	MMA-140 / MMA-160 / MMA-200



WELDING ACCESSORIES

ELECTRODES & OTHER WELDING RODS

RW-ER2525

ELECTRODE ROD 2.5X300MM (E6013) P/20

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-ER2525	Electrode Rod 2.5 x 300mm (E6013)	20	MMA-140 / MMA-160 / MMA-200



RW-LH25

LOW HYDROGEN ROD 2.5X350MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-LH25	Low Hydrogen Rod 2.5 x 350mm (E7018-1)	20	MMA-140 / MMA-160 / MMA-200



RW-LH32

LOW HYDROGEN ROD 3.2X350MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-LH32	Low Hydrogen Rod 3.2 x 350mm (E7018-1)	12	MMA-140 / MMA-160 / MMA-200



RW-SS125

STAINLESS STEEL ROD 2.5X350MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SS125	Stainless Steel Rod 3.2 x 350mm (E308L-16)	10	MMA-140 / MMA-160 / MMA-200



RW-SS132

STAINLESS STEEL ROD 3.2X350MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SS132	Stainless Steel Rod 3.2 x 350mm (E308L-16)	15	MMA-140 / MMA-160 / MMA-200



RW-SS225

STAINLESS STEEL ROD 2.5X350MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SS225	Stainless Steel Rod 2.5 x 350mm (E316L-16)	10	MMA-140 / MMA-160 / MMA-200



RW-SS232

STAINLESS STEEL ROD 3.2X350MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SS232	Stainless Steel Rod 3.2 x 350mm (E316L-16)	15	MMA-140 / MMA-160 / MMA-200



RW-TT16

TUNGSTEN THORIATED 1.6MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-TT16	Tungsten Thoriated 1.6mm	10	TIG-180



RW-TT24

TUNGSTEN THORIATED 2.4MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-TT24	Tungsten Thoriated 2.4mm	10	TIG-180



WELDING ACCESSORIES

ELECTRODES & OTHER WELDING RODS

RW-TT32

TUNGSTEN THORIATED 3.2MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-TT32	Tungsten Thoriated 3.2mm	10	TIG-180

RW-TZ16

TUNGSTEN ZICONATED 1.6MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-TZ16	Tungsten Zirconiated 1.6mm	10	TIG-180

RW-TZ24

TUNGSTEN ZICONATED 2.4MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-TZ24	Tungsten Zirconiated 2.4mm	10	TIG-180

RW-TZ32

TUNGSTEN ZICONATED 3.2MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-TZ32	Tungsten Zirconiated 3.2mm	10	TIG-180

RWE-PSE6013125

PROSTRIKE MILD STEEL ELECTRODE E 6013 2.5MM X 1KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWE-PSE6013125	Prostrike Mild Steel Electrode E 6013 2.5mm x 1kg	25	MMA Welding

RWE-PSE6013525

PROSTRIKE MILD STEEL ELECTRODE E 6013 2.5MM X 5KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWE-PSE6013525	Prostrike Mild Steel Electrode E 6013 2.5mm x 5kg	20	MMA Welding

RWE-PSE60131325

PROSTRIKE MILD STEEL ELECTRODE E 6013 3.25MM X 1KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWE-PSE60131325	Prostrike Mild Steel Electrode E 6013 3.25mm x 1kg	25	MMA Welding

RWE-PSE6013525

PROSTRIKE MILD STEEL ELECTRODE E 6013 2.5MM X 5KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWE-PSE6013525	Prostrike Mild Steel Electrode E 6013 3.25mm x 5kg	20	MMA Welding



WELDING ACCESSORIES

ELECTRODE HOLDERS

RW-EH300

ELECTRODE HOLDER, 300A KD

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-EH300	Electrode Holder 300A KD	1	MMA-140 / 160 / 200

RW-EH500

ELECTRODE HOLDER, 500A KD

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-EH500	Electrode Holder 500A KD	1	MMA-140 / 160 / 200

RW-EHO400

ELECTRODE HOLDER, 400A OPTI

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-EHO400	Electrode Holder 400A OPTI	1	MMA-140 / 160 / 200

RW-EHO600

ELECTRODE HOLDER, 600A OPTI

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-EHO600	Electrode Holder 600A OPTI	1	MMA-140 / 160 / 200

RW-EHT400

ELECTRODE HOLDER, 400A TWIST

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-EHT400	Mild Steel Electrode Holder 400A Twist	1	MMA-140 / 160 / 200



FLASH BACK ARRESTOR

RW-FBAR

FLASH BACK ARRESTOR (REGULATOR)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-FBAR	Flash Back Arrestor (Regulator)	2	Gas Cutting

RW-FBAT

FLASH BACK ARRESTOR (TORCH)

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-FBAT	Flash Back Arrestor (Torch)	2	Gas Cutting



COLLETS

RW-WP02

STANDARD COLLET WP9/20 10N22

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WP02	Standard Collet Body WP 17/18/26 10N26	2	TIG-180

RW-WP03

STANDARD COLLET BODY WP17/18/26 10N26

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WP03	Long Back Cap, Short Back Cap WP 17/18/26	2	TIG-180



WELDING ACCESSORIES

CERAMIC SHIELD CUPS

RW-WP01

CERAMIC SHIELD CUP WP17/18/26 10N48

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WP01	Standard Collet WP 9/20 10N22	2	TIG-180



KITS

RW-WP04

BACK CAP, LONG & SHORT WP17/18/26

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WP04	Long Back Cap, Short Back Cap WP 17/18/26	2	TIG-180



RW-WP05

MB36 NOZZLE, TIP ADAPTOR, CONTACT TIPS M6

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WP05	Tip Adaptor MB36, 5x 1mm Contact Tips M6	9	TIG-180



RW-WP06

MB15 NOZZLE, TIP ADAPTOR, CONTACT TIPS M6

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WP06	MIG Starter Kit MB15, 2x MB15 Nozzle, 2x Tip Adaptor MB15, 5x 1mm Contact Tips M6	9	TIG-180



RW-WPKIT

WELDING CAPS, TIPS, COLLET KIT

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WPKIT	Tip Adaptor MB15, 5x 1mm Contact Tips M6	7	TIG-180



OTHER ACCESSORIES

RW-CA

CUTTING ATTACHMENT

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CA	Cutting Attachment	1	Gas Cutting



RW-CH

CHIPPING HAMMER

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CH	Chipping Hammer	1	All Welders



RW-FL

TRIPLE FLINT LIGHTER

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-FL	Triple Flint Lighter	1	Gas Cutting



RW-FLR

TRIPLE FLINT LIGHT REPLACEMENT

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-FLR	Triple Flint Lighter Replacement	3	Gas Cutting



WELDING ACCESSORIES

OTHER ACCESSORIES

RW-LM4

MIG LINER 4MM RED

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-LM4	MIG Liner 4mm Red	1	MIG-180



RW-NC

NOZZLE CLEANER

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-NC	Nozzle Cleaner	1	Gas Cutting



RW-PS

SHANK

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-PS	Shank	1	Gas Cutting



RW-WB

WIRE BRUSH

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WB	5 Row Wire Brush	1	All Welding



SAFETY EQUIPMENT

RW-SWAA

AMBER WRAP AROUND SPECTACLES

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SWAA	Spectacles Wrap Around (Amber)	1	Safety



RW-SWAC

CLEAR WRAP AROUND SPECTACLES

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SWAC	Spectacles Wrap Around (Clear)	1	Safety



RW-SB

BLACK SPECTACLES

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SB	Black Spectacles	1	Safety



RW-SC

CLEAR SPECTACLES

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SC	Clear Spectacles	1	Safety



RW-MGG

MONO SAFETY GOGGLES

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-MGG	Mono Goggles	1	Grinding



WELDING ACCESSORIES

SAFETY EQUIPMENT

RW-BGLF

BRAZING FRONT LIFT GOGGLES

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-BGLF	Brazing Goggles Front Lift	1	Gas/Brazing



RW-DG

GLASSES, DARK SHADE 10

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-DG	Dark glasses shade 10	1	Welding Helmets



RW-GG500

GREEN GLOVES 50MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-GG500	Green Glove 50mm	1 Pair	All Ryobi Welders



RW-GG150

GREEN GLOVES 150MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-GG150	Green Glove 150mm	1 Pair	All Ryobi Welders



RW-CLG200

200MM CHROME LEATHER GLOVES

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CLG200	Chrome Leather Glove 200mm	1 Pair	All Ryobi Welders



RW-CLG50

50MM CHROME LEATHER GLOVES

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CLG50	Chrome Leather Glove	1 Pair	All Ryobi Welders



RW-RG200

RED HEAT RESISTANT GLOVES 200MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-RG200	Red Heat Resistant Glove 200mm	1 Pair	All Ryobi Welders



RW-EPC

EAR PLUGS, CORDED

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-EPC	Corded Ear Plugs	2	All Ryobi Welders





GUARANTEE
2-YEAR
GUARANTEE

GARDENING

EQUIPMENT

AUGER

PA-200

2-STROKE PETROL EARTH AUGER 80-200MM

FEATURES:

- High power 51.7cc petrol, 2-stroke engine, built for endurance
- Standard accessory is 200mm diameter auger and auger fixing pin
- Diaphragm carburettor so machine can run at an angle
- Anti-vibration handle combats user fatigue
- Centrifugal clutch for longer tool life
- Easy to control trigger throttle with safety mechanism
- Heavy-duty frame and durable gear transmission mechanism



MODEL NUMBER	POWER INPUT	RATED POWER	FUEL / OIL RATIO	CARBURETTOR	CLUTCH TYPE	IDLING SPEED	BIT DIAMETER	TANK CAPACITY	NETT WEIGHT
PA-200	51.7cc 2-stroke	1.45kW / 6 500min ⁻¹	25:1	Diaphragm	Centrifugal	2 800min ⁻¹	80 – 200mm	980ml	9.8kg

BLOWER / VACUUMS

RBV-3275

3000W BLOWER MULCHING VACUUM

FEATURES:

- Powerful 3000 Watt, 15000min⁻¹ motor for super performance
- 10:1 mulching ratio reduces waste
- Lever change for a fast transition between blower and vacuum modes
- Roller wheels increase user comfort during operation and transport
- Ergonomic handle with shoulder strap for weight distribution and ease of use

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DUST BAG CAPACITY	AIR VELOCITY	AIR VOLUME	MULCHING RATIO	NETT WEIGHT
RBV-3275	3 000W	1 500min ⁻¹	40L	300km/h	16m ³ /min	10:1	3kg



RBV-3350

3000W BLOWER MULCHING VACUUM 3-IN-1 FUNCTIONALITY

FEATURES:

- Powerful 3000 Watt motor for fast and efficient cleaning
- 3-in-1 multi function includes blowing, suction and shredding
- 10:1 mulching ratio reduces waste
- Lever change for a fast transition between blower and vacuum modes
- Roller wheels increase user comfort during operation and transport
- Ergonomic handle with shoulder strap for weight distribution and ease of use around the garden

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DUST BAG CAPACITY	AIR VELOCITY	AIR VOLUME	MULCHING RATIO	NETT WEIGHT
RBV-3350	3 000W	14 000min ⁻¹	35L	270km/h	13.2m ³ /min	10:1	2.7kg



BLOWER / VACUUMS

RB-264S

26CC 4-STROKE PETROL BLOWER

FEATURES:

- Powerful 26cc 4-stroke fuel efficient low emissions engine
- Ideal for moving leaves, light trees debris, grass clippings and other
- Easy start electronic ignition system
- 2 Part blower tube for easy storage in cramped sheds and garages
- Lightweight design ensures user comfort and allows easy maneuvering around the garden
- Delivers air speeds up to 200km/h

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	AIR VELOCITY	AIR VOLUME	NETT WEIGHT
RB-264S	26.5cc	11 000min ⁻¹	55.5m/s	9m ³ /min	4.2kg



RBV-3000

30CC PETROL BLOWER MULCHING VACUUM

FEATURES:

- Powerful 30cc 2-stroke engine built for endurance
- 50:1 Fuel ratio (use unleaded petrol with 2-stroke lubricant)
- Complete with shoulder harness
- Compact twin tube design with instant change from blower to vacuum
- 8:1 Mulching ratio reduces garden waste and bag emptying
- Variable speed control for the correct speed selection depending on the job
- Easy click system to remove / attach the dust bag
- Recoil starter makes starting easier

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DUST BAG CAPACITY	AIR VELOCITY	AIR VOLUME	MULCHING RATIO	NETT WEIGHT
RBV-3000	30cc	7 300 – 8 500min ⁻¹	45L	60m/s	10 m ³ /min	8:1	7.3kg



RBV-5200

52 CC BACKPACK BLOWER

FEATURES:

- 52cc Full crank Engine
- Better deigned impeller & engine cooling system for optimal cooling and blowing performance
- Ergonomic 60 degree back frame design with shoulder strap for added user comfort

MODEL NUMBER	ENGINE TYPE	DISPLACEMENT	MAX. SPEED	AIR VELOCITY	NETT WEIGHT
RBV-5200	2-Stroke, 1.5kW	52cc	7800min ⁻¹	80m/s	8.8kg



BRUSH CUTTERS

RBC-320E

32CC PETROL BRUSH CUTTER WITH LINE TRIMMER ATTACHMENT

FEATURES:

- 32cc 2-Stroke engine, built for endurance to clear and maintain large rugged areas
- Electronic ignition makes starting 70% easier
- Body harness included
- Centrifugal clutch prevents damage to brush cutter and line trimmer head
- Straight shaft design makes cutting large areas easier
- With trimmer head to convert your brush cutter into a line trimmer
- Tap-and-go feature on the line trimmer release line with a single tap

MODEL NUMBER	POWER INPUT	BLADE DIAMETER	TANK CAPACITY	FUEL / OIL MIX	CARBURETTOR	NETT WEIGHT
RBC-320E	32cc 2-stroke	230mm	600ml	25:1 (unleaded petrol: 2-stroke)	Diaphragm	5.6kg

RBC-4300A

43CC PETROL BRUSH CUTTER (RED HOUSING)

FEATURES:

- 43cc 2-stroke engine built for power and endurance
- Includes 255mm 3-teeth blade and dual line bump-head for various vegetation
- Aluminium tube and solid steel drive shaft for maximum power transmission and minimal vibration
- Ergonomic handle to prevent an uneven load being placed on the user's back
- Centrifugal clutch with electronic ignition for easier starting

MODEL NUMBER	ENGINE	DISPLACEMENT	MAX. OUTPUT	FUEL TANK CAPACITY	FUEL / OIL RATIO	NETT WEIGHT
RBC-4300A	1.25kW, 2-stroke	43cc	1.25kW @ 7 000min ⁻¹	1.25L	40:1	7.5kg

RBC-5200A

52CC PETROL BRUSH CUTTER (RED HOUSING)

FEATURES:

- 52cc 2-stroke engine built for power and endurance
- Includes 255mm 3-teeth blade and dual line bump-head for various vegetation
- Aluminium tube and solid steel drive shaft for maximum power transmission and minimal vibration
- Ergonomic handle to prevent an uneven load being placed on the user's back
- Centrifugal clutch with electronic ignition for easier starting

MODEL NUMBER	ENGINE	DISPLACEMENT	MAX. OUTPUT	FUEL TANK CAPACITY	FUEL / OIL RATIO	NETT WEIGHT
RBC-5200A	1.5kW, 2-stroke	52cc	1.5kW @ 7 500min ⁻¹	1.25L	40:1	7.5kg

RPT-43W

43CC WHEELED STRING TRIMMER - MOWER

FEATURES:

- Easy-to-control throttle for comfortable mowing.
- Easy-to-manoeuvre large wheels for all sorts of terrain operation.
- Handle folds in seconds to take less space for storage.
- Quick-mount trimmer head for easy assembly and disassembly without any tools.
- Easy-to-operate head swivel for trimming along a fence or wall.
- Single handle bevel adjustment provides 5° and 10° trimming head bevel for precise edge trimming.
- User friendly string gauge for perfect string length
- Ready-to-use 2.4mm, 2.7mm and 4.0mm string suit for the versatile trimmer head.
- Toolless line replacement for efficient work.

MODEL NUMBER	ENGINE	DISPLACEMENT	MAX. OUTPUT	FUEL TANK CAPACITY	FUEL / OIL RATIO	NETT WEIGHT
RPT-43W	2-stroke	43cc	7 000 - 8 000min ⁻¹	840ml	25:1	19.5kg



CHAIN SAWS - ELECTRICAL

CS-1835

1800W ELECTRIC CHAIN SAW 350MM

FEATURES:

- Powerful 1800 Watt motor provides ample power for tough jobs
- Tool free chain adjustment for convenience
- Automatic chain lubrication system for longer chain life
- Quick and secure chain brake system for added operator safety
- Compact and light weight design for more user comfort

MODEL NUMBER	POWER OUTPUT	CHAIN SPEED	CUTTING LENGTH	OIL TANK CAPACITY	NETT WEIGHT
CS-1835	1 800W	13.5 m/sec	350mm	150ml	4.9kg



CS-2240

2200W ELECTRIC CHAIN SAW 400MM

FEATURES:

- 2200 Watt high power motor cuts hardwood with ease
- Tool free chain adjustment for convenience
- Automatic chain lubrication system for longer chain life
- Well-balanced design with soft grip for more user comfort
- Tool free chain adjustment for convenience

MODEL NUMBER	POWER OUTPUT	CHAIN SPEED	CUTTING LENGTH	OIL TANK CAPACITY	NETT WEIGHT
CS-2240	2 200W	13.5 m/sec	400mm	150ml	5.1kg



CHAIN SAWS - PETROL

CS-4016

40CC 2 - STROKE PETROL CHAIN SAW 380MM

FEATURES:

- Powerful 40cc engine delivers power to cut through the toughest jobs
- Convenient primer bulb for easy starting
- Inertia-activated chain brake system for safety
- Built-in automatic chain oiling system for longer chain and bar life
- Ergonomically designed handle and anti-vibration system for user comfort

MODEL NUMBER	ENGINE TYPE	MAX. CUTTING LENGTH	BAR LENGTH	FUEL / OIL RATIO	FUEL TANK CAPACITY	NETT WEIGHT
CS-4016	1 500W	380mm	460mm	25:1	580ml	6.35kg



CS-4518

45CC 2 - STROKE PETROL CHAIN SAW 405MM

FEATURES:

- Powerful 45cc engine delivers power to cut through the toughest jobs
- Convenient primer bulb for easy starting
- Inertia-activated chain brake system for safety
- Built-in automatic chain oiling system for longer chain and bar life
- Ergonomically designed handle and anti-vibration system for user comfort

MODEL NUMBER	ENGINE TYPE	MAX. CUTTING LENGTH	BAR LENGTH	FUEL / OIL RATIO	FUEL TANK CAPACITY	NETT WEIGHT
CS-4518	1 800W	455mm	545mm	25:1	580ml	6.5kg



CHAIN SAWS - PETROL

CS-5045

50CC 2-STROKE PETROL CHAIN SAW 455MM

FEATURES:

- Powerful 50cc 2-stroke engine
- 2.2kW Output power cuts hardwood with ease
- 3200min⁻¹ Fast chain speed makes for ease of use by requiring less pressure
- 455mm large cutting bar length
- In-built automatic oiling system for longer chain life
- Compact lightweight design for ease of use

MODEL NUMBER	ENGINE TYPE	IDLING SPEED	BAR LENGTH	FUEL / OIL RATIO	FUEL TANK CAPACITY	CHAIN OIL TANK CAPACITY	NETT WEIGHT
CS-5045	50cc	3 200min ⁻¹	455mm	25:1	550ml	260ml	8.5kg



CS-5650

56CC 2-STROKE PETROL CHAIN SAW 500MM

FEATURES:

- Powerful 56cc 2-stroke engine provides ample power for tough jobs, cuts hardwood with ease
- Comfortable, ergonomically designed handle and antivibration system for user comfort
- Quick stop inertia chain brake system for safety
- Effortless pull starting system with automatic fuel pump for quick and easy start
- Fast chain makes for ease of use by requiring less pressure
- Automatic chain oiling system for longer chain life
- Convenient primer bulb for easy starting
- Large 500mm cutting diameter
- Oregon "Double Guard" chain bar

MODEL NUMBER	ENGINE	DISPLACEMENT	IDLING SPEED	FUEL TYPE	FUEL TANK CAPACITY	FUEL / OIL RATIO	MAX. CUTTING DIAMETER	NETT WEIGHT
CS-5650	3.2hp, 2-stroke, air-cooled	56cc	3 000rpm	Unleaded	550ml	35:1	500mm	8.1kg



CS-6260

62CC 2-STROKE PETROL CHAIN SAW 600MM

FEATURES:

- Powerful 62cc, 2-stroke engine provides ample power for tough jobs, cuts hardwood with ease
- Large 600mm cutting diameter
- Effortless pull starting system with automatic fuel pump for quick and easy start
- Comfortable, ergonomically designed handle and anti-vibration system for user comfort
- Fast chain makes for ease of use by requiring less pressure
- Automatic chain oiling system for longer chain life
- Convenient primer bulb for easy starting
- Chain brake system for safety
- Oregon "Pro-lite" chain bar

MODEL NUMBER	ENGINE	DISPLACEMENT	IDLING SPEED	FUEL TYPE	FUEL TANK CAPACITY	FUEL / OIL RATIO	MAX. CUTTING DIAMETER	NETT WEIGHT
CS-6260	4hp, 2-stroke, single cylinder, air-cooled	62cc	3 200rpm	Unleaded	550ml	35:1	500mm	8.2kg



CHAINSAW BAGS

CSB-400

CHAINSAW BAG TO FIT UP TO 40CM BAR

CSB-500

CHAINSAW BAG TO FIT UP TO 50CM BAR

CSB-600

CHAINSAW BAG TO FIT UP TO 60CM BAR

CHAIN SAW SHARPENER AND KITS

CSF-3532 4,0MM CHAIN SAW FILE



CSS-532K 5/32" CHAIN SAW SHARPENING KIT



CSS-316K 3/16" CHAIN SAW SHARPENING KIT



HEDGE TRIMMER

BHS-720 HAND HEDGE TRIMMER AND GRASS SHEAR 7,2V LI-ION IN CARRY CASE

FEATURES:

- 7.2V Lithium-ion technology for lighter weight and more power
- Converts from a hedge trimmer into a grass shear
- Quick and easy tool-free blade change system
- Precision-sharpened blades for faster and cleaner cutting
- Battery indicator LED for user convenience

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	NETT WEIGHT
BHS-720	7.2V	1 000min ⁻¹	Grass Shear: 100mm Hedge Trimmer: 120mm	0.8kg



RHT-500 500W GARDEN TRIMMER 410MM

FEATURES:

- Powerful 500 Watt motor with electric brake
- 410mm blade length with double action cutting blades for a cleaner and faster cut
- Ergonomically designed handle with soft grip for improved handling and transparent safety guard allowing a clear view or the cutting area
- Double action safety switch and blade brake improves user safety
- Large 17mm cutting capacity

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE LENGTH	MAX. CUTTING CAPACITY	NETT WEIGHT
RHT-500	500W	1 650min ⁻¹	410mm	17mm	2.8kg



RHT-650 600W GARDEN TRIMMER 550MM

FEATURES:

- Powerful 650 Watt motor with electric brake
- 180° rotatable rear handle with soft grip improves ergonomics and user control
- Double action safety switch and blade brake improves user safety
- 550mm blade length and dual action cutting blades for a cleaner and faster cut
- Large 20mm cutting capacity

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE LENGTH	MAX. CUTTING CAPACITY	NETT WEIGHT
RHT-650	650W	1 500min ⁻¹	550mm	20mm	3.8kg



ELECTRIC LAWNMOWERS

HM-3400

1300W HOVER MOWER 340MM

FEATURES:

- Powerful 1 300 Watt motor provides smooth mowing
- Safety switch prevents mower from accidental start
- 3-position adjustable cutting height
- Extra-long rear-mounted handle provides longer reach and improved handling
- Fold-down handle for space-saving storage

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	NETT WEIGHT
HM-3400	1 300W	6 500min ⁻¹	340mm	10/15/22mm	10kg

RM-1202

1200W ELECTRIC LAWNMOWER 320MM

FEATURES:

- Powerful 1200 Watt motor providing quiet running performance with low maintenance
- Safety switch to prevent accidental start improves operator safety and avoids accidental start ups
- Wheeled lawnmower for easy push mowing
- 320mm cutting path with 3 height positions
- 25 Litre plastic grass catcher helps to efficiently dispose clippings
- Handles and wheels for easy storage and transportation
- Convenient cable guide to secure cable when in use

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1202	1 200W	3 450min ⁻¹	320mm	25/45/65mm	25L	6.85kg

RM-1602

1600W ELECTRIC LAWNMOWER 400MM

FEATURES:

- Powerful 1600W motor, providing quiet running performance with low maintenance
- Wheeled lawnmower for easy push mowing
- Safety switch mechanism improves operator safety and avoids accidental start-ups
- One central handle to adjust 5 cutting heights between 25 – 75mm
- 40 Litre plastic grass catcher help to efficiently dispose clippings
- Handles and wheels for easy storage and transportation
- Convenient cable guide to secure the cable when in use

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1602	1 600W	3 450min ⁻¹	380mm	25 - 75mm (5 positions)	40L	10.2kg



ELECTRIC LAWNMOWERS

RM-1802

1800W ELECTRIC LAWNMOWER 400MM

FEATURES:

- Powerful 1800W motor, providing quiet running performance with low maintenance
- Wheeled lawnmower for easy push mowing
- Safety switch mechanism improves operator safety and avoids accidental start-ups
- One central handle to adjust 5 cutting heights between 25 – 80mm
- 40 Litre grass catcher help to efficiently dispose clippings
- Convenient cable guide to secure the cable when in use
- Handles and wheels for easy storage and transportation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1802	1 800W	3 450min ⁻¹	420mm	25 - 80mm (5 positions)	40L	12.0kg

RM-2010

2000W ELECTRIC LAWNMOWER 460MM

FEATURES:

- Powerful 2000 Watt motor provides smooth cutting
- 460mm wide cutting path
- 6-position single lever adjustable cutting height, 25/30/40/50/60/70mm
- Large capacity 50 litre grass collection box.
- Safety switch prevents mower from accidental start

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-2010	2 000W	2 850min ⁻¹	460mm	25 – 70mm (6 steps)	50L	25kg

RM-2410

2400W ELECTRIC LAWNMOWER 480MM

FEATURES:

- Powerful 2400 Watt motor provides smooth cutting
- 460mm wide cutting path
- 6-position single lever adjustable cutting height, 25/30/40/50/60/70mm
- Large capacity 50 litre grass collection box
- Safety switch prevents mower from accidental start

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-2410	2 400W	2 850min ⁻¹	460mm	25 – 70mm (6 steps)	50L	25.9kg



ELECTRIC LAWNMOWERS

RCM-750

750W ROTARY CYNDRICAL ELECTRIC LAWNMOWER

FEATURES:

- Unique cylinder cutting system makes a cleaner cut and saves energy
- Twin lever switch with push button making it more user-friendly and safer
- Easy central cutting height adjustment
- Camlock handle for easy lock and release
- Large carrying handle for easy portability
- Super compact size for easy storage
- Large 410mm cutting path with 24 individual, self-sharpening blades
- Easy blade replacement on each individual blade
- Viewing window in grass catcher to see when box is full

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RCM-750	750W	3 300min ⁻¹	410mm	25 - 65mm (5 positions)	38L	15.3kg



Compact,
Easy Storage

Unique Cylinder
Cutting System



Easy Height
Adjustment



PETROL LAWNMOWERS

RM-1040P

99CC 4-STROKE PETROL LAWNMOWER 400MM

FEATURES:

- Easy to start OHV 4-stroke petrol engine that delivers 99cc of power
- 400mm cutting width makes it ideal for cutting small to medium sized lawns
- Easy to remove, 45L grass catcher, with flap indicating when box is full, minimizes time spent emptying cuttings
- 6 different cutting heights 25mm – 75mm
- Folding handles for easy storage
- Treated steel deck to prevent rust and corrosion

MODEL NUMBER	DISPLACEMENT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1040P	99cc	2 500min ⁻¹	400mm	25 - 75mm	45L	21kg

RM-1448P

139CC 4-STROKE PETROL LAWNMOWER 480MM

FEATURES:

- Easy to start OHV 4-stroke petrol engine that delivers 139cc of power
- 480mm cutting width makes it ideal for cutting small to medium sized lawns
- Easy to remove, 70L grass catcher with flap indicating when box is full, minimizing time spent emptying cuttings
- 6 Different cutting heights 25mm - 75mm
- Folding handles for easy storage
- Treated steel deck to prevent rust and corrosion
- 4 individual swing blades for a cleaner cut and effective clipping collection

MODEL NUMBER	DISPLACEMENT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1448P	139cc	2 800min ⁻¹	480mm	25 - 75mm	70L	30kg

RM-1748P

173CC 4-STROKE PETROL LAWNMOWER 480MM

FEATURES:

- Easy to start OHV 4-stroke petrol engine that delivers 173cc of power
- 480mm cutting width makes it ideal for cutting small to medium sized lawns
- Easy to remove, 70L grass catcher with flap indicating when box is full, minimizing time spent emptying cuttings
- 6 Different cutting heights 25mm - 75mm
- Folding handles for easy storage
- Treated steel deck to prevent rust and corrosion
- 4 individual swing blades for a cleaner cut and effective clipping collection

MODEL NUMBER	DISPLACEMENT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1748P	173cc	2 800min ⁻¹	480mm	25 - 75mm	70L	33.5kg



INDUSTRIAL



INDUSTRIAL



PUSH MOWERS

RPM-380

PUSH MOWER 380MM

FEATURES:

- Push reel mower ideal for most turf grasses
- 5 heat-treated, steel blades provide a clean, precise, scissor-like cut
- Cutting height adjustable 15, 25, 35, 40mm
- 380mm cutting width
- 217mm high impact, polymer wheels are cleated to reduce slippage

MODEL NUMBER	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	DECK MATERIAL	NETT WEIGHT
RM-380	380mm	15, 25, 35, 40mm	25L	Steel	7.2kg



ROM-140SD

RIDE-ON LAWNMOWER 14,0HP

FEATURES:

- Powerful 14HP OHV engine
- Direct side discharge of the lawn on the ground ensures the fastest possible execution
- Heavy duty ergonomic design for comfort and durability
- Robust bumper prevents damage to the front hood
- Compact size offers more ease of operation and requires less storage space

MODEL NUMBER	ENGINE	DISPLACEMENT	CUTTING WIDTH	MAX. SPEED	NETT WEIGHT
ROM-140SD	Loncin 14HP overhead valves	432cc	980mm	8.8km/h	165kg



FERTILIZER SPREADER

RSC-450

SEEDING CART 450MM

FEATURES:

- Light weight cart with large wheels for easy manoeuvrability
- Adjustable spreading rate
- Large 12 litre spreading box
- Suitable for materials up to 8mm in length

MODEL NUMBER	WORKING WIDTH	MAX SPREADING SIZE	SPEEDING CAPACITY	NETT WEIGHT
RSC-450	450mm	8.0mm	12L	2.3kg



ELECTRIC LINE TRIMMERS

RLT-310

300W LINE TRIMMER

FEATURES:

- 300W motor is perfect for everyday grass trimming
- Loop shaped handle with textured surface for improved grip
- Light weight design provides greater comfort during use
- Bump feed mechanism to adjust the spool line
- 220mm cutting diameter for efficient cutting action
- Use Ryobi 1.2 / 1.4mm trimmer line as replacement line

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NETT WEIGHT
RLT-310	300W	13 000min ⁻¹	220mm	1.2mm	Bump feed	1.25kg

RLT-552

550W LINE TRIMMER

FEATURES:

- 550 Watt powerful motor offers excellent performance
- 3 Position pivoting head tilts to accommodate hard to trim areas
- Metal plant protector protects flowers and delicate surfaces
- Adjustable length aluminum shaft up to 180mm with adjustable angle auxiliary handle for user comfort
- Edging function with wheel support for easy accurate edge trimming while metal plant protector protects trees and delicate surfaces
- Auto-spool system allows automatic feeding of the cutting line when required with 300mm cutting diameter
- Use Ryobi 1.4mm trimmer line as replacement line

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NETT WEIGHT
RLT-552	550W	10 000min ⁻¹	300mm	1.4mm	Bump feed	2.3kg

RLT-710

710W LINE TRIMMER

FEATURES:

- 710 Watt high power motor
- Adjustable length aluminium shaft with adjustable angle auxiliary handle
- 3-position pivoting head tilts to accommodate hard-to-trim areas
- Edging function with wheel support for easy and accurate edge trimming
- Auto-spool system allows automatic feeding of the cutting line when required

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NETT WEIGHT
RLT-710	710W	11 000min ⁻¹	290mm	1.5mm	Auto feed	3.5kg

RLT-1002

1000W TOP MOUNT LINE TRIMMER

FEATURES:

- Powerful 1000 Watt rear mounted motor for improved balance and endurance
- Split shaft design for convenient storage and transport
- Adjustable auxiliary handle and shoulder harness to help maintain balance and provide comfort
- Bump feed head with 6m of 2mm pre-loaded line, easy to trim and extend line
- Angled drive shaft helps tackle hard to reach areas
- Large 350mm trimming path to get your job done quickly
- Use Ryobi 2mm twisted line as replacement line

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	FUEL / OIL RATIO	NETT WEIGHT
RLT-1002	1 000W	7 000min ⁻¹	350mm	2mm	Bump feed	Electrical	3.8kg



PETROL LINE TRIMMERS

RPT-2650

2 STROKE PETROL LINE TRIMMER 25CC SPLIT SHAFT

FEATURES:

- Powerful and efficient 25cc 2-stroke engine
- 38cm cutting path for trimming the largest gardens
- Easy start electronic ignition system
- Bump feed head with 5m of 2.0mm pre-loaded line, makes easy work of trimming and extending line
- Split shaft design for convenient storage and transport
- Support strap and adjustable, anti-vibration 'D' auxiliary handle for user comfort
- Lightweight, low vibration and easy to handle

MODEL NUMBER	POWER INPUT	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	FUEL / OIL RATIO	TANK CAPACITY	NETT WEIGHT
RPT-2650	25cc 2-stroke	380mm	2mm	Bump feed	40:1 (unleaded: 2-stroke)	400ml	4.9kg

RPT-3000

30CC 2 STROKE PETROL LINE TRIMMER

FEATURES:

- 30cc 2-Stroke air-cooled engine built for endurance
- Electronic ignition makes starting 70% easier
- Automatic line dispensing system releases trimming line with a single tap
- Diaphragm carburettor so machine can run at an angle
- D-shaped handle can rotate for user comfort
- Complete with shoulder strap

MODEL NUMBER	POWER INPUT	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	FUEL / OIL RATIO	TANK CAPACITY	NETT WEIGHT
RPT-3000	30cc 2-stroke	360mm	2mm	Bump feed	40:1 (unleaded: 2-stroke)	700ml	3.8kg

RPT-264S

26CC 4-STROKE BENT SHAFT PETROL LINE TRIMMER

FEATURES:

- Powerful and efficient 26cc 4-stroke engine, no mixing of gas and oil required
- Easy start electronic ignition system
- Fully adjustable anti-vibration 'D' handle
- Bump feed head with 2m of 2.0mm pre-loaded line, easy to trim and extend line
- Split shaft design for convenient storage and transport
- 43cm cutting path for trimming the largest gardens

MODEL NUMBER	POWER INPUT	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	FUEL / OIL RATIO	TANK CAPACITY
RPT-264S	26.5cc 4-stroke	430mm	2mm	Bump feed	Unleaded	280ml



EXTENSION CORDS (GARDENING)

822201015	15M EXTENSION CORDS 220V 10AMP
822201020	20M EXTENSION CORDS 220V 10AMP
822201025	25M EXTENSION CORDS 220V 10AMP
822201635	35M EXTENSION CORDS 220V 10AMP

SHREDDERS

RGS-1240

2400W SHREDDER MULCHING WITH 50LT BIN

FEATURES:

- Quick stop motor - less than 5 sec. Overload thermal protection switch
- Easy open hopper for cleaning the blade
- Useful flat push paddle to aid feeding material into the machine chute with handy catch box
- Low noise design
- Replaceable cutting blades
- Wheels for easy manoeuvrability
- GS / CE / EMC / ROHS approval

MODEL NUMBER	RATED POWER	NO LOAD SPEED	MAX. BRANCH DIAMETER	INLET AND OUTLET	NETT WEIGHT
RGS-1240	2 400W	4 050min ⁻¹	40mm	80mm	14.1kg

RGS-1500

2HP SHREDDER MULCHING

FEATURES:

- This powerful shredder offers an amazing 3 cycle shredding and mulching action, reducing garden waste to compost
- Shreds leaves and garden clippings into mulch for use with compost
- Cuts solid wood branches into wood chips to cover garden beds
- Large wheels for easy manoeuvrability
- Fitted with a removable on/off switch
- Overload protection switch

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	HOPPER	REAR CHUTE	LEAF CHUTE	NETT WEIGHT
RGS-1500	1 600W	3 300min ⁻¹	390 x 265mm	35mm	35 x 60mm	48kg

RGS-2540

2500W SHREDDER

FEATURES:

- Powerful 2500 Watt motor with twin hardened steel blade cutting device provides efficient shredding
- Large top hopper accepts branches up to 45mm
- Reversible and re-sharpenable blades for longer service life
- Overload protection switch prevents the motor from being overloaded
- Large wheels provide easier transportation and manoeuvrability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX CUTTING	COLLECTION BAG CAPACITY	NETT WEIGHT
RGS-2540	2 500W	4 200min ⁻¹	45mm	40L	48kg

GGG-3000

3HP HEAVY DUTY SHREDDER

FEATURES:

- Powerful 2200 Watt / 3HP motor with double action safety switch improves user safety
- Double sided reversible replacement blades for a cleaner cut
- Shreds leaves and garden clippings into mulch for use with compost
- Cuts solid wood branches into wood chips to cover garden beds
- Self feeding, cone cutter system with mulch collection box

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BRANCH THICKNESS DIAMETER	CUTTING MECHANISM	SHREDDING EFFICIENCY	MULCHING RATIO	NETT WEIGHT
GGG-3000	3hp (without brake system)	2 900min ⁻¹	40mm	Self-feeding	400kg/hr	10:1	50kg



INDUSTRIAL

GARDEN ACCESSORIES



RMB-100
MIXING BOTTLE

MODEL NUMBER	BOTTLE SIZE	FUEL / OIL RATIO	NETT WEIGHT
RMB-100	1L	50:1 / 40:1 / 32:1 / 25:1	0.1kg



FH-640
FOREST HELMET 52-64CM

MODEL NUMBER	HEAD CIRCUMFERENCE	NETT WEIGHT
FH-640	520 - 640mm	0.7kg



UTH-04
UNIVERSAL TRIMMING
HEAD TO FIT BRUSH
CUTTERS



RPS-001
RYOBI
SPRINKLER



RRG-002
RYOBI
RAIN GAUGE



RGF-003
RYOBI
GARDEN FORK



RGT-004
RYOBI
GARDEN TROWEL

PRESSURE SPRAYER

RMB-100
4L PRESSURE SPRAYER 1.2m HOSE | 6L PRESSURE SPRAYER 1.2m HOSE

Give your garden the attention it needs with Ryobi's multi-purpose lawn and garden sprayers. The adjustable nozzle executes a variety of spray patterns from a gentle mist to a coarse spray. The transparent polyethylene tank is fitted with a pressure release discharge. The strap ensures easy portability. Ideal for spraying fertilisers, weed killers and pesticides.

MODEL NUMBER	TANK CAPACITY	WORKING PRESSURE	HOSE LENGTH	NETT WEIGHT
GS-400	4L	0.15 - 0.3MPa	1.2m	1.2kg

MODEL NUMBER	TANK CAPACITY	WORKING PRESSURE	HOSE LENGTH	NETT WEIGHT
GS-600	6L	0.15 - 0.3MPa	1.2m	1.3kg



OILS PRODUCTS



RTS-200
2-STROKE OIL 200ML

RTS-500
2-STROKE OIL 500ML

RTS-5000
2-STROKE OIL 5L

RFS-530
4-STROKE OIL SAE 30 500ML

RFS-130
4-STROKE OIL SAE 30 1L

RFS-5030
4-STROKE OIL SAE 30 5L

RCB-500
CHAINSAW BAR LUBRICATION 500ML

RCB-100
CHAINSAW BAR LUBRICATION 1L

RCB-5000
CHAINSAW BAR LUBRICATION 5L

RCO-100
COMPRESSOR OIL 1L

ALWAYS MIX ACCURATELY!

Add 2-stroke oil to unleaded petrol before using the machine.

ENGLISH

Faka 2-stroke oil kwi-petrol unleaded ngaphambi kokusebenzisa umshini.

ZULU

Voeg 2-slag olie by die loodvrye petrol voor gebruik.

AFRIKAANS

Kopanya 2-stroke oil le unleaded petrol pele o sebedisa motjhini.

SOTHO

USE UNLEADED PETROL & 2-STROKE OIL

25 : 1
PETROL TO
2-STROKE OIL

1L : 40ml
2L : 80ml
3L : 120ml
4L : 160ml
5L : 200ml

35 : 1
PETROL TO
2-STROKE OIL

1L : 28.5ml
2L : 57ml
3L : 85.5ml
4L : 114ml
5L : 142.5ml

40 : 1
PETROL TO
2-STROKE OIL

1L : 25ml
2L : 50ml
3L : 75ml
4L : 100ml
5L : 125ml

50 : 1
PETROL TO
2-STROKE OIL

1L : 20ml
2L : 40ml
3L : 60ml
4L : 80ml
5L : 100ml

CONSULT USER MANUAL FOR CORRECT PETROL-TO-OIL RATIO

TRIMMING LINES

MODEL NUMBER	DISCRIPTION	BOX LOT QTY (MOQ)
70214008	TRIMMING LINE 1,4MM x 8M (2 -PACK)	1
70116008	TRIMMING LINE 1.6mm x 8m (1)	1
70120008	TRIMMING LINE 2mm x 8m (1)	1
70120108	TRIMMING LINE SQUARE 2mm x 8m (1)	1
70214008	TRIMMING LINE 1.4mm x 8m (2)	1
70216008	TRIMMING LINE 1.6mm x 8m (2)	1
70220008	TRIMMING LINE 2mm x 8m (2)	1
70224005	TRIMMING LINE 2.4mm x 5m (2)	1
70220108	TRIMMING LINE SQUARE 2mm x 8m (2)	1
70516008	TRIMMING LINE 1.6mm x 8m (5)	1
70520008	TRIMMING LINE 2mm x 8m (5)	1
70520108	TRIMMING LINE SQUARE 2mm x 8m (5)	1
70716100	TRIMMING LINE 1.6mm x 100m (DONUT)	1
70720100	TRIMMING LINE 2mm x 100m (DONUT)	1
70724080	TRIMMING LINE 2.4mm x 80m (DONUT)	1
70730050	TRIMMING LINE 3mm x 50m (DONUT)	1
70830002	3mm x 2kg SPOOL	1
70820002	2mm x 2kg SPOOL	1
70935100	PRE CUT LINE 3.5mm x 220mm x 100 PIECES	1
71216008	TRIMMING LINE 16mm x 8m TWISTED (2-PACK)	75
71516008	TRIMMING LINE 16mm x 8m TWISTED (5-PACK)	80
71716100	TRIMMING LINE 16mm x 100m BLISTER (DONUT)	10
71220008	TRIMMING LINE 2mm x 8m TWISTED (2-PACK)	60
71520008	TRIMMING LINE 2mm x 8m TWISTED (5-PACK)	80
71720100	TRIMMING LINE 2mm x 100m BLISTER TWISTED (DONUT)	10
70835002	TRIMMING LINE 35mm x 2kg SPOOL	6

BLOWERS: DUST BAG

MODEL NUMBER	DISCRIPTION	BOX LOT QTY (MOQ)
79300001	DUST BAG, RBV3000	1
79260001	DUST BAG, RBV2200/RBV2600E	1
RBV3010/32	DUST BAG, RBV3010	1

EXTENSION CORDS

MODEL NUMBER	DISCRIPTION	BOX LOT QTY (MOQ)
822201015	EXTENSION CORDS 15m 220V 10AMP	15
822201020	EXTENSION CORDS 20m 220V 10AMP	10
822201025	EXTENSION CORDS 25m 220V 10AMP	10
822201635	EXTENSION CORDS 35m 220V 16AMP	8

AIR FILTERS

MODEL NUMBER	DISCRIPTION	BOX LOT QTY (MOQ)
RM100/002	AIR FILTER, RM100	1
RM40/119B	AIR FILTER, RM40P	1
RM65/04L	AIR FILTER, RM65P, RM45P, RM65SD	1
600000010	AIR FILTER, RM70SP	1
ROM65P/ AIR FILTER	AIR FILTER, ROM65P LONCIN ENGINE	1
ROM175P/ AIR FILTER	AIR FILTER, ROM175P LONCIN ENGINE	1

CHAIN SAW, CHAIN & BAGS

MODEL NUMBER	DISCRIPTION	BOX LOT QTY (MOQ)
61355520	CHAIN, 52 LINKS 355mm BAR CS3635, CS3835, CS363L, CS362L	1
61405570	CHAIN, 57 LINKS 405mm BAR CS3840/CS216	1
61455720	CHAIN, 72 LINKS 455/460mm BAR CS5045/CS5518	1
61500780	CHAIN, 78 LINKS 500mm BAR CS5650	1
61600840	CHAIN, 84 LINKS 600mm BAR CS6260	1
CSB-400	CHAINSAW BAG TO FIT UP TO 400mm BAR	1
CSB-500	CHAINSAW BAG TO FIT UP TO 500mm BAR	1
CSB-600	CHAINSAW BAG TO FIT UP TO 600mm BAR	1

BUMP HEADS

MODEL NUMBER	DISCRIPTION	BOX LOT QTY (MOQ)
RLT350/27-29	BUMP HEAD ASS'Y, RLT350	1
RLT580/45-47	BUMP HEAD ASS'Y, RLT580	1
RLT1000/04-07	BUMP HEAD ASS'Y, RLT1000, RLT900, RLT1004K	1
RPT3000/11-12	BUMP HEAD ASS'Y, RPT3000, RPT320E, RPT321MA, RPT324K	1
RBC320E/14-15	BUMP HEAD ASS'Y, RBC320E	1
RBC4150/74B	BUMP HEAD ASS'Y, RBC4150, RBP4350, RBC3300, RBC4300, RBC5200	1
RLT710/11-12	INNER SPOOL + SPOOL HOLDER ASS'Y, RLT710	1

SPARK PLUGS


MODEL NUMBER	DISCRIPTION	BOX LOT QTY (MOQ)
70610311	SPARK PLUG, LINE TRIMMER, BRUSH CUTTER, CHAINSAW	1
09500031	SPARK PLUG, LAWNMOWER, GENERATOR	1

TRIMMER LINE INFO

TRIMMER LINE INFO


Did you know that the shape and diameter of your trimmer line can determine how quickly and efficiently your weeds are cut?

Trimmer lines come in different shapes and diameter sizes to be used for heavier or lighter jobs. The size of your yard and thickness of your grass should be determined before choosing your line shape or diameter. Different styles of lines can assist you in cutting your job time in half and creating a cleaner, more even cut. Always refer to your owner's manual before shopping for trimmer line to determine which line shape and diameter best suits your trimmer.




Round Trimmer Line

- Standard, basic shape that won't wear down as quickly as other trimmer lines.
- Used for lighter, residential use with minimum weeds.
- Breaks less and is more durable against concrete and trees.
- Easiest trimmer line to replace in your trimmer.




Multi-sided Trimmer Line

- Best used for medium sized jobs with heavier weeds or larger lawns.
- Multi-sided trimmer lines have multiple sides that produce a cleaner cut.
- These lines commonly come in the shape of a star, square or pentagon.
- Break easy when they come in contact with stones, fences, curbs, sidewalks and etc.



Serrated Trimmer line

- Commercial use
- Used for heavier jobs with thicker weeds and more area to cover.
- Edges that act like teeth or a kitchen knife, this serrated line can quickly saw through grass blades and thick leaves, leaving a cleaner trim.



Twisted Trimmer Line

- Used for heavy-duty use and on yards with a lot of heavy, thick weeds.
- Twisted Trimmer line adds strength, improved efficiency and reduces noise levels.
- Offers durability when hitting concrete or hard surfaces.
- Reduces trimmer vibrations and noise levels while giving you a clean, even cut.

TRIMMER LINE INFO

Line Diameter

Trimmer line comes in many different line weights and diameters. A larger diameter will increase your cutting power and durability against thicker grasses and weeds. A lighter weight should be used on areas where there are a minimum of weeds. However, each trimmer can only handle a certain line diameter, check your owner's manual for model specific recommendations.

Light Work: Residential front and back lawns with lighter weeds.

Medium Work: Larger back and front lawns or lawns with heavier weeds and light commercial work.

Heavy work: Industrial landscaping, large yards, golf courses and other areas that need a large amount of trimming.

Diameter Size:

Light-medium work: 0.65mm – 2mm

Medium-heavy work: 2.1mm – 2.6mm

Very heavy work: 2.7+mm

Conclusion

When choosing trimmer line determine the thickness of your weeds and the line recommendations in your owner's manual.

With the right trimmer line choice you'll get a clean, even cut in half the time.

<https://www.jackssmallengines.com/diy/choosing-the-best-trimmer-line-for-you/>

KNOWLEDGE IS POWER.

For expert advice on the use and
maintenance of your Ryobi power tools,
go to www.ryobiknows.co.za


A man with a mustache, wearing a light blue shirt, is smiling and holding a Ryobi chainsaw. The background is a workshop with various tools and equipment.

RIGHT TOOL
FOR THE JOB?



ASK AN EXPERT.

For expert advice on any power tool, log on to our **#RyobiKnows** website, click on the “Ask an expert” tab and one of our in-house specialists will be in contact with you within 24 hours!

A close-up, low-angle shot of several Ryobi lawnmowers lined up in a store. The mowers are primarily red and grey, with some green accents. They are parked on a green artificial turf mat. In the background, a green Ryobi box is visible.

EXPERT ADVICE,
TIPS AND TRICKS?

**#RYOBI
#KNOWS**



Ryobi's full product range includes industrial and DIY power tools, cordless tools, generators, gardening and cleaning equipment. Ryobi began operations in Japan over 60 years ago, manufacturing die cast components. Since that time the company has grown to become one of the world's largest and most advanced aluminium die cast component suppliers. Ryobi has accumulated innovative technologies and produces die cast components for numerous industries, including automotive, computer, telecommunications and electronic manufacturers.

Ryobi power tools meet a wide array of needs from handheld drills, planers, grinders and stationary saws, to lawnmowers, hedge trimmers, cordless tools, generators and door closers. Ryobi also offers a comprehensive selection of power sources, giving consumers a choice of electric, cordless or petrol-powered models designed to meet specific market needs.

Stevens & Co is the sole distributor of Ryobi in Southern Africa. No other distributor can offer such a comprehensive range of volume selling power equipment with such strong market acceptance.

We have gone to great lengths to gain the trust of users by creating safe, easy-to-use products that are highly functional and durable. With over 350 different models catering for all power equipment categories, Ryobi's range can satisfy the needs of both trade professionals and DIY enthusiasts alike.



Ryobi Strike Force also known as the Retail Store Support Team was implemented by Mr John Stevens MD of Stevens and Company Pty Ltd (agent for Ryobi in South Africa) in October 2018.

The idea behind the Strike Force is for dedicated teams to 'Strike' a store in a strategic manner to engage in conversations with the store manager or owner to create action plans to turn around stock quicker.

The Strike Force team also negotiates with the store on the acquisition of space – be it gondola ends, shelving, display stands, snake aisles, promotional bulk space etc to allow for clever and clear merchandising of all products and their accessories – this effectively results in more sales for the retailer as newly delivered and older products are merchandised in such a way to ensure convenience for the customers and sales for the retailers.

The Strike Force teams come into the stores in a planned manner to help sell the products. The teams can sell a combination of slow-moving items at the same time as promoting the better moving products. This is achieved by making a “bang” when they “strike” the store armed with music, demos and advice for the customers. The aim here is to create a stir, engage in conversations with the consumer, listen to their needs and educate them on choosing the right product for the correct application, also upselling by advising regarding spare parts and accessories. The consumer is engaged rather than intimidated and leaves the store educated and confident with the right product for their needs. This has the knock- on effect of turning over more stock benefitting both the retailer and Ryobi. Happy customers are also returning customers. The strike force can assist with After-sale service, pick-up and drop off of machines as well as assess and troubleshoot products as required.

Currently Ryobi has 10 Strike Force Teams servicing stores throughout the country, and will be expanding.

The Strike Force teams are easy to identify as all members share a team identity and strike the store in the same corporate outfit. The teams also travel around in branded vehicles with enough packing space to properly service the stores.

The introduction of Strike Force has also proved a great motivator for Ryobi sales and support staff – they are at the coal face of the business and intricately involved in the entire sales channel – from warehouse to store to consumer – each member of the team is highly skilled and understand the intrinsics of the tools they represent and are able to assemble/demonstrate/answer questions on all the Ryobi products. The concept has ensured that there is a constant channel between the store owner and Ryobi the company – it has also ensured greater efficiency as everything is done at store level – issues are picked up on the day and feedback given the same day. The value of The Strike Force concept is one that has ensured a Fast, Flexible and Focused service coupled with energized and motivated Ryobi staff, energized and motivated Ryobi retailers and last but not least Happy End Users.

Ryobi will be expanding this service as needed and are working on implementing the next phase of this exciting force shortly. More info on this will be made available soon.

For any questions regarding the Strike Force please contact us on 011 357 9600.



JOHANNESBURG

604, 16th Road, Randjespark, Midrand
(011) 357 9600



CAPE TOWN

30 Montague Drive, Montague Gardens
(021) 551 9882



DURBAN

Unit K1C, 35 Intersite Avenue, Springfield Park
(031) 263 0505



PORT ELIZABETH

151 Heugh Road, Walmer
(041) 001 1030



NELSPRUIT

Unit 1 Riverside Circle, 9 Water Lilly Crescent,
Riverside Park, Nelspruit
(013) 590 6587

